Guiding Pharmacy Students To Adopt A Patient-Centered Practice:



Exploring The Problem Of Medication Non-Adherence

Outline

- Background
 - Pharmacy education
 - Adherence to bisphosphonate therapy
 - Research question
- Method and Deliverables
 - Using the PASSAction framework
- Implications



Outline

- Background
 - Pharmacy education
 - Adherence to bisphosphonate therapy
 - Research question
- Method and Deliverables
 - Using the PASSAction framework
- Implications



Pharmacy Education



Pharmacy Education in Canada

- Science and therapeutics of drugs
 - Pathophysiology (what is this disease? how does it present?)
 - Therapeutics (how do you treat it? i.e., which drugs?)
 - Pharmacology (how does the drug work at a molecular level?)
 - Pharmacokinetics (how does the drug work at a kinetics level?)
 - Medicinal chemistry (what is the chemical structure of the drug?)

Pharmacy Education at UW

- Application of knowledge in patient care
 - Indication
 - Effectiveness
 - Safety
 - Adherence



What is Adherence?


The extent to which a person's behaviour, such as taking medications, following a diet and/or executing lifestyle changes, corresponds to agreed-upon recommendations from a health care provider



How UW pharmacy students assess adherence in paper cases

- Does the patient prefer not to take the drug?
- Does the patient understand the directions for use?
- Does the patient forget to the take the drug?
- Is the drug too expensive for the patient?
- Can the patient swallow/administer the drug?
- Is the drug available?

How UW pharmacy students assess adherence in paper cases



Assessing adherence

We should never assume

 "Drugs don't work in patients who don't take them" – C. Everett Koop, M.D.



Adherence to Bisphosphonates

- Bisphosphonates
 - chronic medications for treatment and prevention of osteoporosis
- Importance of adhering to bisphosphonates?
 - Osteoporosis poses a significant burden to health and health care costs
 - Adhering to medications is key to preventing osteoporosis and/or fragility fractures



Adherence to Bisphosphonates

- Bisphosphonate adherence is poor
 - 20-30% discontinue the drug as early as within 6 months

 Patients need to take bisphosphonates consistently for at least 6 months to derive benefit from therapy



Research Question

How can adherence to bisphosphonates be improved in community pharmacy practice?






Using the PASSAction Framework



The PASSAction Framework




P - Problem or Patient Encounter



P - Problem or Patient Encounter




A – Adherence Factors



Adherence Factors

- Complex administration instructions
- Lack of standardized medication information
- Asymptomatic nature of the disease
- Lack of belief in the purpose or benefits of taking the medication
- Lack of trusting and supportive patient-health care provider relationships

SS – Set Your Strategy



How can bisphosphonate adherence be improved?

- Strategies to improve adherence:
 - Use a multifaceted approach
 - Present educational information in multiple forms (audio, visual, tactile)




How can bisphosphonate adherence be improved?

Complex administration procedures

Lack of standardized medication information

Lack of belief in purpose of the medication

Lack of trusting and supportive relationships with HCPs



Intervention 1: Patient education video

- Describes purpose of the medication
- Demonstrates administration procedures
- Provides tips for establishing a medicationtaking system
- http://www.youtube.com/watch?v=jdUrTx3Ukjw



Intervention 2: Medication Information Leaflet

- Common uses
- How to use the medication
- Possible side effects





Intervention 3: Pharmacist follow-up phone call

 Reinforce the purpose and benefits of taking the medication

- Reinforce proper administration procedures
- Encourage patients to address any questions or concerns about osteoporosis and/or bisphosphonate therapy



How do we measure adherence?

- ADEOS Questionnaire: <u>Adherence Evaluation</u> of <u>O</u>steoporosis
- Qualitative, patient-reported adherence
- 12 questions with answer choices
- Validated:
 - Postmenopausal women with osteoporosis
 - Taking bisphosphonate therapy



Action

E

Problem or patient encounter

ACTION

Put your strategy to <u>action</u>

Α

Adherence factors

SS

Set your strategy



Study Design







Patients watch a 3-minute educational video clip and receive information leaflet

2-3 weeks



Patient receives a followup phone call from the pharmacist



Patients answer ADEOS (post-intervention)

Patient recruitment at selected pharmacy site

Patients answer ADEOS (pre-intervention)

Patients watch a 3-minute educational video clip and receive information leaflet

2-3 weeks



Patient receives a followup phone call from the pharmacist



Patients answer ADEOS (post-intervention)

Patient recruitment at selected pharmacy site

Patients answer ADEOS (pre-intervention)

Patients watch an educational video clip and receive information leaflet


2-3 weeks


ient receives a

up phone call from the pharmacist

-

Patients answer ADEOS (post-intervention)





Implications




What can we learn from this?

- Look beyond the "paper case"
- Reflect on co-op experiences and connect the dots
- Students learn to develop a <u>system</u> such as PASSAction to identify and resolve adherence issues as they enter real-world practice



The PASSAction Framework



What can we learn from this?

 Understanding and addressing medication non-adherence is crucial in training pharmacy students to become patient-centered clinicians



Discussion

- Do you take medications or know of anyone who does?
- How can you apply the PASSAction framework to identify and resolve any adherence issues?
- Additional examples:
 - Patient misunderstands instructions: "take with food"
 - Patient recently diagnosed with diabetes and prescribed 6 new medications
 - As a result of a shortage of a combination drug, a patient began receiving the medication as its 2 component parts



Guiding Pharmacy Students To Adopt A Patient-Centered Practice:



Exploring The Problem Of Medication Non-Adherence