



The Search for Emotions, Creativity, and Fairness in Language

Saif M. Mohammad

Senior Research Scientist, National Research Council Canada



✉ Saif.Mohammad@nrc-cnrc.gc.ca  [@SaifMMohammad](https://twitter.com/SaifMMohammad)

Emotions

- Determine human experience and behavior
- Condition our actions
- Central in organizing meaning
 - No cognition without emotion



The Search for Emotions in Language



creativity




fairness



Emotions



How many emotions can we perceive?



Difficult question:

- fuzzy emotion boundaries, overlapping meanings, socio-cultural influences, etc.
- Some studies suggest 500 to 600 emotion categories!

Psychological Models of Emotions

ON THE ORIGIN OF SPECIES

BY MEANS OF NATURAL SELECTION,

OR THE PRESERVATION OF FAVOURED RACES IN THE STRUGGLE FOR LIFE




By CHARLES DARWIN, M.A.

Charles Darwin



*the letters A, B, C, D
are the letters C, A, B, D
first published, B & D
with plates inserted
The same was the
found. - Henry White*



Gibbon Orangutan Chimpanzee Gorilla Man



Land Plants

Birds

Fishes

Mammals

Amphibians

Crustaceans

Arachnids

Insects

Worms

Coccyzoides

Protozoites



Proteus

Psychological Theories of Basic Emotions

- Paul Ekman, 1971: **Six** Basic Emotions
- Plutchik, 1980: **Eight** Basic Emotions
- And many others



Paul Ekman, Psychologist



Plutchik's Emotion Wheel

Image credit: Julia Belyanevych




Core Dimensions of Connotative Meaning

Influential factor analysis studies (Osgood et al., 1957; Russell, 1980, 2003) have shown that the three most important, largely independent, dimensions of word meaning:

- **valence (V):** positive/pleasure – negative/displeasure
- **arousal (A):** active/stimulated – sluggish/bored
- **dominance (D):** powerful/strong – powerless/weak

Thus, when comparing the meanings of two words, we can compare their V, A, D scores. For example:

- *banquet* indicates more positiveness than *funeral*
- *nervous* indicates more arousal than *lazy*
- *queen* indicates more dominance than *delicate*



Psychological Models of Emotions

- the valence, arousal, and dominance model
- the basic emotions model

We work with both models



Two Parts To The Work

The Search for Emotions – by Humans



Human annotations of words, phrases, tweets, etc. for emotions



- Draw inferences about language and people:
 - understand how we (or different groups of people) use language to express meaning and emotions

The Search for Emotions – by Machines



Develop automatic emotion related systems



- predicting emotions of words, tweets, sentences, etc.
- detecting stance, personality traits, well-being, cyber-bullying, etc.



The Search for Emotions – by humans



NRC Emotion Lexicon

- Entries for 14,200
- Associations (0 or 1) with 8 basic emotions

Available at: www.saifmohammad.com

Paper:

[Crowdsourcing a Word-Emotion Association Lexicon](#), Saif M. Mohammad and Peter Turney, *Computational Intelligence*, 29 (3), pages 436-465, 2013. Lexicon Released in 2010.



Peter Turney

Use of The NRC Emotion Lexicon

- For research by the scientific community
 - Computational linguistics, psychology, digital humanities, robotics, public health research, etc.
- To analyze text
 - Brexit tweets, Radiohead songs, Trump tweets, election debates,...
 - **Wishing Wall**, uses the NRC Emotion lexicon to visualize wishes.
Displayed in:
 - Barbican Centre, London, England, 2014
 - Tekniska Museet, Stockholm, Sweden, 2014
 - Onassis Cultural Centre, Athens, Greece, 2015
 - Zorlu Centre, Istanbul, Turkey, 2016
- In commercial applications





fine-grained

Obtaining Reliable Human Ratings of Valence, Arousal, and Dominance for 20,000 English Words

Related Work: Existing VAD Lexicons



Affective Norms of English Words (ANEW) (Bradley and Lang, 1999)

- ~1,000 words
- 9-point rating scale

Warriner et al. Norms (Warriner et al. 2013)

- 14,000 words
- 9-point rating scale

A screenshot of a LinkedIn profile card for Amy Warriner. The background is a teal color with a white network graph pattern. On the left is a circular profile picture of a young man with glasses and a bowtie. To the right of the photo are three buttons: 'Connect' (blue), 'Message' (white with blue border), and 'More...' (white with blue border). Below the photo, the name 'Amy Warriner' is followed by '· 2nd' and the LinkedIn logo. Underneath is a list of skills: 'Program Development | Instructional Design | Learning Facilitation | Research | Data Analysis | Leadership | Culture'. At the bottom, it says 'Hamilton, Ontario, Canada · 222 connections · Contact info'. On the right side of the card, there is a small icon of a document and the text 'McMaster English Readiness for Graduate...'.

Connect **Message** **More...**

Amy Warriner · 2nd

Program Development | Instructional Design | Learning Facilitation | Research | Data Analysis | Leadership | Culture

Hamilton, Ontario, Canada · 222 connections · [Contact info](#)

McMaster English Readiness for Graduate...

Related Work: Existing VAD Lexicons



Affective Norms of English Words (ANEW) (Bradley and Lang, 1999)

- ~1,000 words
- 9-point rating scale

Warriner et al. Norms (Warriner et al. 2013)

- 14,000 words
- 9-point rating scale

Small number of VAD lexicons in non-English languages as well

- E.g.:
 - Moors et al. (2013) for Dutch
 - Vo et al. (2009) for German
 - Redondo et al. (2007) for Spanish
- rating scales

Related Work: Existing VAD Lexicons



Affective Norms of English Words (ANEW) (Bradley and Lang, 1999)

- ~1,000 words
- 9-point **rating scale**

Warriner et al. Norms (Warriner et al. 2013)

- 14,000 words
- 9-point **rating scale**

Small number of VAD lexicons in non-English languages as well

- E.g.:
 - Moors et al. (2013) for Dutch
 - Vo et al. (2009) for German
 - Redondo et al. (2007) for Spanish
- **rating scales**

IMPROVED PAIN SCALE

1 IT MIGHT BE AN ITCH




2 I JUST NEED A BANDAID



3 ITS KIND OF ANNOYING



4 THIS IS CONCERNING BUT I CAN STILL WORK



5 BEES?




6 I CANT STOP CRYING



8 I CANT MOVE IT HURTS SO BAD



9 MAULED BY A BEAR OR NINJAS



10 UNCONSCIOUS



Rating scales:

source: imgur



National Research Council Canada

Conseil national de recherches Canada

@SaifMMohammad

Canada

Rating scales:

UNDERSTANDING ONLINE STAR RATINGS:



source: xkcd





Rating scales:

ACL-2018 Reviewing Scale

Overall Score (1–6)

- 6 = Transformative: This paper is likely to change our field. Give this score exceptionally for papers worth best paper consideration.
- 5 = Exciting: The work presented in this submission includes original, creative contributions, the methods are solid, and the paper is well written.
- 4 = Interesting: The work described in this submission is original and basically sound, but there are a few problems with the method or paper.
- 3 = Uninspiring: The work in this submission lacks creativity, originality, or insights. I'm ambivalent about this one.
- 2 = Borderline: This submission has some merits but there are significant issues with respect to originality, soundness, replicability or substance, readability, etc.
- 1 = Poor: I cannot find any reason for this submission to be accepted.

Comparative Annotations



Paired Comparisons (Thurstone, 1927; David, 1963):

If X is the property of interest (positive, useful, etc.),
give two terms and ask which is more X

- less cognitive load
- helps with consistency issues
- requires a large number of annotations
 - order N^2 , where N is number of terms to be annotated

Best–Worst Scaling (BWS) (Louviere & Woodworth, 1990)

- The annotator is presented with four words (say, A, B, C, and D) and asked:
 - which word is associated with the **most/highest** X (property of interest, say valence)
 - which word is associated with the **least/lowest** X
- By answering just these two questions, five out of the six inequalities are known
 - For e.g.:
 - If A: highest valence
 - and D: lowest valence, then we know:
 $A > B, A > C, A > D, B > D, C > D$

Best–Worst Scaling (Louviere & Woodworth, 1990)

- Each of these BWS questions can be presented to multiple annotators.
- We can obtain real-valued scores for all the terms using a simple counting method (Orme, 2009)

$$\text{score}(w) = (\#best(w) - \#worst(w)) / \#annotations(w)$$

the scores range from:

-1 (least X)

X = property of interest, say valence

to 1 (most X)

- the scores can then be used to rank all the terms

Best–Worst Scaling (Louviere & Woodworth, 1990)

- Uses **comparative annotation**—mitigates bias
- Keeps the number of **annotations** down to about $2N$
- Leads to **more reliable, less biased, more discriminating annotations** (Kiritchenko and Mohammad, 2017, Cohen, 2003)



Best-Worst Questionnaire for Valence Annotations

Q1. Which of the four words below is associated with the
MOST happiness / pleasure / positiveness / satisfaction / contentedness / hopefulness
OR **LEAST** unhappiness / annoyance / negativeness / dissatisfaction / melancholy / despair?
(Four words listed as options)

Q2. Which of the four words below is associated with the
LEAST happiness / pleasure / positiveness / satisfaction / contentedness / hopefulness
OR **MOST** unhappiness / annoyance / negativeness / dissatisfaction / melancholy / despair?
(Four words listed as options)

Similar questions for arousal and dominance

This study was approved by the NRC Research Ethics Board (NRC-REB) under protocol number 2017-98.
REB review seeks to ensure that research projects involving humans as participants meet Canadian standards of ethics.

Crowdsourcing and Quality Control



About 2% of the data was annotated internally beforehand (by the author)

- These **gold questions** are interspersed with other questions
- If one gets a gold question wrong, they are immediately notified of it
 - feedback to improve task understanding
- If one's accuracy on the gold questions falls below 80%,
 - they are refused further annotation
 - all of their annotations are discarded

Mechanism to avoid malicious or random annotations

Valence, Arousal, and Dominance Annotations (with BWS)

Dataset	#words	Location of Annotators	Annotation Item	#Items	#Annotators	MAI	#Q/Item	#Best–Worst Annotations
valence	20,007	worldwide	4-tuple of words	40,014	1,020	6	2	243,295
arousal	20,007	worldwide	4-tuple of words	40,014	1,081	6	2	258,620
dominance	20,007	worldwide	4-tuple of words	40,014	965	6	2	276,170
Total								778,085



Includes:

- Terms from the NRC Emotion Lexicon
- Terms from the Warriner et al. (2013) VAD lexicon
- Terms common in tweets

Best–Worst Scaling (Louviere & Woodworth, 1990)

- We can obtain real-valued scores for all the terms using a simple counting method (Orme, 2009)

$$\text{score}(w) = (\#best(w) - \#worst(w)) / \#annotations(w)$$

the scores range from:

-1 (least X)

X = property of interest, say valence

to 1 (most X)

- linearly transformed to scores between 0 and 1
- the scores can then be used to rank all the terms


Entries with Highest and Lowest Scores in the VAD Lexicon

Dimension	Word	Score↑	Word	Score↓
valence	<i>love</i>	1.000	<i>toxic</i>	0.008
	<i>happy</i>	1.000	<i>nightmare</i>	0.005
	<i>happily</i>	1.000	<i>shit</i>	0.000
arousal	<i>abduction</i>	0.990	<i>mellow</i>	0.069
	<i>exorcism</i>	0.980	<i>siesta</i>	0.046
	<i>homicide</i>	0.973	<i>napping</i>	0.046
dominance	<i>powerful</i>	0.991	<i>empty</i>	0.081
	<i>leadership</i>	0.983	<i>frail</i>	0.069
	<i>success</i>	0.981	<i>weak</i>	0.045

Scores are in the range 0 (lowest V/A/D) to 1 (highest V/A/D).

Reliability (Reproducibility) of Annotations

Average split-half reliability (SHR): a commonly used approach to determine consistency (Kuder and Richardson, 1937; Cronbach, 1946)



Pearson correlation: -1 (most inversely correlated) to 1 (most correlated)
higher scores indicate higher reliability

Split-Half Reliability Scores for VAD Annotations

higher scores indicate higher reliability

Annotations	# Terms	# Annotations	V	A	D
Warriner et al. (2013)	13,915	20 per term	0.91	0.79	0.77



Markedly lower SHR for A and D.

The dominance ratings seem especially problematic since the Warriner V-D correlation is 0.71.

Split-Half Reliability Scores for VAD Annotations

higher scores indicate higher reliability

Annotations	# Terms	# Annotations	V	A	D
Warriner et al. (2013)	13,915	20 per term	0.91	0.79	0.77
Ours (Warriner terms)	13,915	6 per tuple	0.95	0.91	0.91



Split-Half Reliability Scores for VAD Annotations

higher scores indicate higher reliability

Annotations	# Terms	# Annotations	V	A	D
Warriner et al. (2013)	13,915	20 per term	0.91	0.79	0.77
Ours (Warriner terms)	13,915	6 per tuple	0.95	0.91	0.91
Ours (all terms)	20,007	6 per tuple	0.95	0.90	0.90

These SHR scores show for the first time that highly reliable fine-grained ratings can be obtained for valence, arousal, and dominance. Also, our V-D correlation is 0.48.

NRC VAD Lexicon and the Warriner et al. Lexicon: How Different are the Scores?

Pearson correlations r

Annotations	V	A	D
Ours-Warriner (for overlapping terms)	0.81	0.62	0.33

The especially low correlations for dominance and arousal indicate that our lexicon has substantially different scores and rankings of terms.

Gender Differences in Perception of the World (Core Dimensions)



fairness

- Men, women, and other genders are substantially more alike than different
- However, they have encountered different socio-cultural influences
- Often these disparities have been a means to exert unequal status and asymmetric power relations
- Gender studies examine
 - both the overt and subtle impacts of these socio-cultural influences
 - how different genders perceive and use language



Analysis of VAD Judgments by Different Demographic Groups

Showed that our demographic attributes impact how we view the world around us.
E.g.:

- women have a higher shared understanding of arousal of terms
- men have a higher shared understanding of dominance and valence
- those above the age of 35 have a higher shared understanding of V and A
- extroverts and those that are open to experiences have a higher shared understanding of V, A, and D

Obtaining Reliable Human Ratings of Valence, Arousal, and Dominance for 20,000 English Words. Saif M. Mohammad. In *Proceedings of the 56th Annual Meeting of the Association for Computational Linguistics (ACL)*, Melbourne, Australia, July 2018.

Best-Worst Scaling Lexicons


About 6000 Words from the NRC Emotion Lexicon Annotated for Intensity of Emotion

Lexicon	Affect Dimension	Language	Domain
1. Affect/Emotion Intensity Lexicon	Joy, Sadness, Fear, Anger	English	General
2. SemEval-2015 English Twitter Sentiment Lexicon	Valence	English	Twitter
3. SemEval-2016 Arabic Twitter Sentiment Lexicon	Valence	Arabic	Twitter
4. Sentiment Composition Lexicon for Negators, Modals, and Adverbs (SCL-NMA)	Valence	English	General
5. Sentiment Composition Lexicon for Opposing Polarity Phrases (SCL-OPP)	Valence	English	General

Lexicons and papers available at: <http://saifmohammad.com/WebPages/lexicons.html>

English Twitter Lexicon:

Examples sentiment scores obtained using BWS

Term	Sentiment Score	
	-1 (most negative) to 1 (most positive)	
awesomeness	0.827	
#happygirl	0.625	
cant waitttt	0.601	
don't worry	0.152	
not true	-0.226	
cold	-0.450	
#getagrip	-0.587	
#sickening	-0.722	

Papers:


- **Obtaining Reliable Human Ratings of Valence, Arousal, and Dominance for 20,000 English Words.** Saif M. Mohammad. In *Proceedings of the 56th Annual Meeting of the Association for Computational Linguistics (ACL)*, Melbourne, Australia, July 2018.
- **Capturing Reliable Fine-Grained Sentiment Associations by Crowdsourcing and Best-Worst Scaling.** Svetlana Kiritchenko and Saif M. Mohammad. In *Proceedings of the 15th Annual Conference of the North American Chapter of the Association for Computational Linguistics: Human Language Technologies*. June 2016. San Diego, CA.
- **Word Affect Intensities.** Saif M. Mohammad. In *Proceedings of the 11th Edition of the Language Resources and Evaluation Conference (LREC-2018)*, May 2018, Miyazaki, Japan.
- **Sentiment Composition of Words with Opposing Polarities.** Svetlana Kiritchenko and Saif M. Mohammad. In *Proceedings of the 15th Annual Conference of the North American Chapter of the Association for Computational Linguistics: Human Language Technologies*. June 2016. San Diego, CA.
- **The Effect of Negators, Modals, and Degree Adverbs on Sentiment Composition.** Svetlana Kiritchenko and Saif M. Mohammad, In *Proceedings of the NAACL 2016 Workshop on Computational Approaches to Subjectivity, Sentiment, and Social Media (WASSA)*, June 2014, San Diego, California.
- **Semeval-2016 Task 7: Determining Sentiment Intensity of English and Arabic Phrases.** Svetlana Kiritchenko, Saif M. Mohammad, and Mohammad Salameh. In *Proceedings of the International Workshop on Semantic Evaluation (SemEval '16)*. June 2016. San Diego, California.






The Search for Emotions – by Machines

- automatic systems for detecting emotions in text, literary analysis, music generation, ...



creativity



Detecting Emotions in Stories




National Research
Council Canada

Conseil national de
recherches Canada

 @SaifMMohammad

Canada

STORIES




Tracking Emotions in Stories

- Can we automatically track the emotions of characters?
- Are there some canonical shapes common to most stories?
- Can we track the change in distribution of emotion words?

SIMPLE SHAPES OF STORIES

As told by Kurt Vonnegut.






SOURCE DAVID YANG, VISUAL.LY

HBR.ORG





Tony Yang, Simon Fraser University



Work on shapes of stories

- **From Once Upon a Time to Happily Ever After: Tracking Emotions in Novels and Fairy Tales**, Saif Mohammad, In Proceedings of the ACL 2011 Workshop on Language Technology for Cultural Heritage, Social Sciences, and Humanities (LaTeCH), June 2011, Portland, OR.
- **Character-based kernels for novelistic plot structure**. Elsner, M., 2012, April. In *Proceedings of the 13th Conference of the European Chapter of the Association for Computational Linguistics* (pp. 634-644). Association for Computational Linguistics.
- **A novel method for detecting plot**. M. Jockers <http://www.matthewjockers.net/2014/06/05/a-novel-method-for-detecting-plot/>, June 2014.
- **The emotional arcs of stories are dominated by six basic shapes**. Reagan, A.J., Mitchell, L., Kiley, D., Danforth, C.M. and Dodds, P.S., 2016. *EPJ Data Science*, 5(1), p.31.








Generating music from text

Paper:

- **Generating Music from Literature.** Hannah Davis and Saif M. Mohammad, In Proceedings of the EACL Workshop on Computational Linguistics for Literature, April 2014, Gothenburg, Sweden.



A method to generate music from literature.

- music that captures the change in the distribution of emotion words.

Music-Emotion Associations

- Major and Minor Keys
 - major keys: happiness
 - minor keys: sadness
- Tempo
 - fast tempo: happiness or excitement
- Melody
 - a sequence of consonant notes: joy and calm
 - a sequence of dissonant notes: excitement, anger, or unpleasantness



Hannah Davis
Artist/Programmer

Hunter et al., 2010, Hunter et al., 2008, Ali and Peynirciolu, 2010,
Gabrielsson and Lindstrom, 2001, Webster and Weir, 2005



TransProse

Automatically generates three simultaneous piano melodies pertaining to the dominant emotions in the text, using the NRC Emotion Lexicon.

TransProse

Automatically generates three simultaneous piano melodies pertaining to the dominant emotions in the text, using the NRC Emotion Lexicon.



Examples



TransProse

Automatically generates three simultaneous piano melodies pertaining to the dominant emotions in the text, using the NRC Emotion Lexicon.



Examples



TransProse

Automatically generates three simultaneous piano melodies pertaining to the dominant emotions in the text, using the NRC Emotion Lexicon.

Examples



TransProse: www.musicfromtext.com

Music played 300,000 times since website launched in April 2014.

TransProse Music Played by an Orchestra, at the Louvre Museum, Paris



A symphony orchestra performs under the glass of the Louvre museum in Paris on Sept. 20. Accenture Strategy has created a symphonic experience enabled by human insight and artificial intelligence technology. (Michel Euler/AP)


Debate: Universality of Perception of Emotions



Margaret Mead
Cultural anthropologist




Paul Ekman
Psychologist and discoverer
of micro expressions.



Lisa Barrett
University Distinguished
Professor of Psychology,
Northeastern University

- Grad school experiment on people's ability to distinguish photos of depression from anxiety
 - one is based on sadness, and the other on fear
 - found agreement to be poor



Some Emotions more basic than others?
may be not...

Hashtagged Tweets

- Hashtagged words are good labels of sentiments and emotions

Some jerk just stole my photo on #tumblr #grrr #anger


- Hashtags are not always good labels:
 - hashtag used sarcastically

The reviewers want me to re-annotate the data. #joy

Paper:

#Emotional Tweets, Saif Mohammad, In Proceedings of the First Joint Conference on Lexical and Computational Semantics (*Sem), June 2012, Montreal, Canada.

Data to Model Hundreds of Emotions




Papers:

- [Using Nuances of Emotion to Identify Personality](#). Saif M. Mohammad and Svetlana Kiritchenko, In *Proceedings of the ICWSM Workshop on Computational Personality Recognition*, July 2013, Boston, USA.
- [Using Hashtags to Capture Fine Emotion Categories from Tweets](#). Saif M. Mohammad, Svetlana Kiritchenko, *Computational Intelligence*, Volume 31, Issue 2, Pages 301-326, May 2015.



Svetlana Kiritchenko
NRC



Xiaodan Zhu
NRC


SemEval Shared task on the Sentiment Analysis of Tweets

Papers:

- [Sentiment Analysis of Short Informal Texts](#). Svetlana Kiritchenko, Xiaodan Zhu and Saif Mohammad. *Journal of Artificial Intelligence Research*, 50, August 2014.
- [NRC-Canada: Building the State-of-the-Art in Sentiment Analysis of Tweets](#), Saif M. Mohammad, Svetlana Kiritchenko, and Xiaodan Zhu, In *Proceedings of the seventh international workshop on Semantic Evaluation Exercises (SemEval-2013)*, June 2013, Atlanta, USA.

Sentiment Analysis Competition


SemEval-2013: Classify Tweets, 44 teams



Sentiment Analysis Competition


SemEval-2013: Classify SMS messages, 30 teams

F-score



Feature Contributions (on Tweets)

F-scores



The Sentiment Analysis that Companies Want!



Detecting Stance in Tweets



Parinaz Sobhani

Given a tweet text and a target determine whether:

- the tweeter is in **favor** of the given target
- the tweeter is **against** the given target
- **neither** inference is likely



Svetlana Kiritchenko

Example 1:

Target: **Donald Trump**

Tweet: Jeb Bush is the only viable candidate in this republican lineup.

Systems have to deduce that the tweeter is likely **against** the target.



Xiaodan Zhu

Example 2:

Target: **pro-choice movement**

Tweet: The pregnant are more than walking incubators, and have rights!

Systems have to deduce that the tweeter is likely in **favour** the target.



Colin Cherry

SemEval-2018 Task 1: Affect in Tweets

<https://competitions.codalab.org/competitions/17751>

Tasks: Inferring likely affectual state of the tweeter

- emotion intensity regression (EI-reg)
- emotion intensity ordinal classification (EI-oc)
- sentiment intensity regression (V-reg)
- sentiment analysis, ordinal classification (V-oc)
- multi-label emotion classification task (E-c)

English, Arabic, and Spanish Tweets

75 Team (~200 participants)

Semeval-2018 Task 1: Affect in tweets. Saif M. Mohammad, Felipe Bravo-Marquez, Mohammad Salameh, and Svetlana Kiritchenko. In Proceedings of International Workshop on Semantic Evaluation (SemEval-2018), New Orleans, LA, USA, June 2018.



Felipe José Bravo Márquez



Mohammad Salameh



Svetlana Kiritchenko

Participating Systems: ML algorithms

ML algorithm	#Teams				
	El-reg	El-oc	V-reg	V-oc	E-c
AdaBoost	1	1	3	1	0
Bi-LSTM	10	8	10	6	6
CNN	10	8	7	6	3
Gradient Boosting	8	3	5	4	1
Linear Regression	11	2	7	2	1
Logistic Regression	9	7	8	6	6
LSTM	13	9	10	5	4
Random Forest	8	7	5	6	6
RNN	0	0	0	0	1
SVM or SVR	15	9	8	6	6
Other	14	16	13	12	7



Participating Systems: features

Features/Resources	#Teams				
	El-reg	El-oc	V-reg	V-oc	E-c
affect-specific word embeddings	10	8	9	9	5
affect/sentiment lexicons	24	16	16	15	12
character ngrams	6	4	3	4	2
dependency/parse features	2	3	3	3	2
distant-supervision corpora	10	8	7	5	4
manually labeled corpora (other)	6	4	4	5	3
AIT-2018 train-dev (other task)	6	5	5	5	3
sentence embeddings	10	8	7	8	6
unlabeled corpora	6	3	5	3	0
word embeddings	32	21	25	21	20
word ngrams	19	14	12	10	9
Other	5	5	5	5	5



SemEval-2018 Task 1: Affect in Tweets

<https://competitions.codalab.org/competitions/17751>

Tasks: Inferring likely affectual state of the tweeter

- emotion intensity regression
- emotion intensity ordinal classification
- sentiment intensity regression
- sentiment analysis, ordinal classification
- emotion classification task

English, Arabic, and Spanish Tweets

75 Team (~200 participants)



fairness


Includes a separate evaluation component for biases towards race and gender.

Do Machines Make Fair Decisions?

YES:


- they do not take bribes
- they can make decisions without being influenced by the user's gender, race, or sexual orientation

And **NO**—recent studies have demonstrated that as the models have become more sophisticated, they have inadvertently inherited inappropriate human biases



Examples of Biased AI

- Tay, Microsoft's racist chat bot posting inflammatory and offensive tweets
- Amazon's AI recruiting tool biased against women
 - penalized resumes that included the word "women's," as in "women's chess club captain"
- Face recognition systems good for detecting faces of white men, but really bad for African American women
- Recidivism systems that are biased against people from African American neighborhoods



built on human data

Examples of Biased AI


- Tay, Microsoft's racist chat bot posting inflammatory and offensive tweets
- Amazon's AI recruiting tool biased against women
 - penalized resumes that included the word "women's," as in "women's chess club captain"
- Face recognition systems good for detecting faces of white men, but really bad for African American women
- Recidivism systems that are biased against people from African American neighborhoods



Occurrences of “son” and “daughter” in the Google Books Ngram corpus

Google Books Ngram Viewer

Graph these comma-separated phrases: case-insensitive
between and from the corpus with smoothing of [Search lots of books](#)





Occurrences of “genius son” and “genius daughter” in the Google Books Ngram corpus

Google Books Ngram Viewer

Graph these comma-separated phrases: case-insensitive

between and from the corpus with smoothing of [Search lots of books](#)





Showed that parents search disproportionately more on Google for:

- is my son gifted? than is my daughter gifted?
- is my daughter overweight? than is my son overweight?





Svetlana Kiritchenko

Examining Gender and Race Bias in Two Hundred Sentiment Analysis Systems

- Found that most systems consistently give higher emotion intensity scores to sentences when they have mentions of one race/gender as opposed to another race/gender

[Examining Gender and Race Bias in Two Hundred Sentiment Analysis Systems](#). Svetlana Kiritchenko and Saif M. Mohammad. In Proceedings of *Sem, New Orleans, LA, USA, June 2018.

We Need More Work On

- **Measuring** inappropriate biases in AI systems and **inappropriate biases in language**
- **Mitigating** inappropriate biases in automatic systems



Ongoing Work

- The Natural Selection of Words
 - How words compete to represent a meaning

[The Natural Selection of Words: Finding the Features of Fitness.](#) Peter D. Turney and Saif M. Mohammad. PLoS One, 14 (1):e0211512. January 2019.

Art and Emotions



WikiArt Emotions: An Annotated Dataset of Emotions Evoked by Art. Saif M. Mohammad and Svetlana Kiritchenko. In *Proceedings of the 11th Edition of the Language Resources and Evaluation Conference (LREC-2018)*, May 2018, Miyazaki, Japan.

WikiArt Emotions: An Annotated Dataset of Emotions Evoked by Art

- ~4K pieces of art (mostly paintings)
- From four styles:
Renaissance Art, Post-Renaissance Art, Modern Art, and Contemporary Art
- 20 categories:
Impressionism, Expressionism, Cubism, Figurative art, Realism, Baroque,...
- Annotated for emotions evoked, amount liked, does it depict a face.




Figure 1: WikiArt.org's page for the *Mona Lisa*. In the WikiArt Emotions Dataset, the *Mona Lisa* is labeled as evoking happiness, love, and trust; its average rating is 2.1 (in the range of -3 to 3).

This study was approved by the NRC Research Ethics Board (NRC-REB) under protocol number 2017-98. REB review seeks to ensure that research projects involving humans as participants meet Canadian standards of ethics.


The State of NLP Literature:

A Diachronic Analysis of the ACL Anthology

- Part I: Size and demographics
- Part II: Areas of Research (Examining Title Terms)
- Part III: Impact — Overall, and across Paper Types and Venues


The State of NLP Literature: A Diachronic Analysis of the ACL Anthology

#papers




The State of NLP Literature: A Diachronic Analysis of the ACL Anthology

authors




Percentage of Female First Author (FFA) Papers




Note: When the number of papers is small (e.g., between 1965 and 1980 or when selecting papers that have a less common title word), then the percentages are not very meaningful and those areas of the graph can show large variations.

Common Title words and their FFA% (Select any of the words below or enter word in the text box in the top right to view FFA% for those papers.)

Title words in order of FFA%



FFA% in papers that have a given word in the title




#papers with the title word




FFA%




Average Academic Age of NLP Researchers



Median Academic Age of NLP Researchers



Percentage of authors who published their first paper in AA (NLP Academic Age 1)



The State of NLP Literature: Part I

Size and Demographics



Saif M. Mohammad

Oct 22 · 16 min read

This series of posts presents a diachronic analysis of the ACL Anthology —
Or, as I like to think of it, making sense of NLP Literature through pictures.



The world of scientific publishing is a rain forest: Where ideas compete for sunlight/attention; Where some win out and grow taller, while others are forgotten. (Photo credit: Héctor J. Rivas)



Saif M. Mohammad

182 Tweets

Search Twitter

Tweet Analytics



Saif M. Mohammad @SaifMMohammad
The State of NLP Literature: This series of posts presents a diachronic analysis of the ACL Anthology — Or, as I like to think of it, making sense of NLP Literature through pictures. #NLPProc #nlpscholar #inclusiveness
<https://medium.com/@nlpscholar/state-of-nlp-cbf768492f90> ...
<pic.twitter.com/AbauYhUibE>

Impressions 20,040
times people saw this Tweet on Twitter

Total engagements 1,770
times people interacted with this Tweet

[View all engagements](#)



Reach a bigger audience

Get more engagements by promoting this Tweet!

[Get started](#)

Cyril Gout
The first ca
#Canadian
caiac.ca/en

Jen Heems
Need to re
are also the

Villareal [Follow](#)

you

mandments

oProject

family recipe book helped
Canadian classic

CIBC

policy Cookies Ads info

Twitter, Inc.

145

Pictures Attribution

Family by b farias from the Noun Project

Shovel and Pitchfork by Symbolon from the Noun Project

Checklist by Nick Bluth from the Noun Project

Generation by Creative Mahira from the Noun Project

Human by Adrien Coquet from the Noun Project

Search by Maxim Kulikov from the Noun Project

<https://thenounproject.com>

Resources Available at: www.saifmohammad.com


- Sentiment and emotion lexicons and corpora
- Links to shared tasks
- Interactive visualizations
- Tutorials and book chapters on sentiment and emotion analysis



Saif M. Mohammad

✉ Saif.Mohammad@nrc-cnrc.gc.ca

🐦 [@SaifMMohammad](https://twitter.com/SaifMMohammad)



The NRC Valence, Arousal, and Dominance Lexicon

provides ratings of valence, arousal, and dominance for ~20,000 English words

<http://saifmohammad.com/WebPages/nrc-vad.html>

The NRC Word–Emotion Association Lexicon aka NRC Emotion Lexicon

provides associations for ~14,000 words with eight emotions

(anger, fear, joy, sadness,
anticipation, disgust, surprise, trust)

<http://saifmohammad.com/WebPages/NRC-Emotion-Lexicon.htm>

The NRC Emotion Intensity Lexicon aka Affect Intensity Lexicon

provides intensity scores for ~6000 words with four emotions

(anger, fear, joy, sadness)

<http://saifmohammad.com/WebPages/AffectIntensity.htm>

The NRC Word–Colour Association Lexicon

provides associations for ~14,000 words with 11 common colours

<http://saifmohammad.com/WebPages/lexicons.html>