ILFORD PHOTO

HARMAN technology Ltd

SAFETY DATA SHEET

Bromophen Developer (Part A)

According to WHMIS 2015, in compliance with the Hazardous Product Act (HPA, as amended) and the requirements of the Hazardous Product Regulations (HPR)

1. Identification

Product identifier

Product name Bromophen Developer (Part A)

Product number 1960549

Internal identification 10119

Container size 60g

Recommended use of the chemical and restrictions on use

Restriction on use Photographic Developer

Details of the supplier of the safety data sheet

Supplier

Distributor

Amplis Foto Inc, 22 Telson Road, Markham, Ontario L3R 1E5

Tel: 905 477 4111 Fax: 905 477 2502

Contact person Contact Distributor: phil.nielsen@amplis.com, http://www.amplis.com

Emergency telephone number

Emergency telephone Canada/USA: For medical emergency, call 1 800 842 9660 (Product Misuse).

2. Hazard identification

Classification of the substance or mixture

Physical hazards Not Classified

Health hazards Acute Tox. 4 - H302 Eye Dam. 1 - H318 Skin Sens. 1 - H317 Muta. 2 - H341 Carc. 2 - H351

Environmental hazards Aquatic Acute 1 - H400 Aquatic Chronic 3 - H412

Label elements

Pictogram









Signal word

Danger

Hazard statements H302 Harmful if swallowed.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H341 Suspected of causing genetic defects.

H351 Suspected of causing cancer. H400 Very toxic to aquatic life.

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P273 Avoid release to the environment.

P280 Wear protective clothing, gloves, eye and face protection.

P301+P312 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell.

P302+P352 IF ON SKIN: Wash with plenty of water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P405 Store locked up.

P501 Dispose of contents/ container in accordance with local regulations.

Supplemental label

information

Contact with acids liberates toxic gas

Contains HYDROQUINONE, SODIUM METABISULPHITE, 1-PHENYL-3-PYRAZOLIDONE

Other hazards

No information available.

3. Composition/information on ingredients

Mixtures

HYDROQUINONE 60-100%

CAS number: 123-31-9
M factor (acute) = 10

Classification

Acute Tox. 4 - H302 Eye Dam. 1 - H318 Skin Sens. 1 - H317 Muta. 2 - H341 Carc. 2 - H351

Aquatic Acute 1 - H400

SODIUM METABISULPHITE

10-30%

CAS number: 7681-57-4

Classification

Acute Tox. 4 - H302 Eye Dam. 1 - H318

1-PHENYL-3-PYRAZOLIDONE 1-5%

CAS number: 92-43-3

Classification

Acute Tox. 4 - H302 Aquatic Chronic 2 - H411

The full text for all hazard statements is displayed in Section 16.

4. First-aid measures

Description of first aid measures

Inhalation Move affected person to fresh air at once. Get medical attention if any discomfort continues.

Ingestion Rinse mouth thoroughly with water. Get medical attention if any discomfort continues.

Skin contact Remove affected person from source of contamination. Remove contaminated clothing. Wash

skin thoroughly with soap and water. Get medical attention if irritation persists after washing.

Eye contact Remove affected person from source of contamination. Remove any contact lenses and open

eyelids wide apart. Continue to rinse for at least 15 minutes. Get medical attention if irritation

persists after washing.

Most important symptoms and effects, both acute and delayed

InhalationNo specific symptoms known.IngestionNo specific symptoms known.

Skin contact May cause sensitization by skin contact.

Eye contact Irritation of eyes and mucous membranes. May cause serious eye damage.

Indication of any immediate medical attention and special treatment needed

Notes for the doctor No specific recommendations.

5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media Use fire-extinguishing media suitable for the surrounding fire.

Specific hazards arising from the hazardous product

Specific hazards No unusual fire or explosion hazards noted.

Hazardous combustion Thermal decomposition or combustion products may include the following substances: Oxides

products of the following substances: Carbon. Sulfur. Nitrogen. Sodium.

Advice for firefighters

Protective actions during Avoid breathing fire gases or vapours.

firefighting

Use protective equipment appropriate for surrounding materials. Selection of respiratory

Special protective equipment for firefighters

protection for fire fighting: follow the general fire precautions indicated in the workplace.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin and eyes. Avoid inhalation of dust. Provide adequate ventilation.

Environmental precautions

Environmental precautions Do not discharge into drains or watercourses or onto the ground.

Methods and material for containment and cleaning up

Methods for cleaning up Wear protective clothing, gloves, eye and face protection. Remove spillage with vacuum

cleaner or collect with a shovel and broom, or similar. Flush contaminated area with plenty of

water. Avoid the spillage or runoff entering drains, sewers or watercourses.

Reference to other sections

Reference to other sections For personal protection, see Section 8. For waste disposal, see section 13.

7. Handling and storage

Precautions for safe handling

Usage precautions Avoid contact with skin and eyes. Do not eat, drink or smoke when using this product. Do not

breathe dust. Provide adequate ventilation. Avoid spilling. Read and follow manufacturer's

recommendations.

Conditions for safe storage, including any incompatibilities

Storage precautions Store in tightly-closed, original container. Storage advice to ensure the product remains in a

useable condition throughout its specified shelf life: Store at temperatures not exceeding

30°C.

Storage class Chemical storage.

Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.

8. Exposure Controls/personal protection

Control parameters

Occupational exposure limits

HYDROQUINONE

Long-term exposure limit (8-hour TWA): ACGIH 1 mg/m³

A3, DSens

SODIUM METABISULPHITE

Long-term exposure limit (8-hour TWA): ACGIH 5 mg/m³

A4

ACGIH = American Conference of Governmental Industrial Hygienists.

A3 = Confirmed Animal Carcinogen with Unknown Relevance to Humans.

A4 = Not Classifiable as a Human Carcinogen.

DSens = Dermal sensitizer.

Exposure controls

Protective equipment









Appropriate engineering controls

Provide adequate general and local exhaust ventilation.

Eye/face protection Eyewear complying with an approved standard should be worn if a risk assessment indicates

eye contact is possible.

Hand protection Use protective gloves.

Revision date: 2017-09-27 Revision: 2 Supersedes date: 14/05/2015

Bromophen Developer (Part A)

Other skin and body

protection

Wear appropriate clothing to prevent skin contamination.

Respiratory protection If ventilation is inadequate, suitable respiratory protection must be worn.

9. Physical and Chemical Properties

Information on basic physical and chemical properties

Appearance Crystals. Dusty powder.

Colour White/off-white. Cream. Brown.

Odour No characteristic odour.

pH pH (concentrated solution): 5.8

Soluble in water. 100%

Other information Not available.

10. Stability and reactivity

Reactivity The reactivity data for this product will be typical of those for the following class of materials:

Reducing agents.

Stable under the prescribed storage conditions. No particular stability concerns.

Possibility of hazardous

reactions

Under normal conditions of storage and use, no hazardous reactions will occur.

Conditions to avoid Avoid excessive heat for prolonged periods of time.

Materials to avoid Strong acids. Avoid contact with other photographic solutions and/or cleaning compounds.

Hazardous decomposition

products

Thermal decomposition or combustion products may include the following substances: Vapours/gases/fumes of: Oxides of the following substances: Carbon. Sulfur. Nitrogen.

Sodium.

11. Toxicological information

Information on toxicological effects

Toxicological effects This chemical formulation has not been tested for health effects. Exposure effects listed are

based on existing health data for the individual components that comprise the mixture.

Acute toxicity - oral

ATE oral (mg/kg) 411.04

Germ cell mutagenicity

Genotoxicity - in vitroThe product contains a substance that is classified as: Suspected of causing genetic defects.

Carcinogenicity

Carcinogenicity The product contains a substance that is classified as: Suspected of causing cancer.

Inhalation Dust may irritate the respiratory system.

Ingestion Harmful if swallowed. May cause discomfort if swallowed.

Revision date: 2017-09-27 Revision: 2 Supersedes date: 14/05/2015

Bromophen Developer (Part A)

Skin contact Powder may irritate skin. May cause sensitization by skin contact. May cause allergic contact

eczema.

Eye contact Irritation of eyes and mucous membranes. Repeated exposure may cause chronic eye

irritation. May cause serious eye damage.

Acute and chronic health

hazards

Prolonged or repeated exposure may cause severe irritation. May cause skin

irritation/eczema. May cause sensitization by skin contact. Dust may irritate the respiratory

system. May cause allergy. May cause hypersensitivity.

Route of entry Inhalation Ingestion. Skin and/or eye contact

Medical considerations May aggravate existing: Skin disorders and allergies. Pre-existing eye problems.

HYDROQUINONE

Acute toxicity - oral

Acute toxicity oral (LD₅o

mg/kg)

Species Rat

ATE oral (mg/kg) 375.0

Carcinogenicity

IARC carcinogenicity IARC Group 3 Not classifiable as to its carcinogenicity to humans.

SODIUM METABISULPHITE

Acute toxicity - oral

Acute toxicity oral (LD₅o

mg/kg)

1,540.0

375.0

Species Rat

ATE oral (mg/kg) 1,540.0

1-PHENYL-3-PYRAZOLIDONE

Acute toxicity - oral

Acute toxicity oral (LD50

475.0

mg/kg)

Species Rat

ATE oral (mg/kg) 475.0

12. Ecological Information

Toxicity Dangerous for the environment. The product contains a substance that is very toxic to aquatic

organisms.

HYDROQUINONE

Acute aquatic toxicity

LE(C)₅₀ $0.01 < L(E)C50 \le 0.1$

M factor (acute) 10

Revision date: 2017-09-27 Revision: 2 Supersedes date: 14/05/2015

Bromophen Developer (Part A)

Acute toxicity - fish LC₅₀, 96 hours: 0.10-0.18 (Fathead Minnow) mg/l, Fish

Acute toxicity - aquatic

invertebrates

EC₅₀, 48 hours: 0.05 mg/l, Daphnia magna

Acute toxicity - aquatic

plants

IC₅₀, 72 hours: 1.0 mg/l, Algae

SODIUM METABISULPHITE

Acute toxicity - fish LC₅₀, 96 hours: >150 mg/l, Fish

Acute toxicity - aquatic

invertebrates

EC₅₀, 48 hours: 89 mg/l, Daphnia magna

Acute toxicity - aquatic

plants

IC₅₀, 72 hours: 48 mg/l, Algae

1-PHENYL-3-PYRAZOLIDONE

Acute toxicity - fish LC₅₀, 96 hours: >1 mg/l, Fish

Persistence and degradability

Persistence and degradability There are no data on the degradability of this product.

Bioaccumulative potential

Bioaccumulative potential Bioaccumulation is unlikely.

Mobility in soil

Mobility The product is soluble in water.

Other adverse effects

Other adverse effects None known.

13. Disposal considerations

Waste treatment methods

Disposal methodsUsed, diluted, and spent solutions may be allowed to be discharged to sanitary sewer by

permit IF allowed by local regulations. Consult your local authority for advice. Waste may have to be pre-treated before discharge. Consult local authorities before discharging any waste to sewer. Do not discharge to septic system. Waste that cannot be discharged to sewer

may have to handled by a licensed hazardous waste contractor.

14. Transport information

General A marine pollutant exception applies to this product, so that no labeling or placarding is

required for transportation by land in Canada under SOR / 2008-34. Other marine pollutant exceptions also apply, so it is not required to be labeled or transported as hazardous goods in the United States or abroad. See 49CEP 171.4 (c) LATA SP A197 and IMDG 2.10.2.7

the United States or abroad. See 49CFR 171.4 (c), IATA SP A197 and IMDG 2.10.2.7.

UN number

UN No. (TDG) 3077

UN No. (IMDG) 3077

UN No. (ICAO) 3077

UN No. (DOT) UN3077

UN proper shipping name

Proper shipping name (TDG) UN3077, Environmentally hazardous substance, solid, n.o.s. (contains hydroquinone)

Proper shipping name (IMDG) UN3077, Environmentally hazardous substance, solid, n.o.s. (contains hydroquinone)

Proper shipping name (ICAO) UN3077, Environmentally hazardous substance, solid, n.o.s. (contains hydroquinone)

Proper shipping name (DOT) ENVIRONMENTALLY HAZARDOUS SUBSTANCES, SOLID, N.O.S. (CONTAINS

HYDROQUINONE, 1-PHENYL-3-PYRAZOLIDONE)

Transport hazard class(es)

DOT class 9

DOT hazard label 9

TDG class 9(M7)

TDG label(s) 9

IMDG class 9

ICAO class/division 9

Transport labels



DOT transport label



Packing group

TDG packing group

IMDG packing group

ICAO packing group

DOT packing group

Environmental hazards

Environmentally hazardous substance/marine pollutant



Special precautions for user

EmS F-A, S-F

DOT reportable quantity RQ: Hydroquinone (117.1708 lbs)

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78

and the IBC Code

15. Regulatory information

Inventories

Canada - DSL/NDSL

HYDROQUINONE

SODIUM METABISULPHITE

1-PHENYL-3-PYRAZOLIDONE

16. Other information

General information HARMAN technology Ltd believe the information and recommendations contained herein are

based on correct and factual data. However, no express or implied guarantee or warranty of any kind is made with respect to this information. Use this information only to supplement other information you have gathered and then make an independent determination about the completeness and suitability of all information to ensure the proper use and disposal of this

product and the health and safety of employees and customers.

Key literature references and

sources for data

European Photographic Chemical Industry Code of Practice For Classification And Labelling

Material Safety Data Sheet, Misc. manufacturers. Dangerous Properties of Industrial

Chemicals, 6.edition, N.Sax, 1984.

Issued by HS&E Advisor Dr Trevor Rhodes Tel: +44(0)1565 650000, email:

trevor.rhodes@harmantechnology.com

Revision date 2017-09-27

Revision 2

Supersedes date 14/05/2015

Hazard statements in full H302 Harmful if swallowed.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H341 Suspected of causing genetic defects.

H351 Suspected of causing cancer. H400 Very toxic to aquatic life.

H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects.