SAFETY DATA SHEET



1. Identification

Product identifier HECTABRITE® DP

Other means of identification

Smectite * Bentonite * Hectorite * Sodium-activated Bentonite Svnonvms

Recommended use Bentonite has a variety of uses. It can be used as a rheology modifier, binding agent, adsorbent,

hydraulic-barrier, and filler.

Workers (and your customers or users in the case of resale) should be informed of the potential Recommended restrictions

> presence of respirable dust and respirable crystalline silica as well as their potential hazards. Appropriate training in the proper use and handling of this material should be provided as required

under applicable regulations.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company name American Colloid Company

Address 2870 Forbs Avenue

Hoffman Estates, IL 60192

United States

Telephone General Information 800 426-5564

http://www.colloid.com/ISG/ Website E-mail safetydata@mineralstech.com

Emergency phone number Not available.

1.866.519.4752 (US. Canada, Mexico) 1 760 476 3962 Access Code 333562. **Americas**

(Available 24 hours a day. SDS/Product information may not be available for the

Emergency Services.)

2. Hazard(s) identification

Physical hazards Not classified. **Health hazards** Not classified. **Environmental hazards** Not classified. **OSHA** defined hazards Not classified.

Label elements

None. Hazard symbol Signal word None

The substance does not meet the criteria for classification. **Hazard statement**

Precautionary statement

Prevention Observe good industrial hygiene practices.

Response Wash hands after handling.

Storage Store away from incompatible materials.

Disposal Dispose of waste and residues in accordance with local authority requirements.

Hazard(s) not otherwise

Material name: HECTABRITE® DP

classified (HNOC)

None known.

Supplemental information None.

3. Composition/information on ingredients

Substances

Chemical name	Common name and synonyms	CAS number	%
Hectorite	Smectite Bentonite Hectorite Sodium-activated Bentonite	1302-78-9	100

4031 Version #: 17 Revision date: 11-March-2016 Print date: 11-March-2016

Constituents

Chemical name	CAS number	%
CALCIUM CARBONATE	471-34-1	
SMECTITE GROUP MINERALS	1318-93-0	
QUARTZ	14808-60-7	<= 8
CRISTOBALITE	14464-46-1	<= 2

^{*}Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret. Bentonite is a UVCB substance sub-type 4. The purity of the product is 100 % w/w. Bentonite is composed mainly of smectite group minerals but the composition is varied, as expected for a UVCB substance, and other mineral constituents will be present in small and varying amounts. These minor constituents are not relevant for classification and labelling.

Composition comments Occupational Exposure Limits for constituents are listed in Section 8.

4. First-aid measures

Inhalation Move to fresh air.

Skin contact Get medical attention if irritation develops and persists.

Eye contact Do not rub eyes. Rinse with water. Get medical attention if irritation develops and persists. No

specific first aid measures noted.

Do not induce vomiting. If vomiting occurs, the head should be kept low so that stomach vomit Ingestion

doesn't enter the lungs. Get medical attention if symptoms occur.

Most important

symptoms/effects, acute and delayed

Dust in the eyes will cause irritation. Dusts may irritate the respiratory tract, skin and eyes.

5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing

media

Specific hazards arising from

the chemical

Special protective equipment and precautions for firefighters Use any media suitable for the surrounding fires.

Not applicable, non-combustible.

None known. The product itself does not burn.

Use water spray to cool unopened containers.

Material can be slippery when wet.

Fire fighting equipment/instructions

Specific methods

General fire hazards No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions. protective equipment and emergency procedures

Keep unnecessary personnel away. Material can be slippery when wet. Wear appropriate protective equipment and clothing during clean-up. Use a NIOSH/MSHA approved respirator if there is a risk of exposure to dust/fume at levels exceeding the exposure limits. For personal protection, see section 8 of the SDS. No special precautions are necessary beyond normal good hygiene practices. See Section 8 for additional personal protection advice when handling this product.

Use standard firefighting procedures and consider the hazards of other involved materials.

Methods and materials for containment and cleaning up Stop the flow of material, if this is without risk. Collect dust using a vacuum cleaner equipped with HEPA filter.

Large Spills: Wet down with water and dike for later disposal. Shovel the material into waste container. Avoid the generation of dusts during clean-up. Following product recovery, flush area with water.

Small Spills: Sweep up or vacuum up spillage and collect in suitable container for disposal. For waste disposal, see section 13 of the SDS. Collect powder using special dust vacuum cleaner with particle filter or carefully sweep into closed container.

Environmental precautions

Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground. No special environmental precautions required.

7. Handling and storage

Precautions for safe handling

Minimize dust generation and accumulation. Provide appropriate exhaust ventilation at places where dust is formed. In case of insufficient ventilation, wear suitable respiratory equipment. Practice good housekeeping.

Material name: HECTABRITE® DP

Conditions for safe storage, including any incompatibilities No special restrictions on storage with other products. Store in a dry area. Store in original tightly closed container. Keep the container dry. Store in a well-ventilated place. Keep out of the reach of children. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

US. OSHA Table Z-3 (29 CFR 1910.1000)

Constituents	Туре	Value	Form
INERT OR NUISANCE DUSTS	TWA	5 mg/m3	Respirable fraction.
		15 mg/m3	Total dust.
		50 mppcf	Total dust.
		15 mppcf	Respirable fraction.

No biological exposure limits noted for the ingredient(s). **Biological limit values**

Appropriate engineering controls

If material is ground, cut, or used in any operation which may generate dusts, use appropriate local

exhaust ventilation to keep exposures below the recommended exposure limits.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles). Wear dust-resistant safety goggles where

there is danger of eye contact.

Skin protection

Hand protection Wear appropriate chemical resistant gloves. Suitable gloves can be recommended by the glove

supplier. No protection is ordinarily required under normal conditions of use.

Other Normal work clothing (long sleeved shirts and long pants) is recommended.

Respiratory protection Use a NIOSH/MSHA approved respirator if there is a risk of exposure to dust/fume at levels

exceeding the exposure limits.

Thermal hazards Not applicable.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Appearance Lump, granular or fine powder.

Physical state Solid.

Powder. Various. **Form**

Various. Color Odor None.

Not applicable. **Odor threshold**

8.5 - 11

Melting point/freezing point $> 842 \,^{\circ}\text{F} (> 450 \,^{\circ}\text{C}) / \text{Not applicable}.$

Initial boiling point and boiling

range

Not applicable.

Flash point Not applicable. Not available. **Evaporation rate**

Flammability (solid, gas) This product is not flammable.

Upper/lower flammability or explosive limits

Flammability limit - lower

Not applicable.

Flammability limit - upper

(%)

Not applicable.

Explosive limit - lower (%) Not available. Not available. Explosive limit - upper (%)

Not applicable. Vapor pressure Vapor density Not applicable. Relative density 2.6 g/cm3

Material name: HECTABRITE® DP

4031 Version #: 17 Revision date: 11-March-2016 Print date: 11-March-2016

Solubility(ies)

Solubility (water) < 0.9 mg/lPartition coefficient Not applicable. Not applicable. (n-octanol/water) **Auto-ignition temperature** Not applicable. **Decomposition temperature** > 932 °F (> 500 °C) **Viscosity** Not applicable. Not applicable. Viscosity temperature

Other information

Bulk density 0.9 - 1.4 g/cm³ **Explosive limit** Not applicable.

Explosive properties Not explosive. Not explosive

Not applicable. **Explosivity** Flame extension Not applicable. **Flammability** Not applicable. Not applicable. Flammability (flash back) Flammability (Heat of

combustion)

Not applicable.

Flammability (Train fire) Not applicable. Flammability class Not applicable. Not flammable Flash point class **UVCB** Substance Molecular formula Not applicable. Molecular weight **Oxidizing properties** Not oxidizing. None.

Percent volatile 0 % 8.5 - 11 pH in aqueous solution

Specific gravity Not applicable.

CARB VOC (Weight %)

0 %

10. Stability and reactivity

The product is stable and non-reactive under normal conditions of use, storage and transport. Reactivity

Chemical stability Stable at normal conditions.

Possibility of hazardous

reactions

Will not occur.

Moisture. Avoid temperatures exceeding the decomposition temperature. Contact with Conditions to avoid

incompatible materials.

Incompatible materials None known.

Hazardous decomposition

products

None.

11. Toxicological information

Information on likely routes of exposure

Inhalation Dust may irritate respiratory system. Dust or powder may irritate the skin. Skin contact Dust in the eyes will cause irritation. Eye contact

Not classified. Ingestion

Symptoms related to the physical, chemical and toxicological characteristics Dusts may irritate the respiratory tract, skin and eyes. None known.

Information on toxicological effects

Material name: HECTABRITE® DP SDS US Product Species Test Results

Hectorite (CAS 1302-78-9)

Acute Inhalation Dust

LC50 Rat > 5.27 mg/l, 4 hr OECD 436

Oral *Dust*

LD50 Rat > 2000 mg/kg OECD 425

Skin corrosion/irritation Not classified.

Serious eye damage/eye

irritation

Not classified. Mild irritant to eyes (according to the modified Kay & Calandra criteria)

Respiratory or skin sensitization

Respiratory sensitization Not classified.

Skin sensitization Not classified.

Germ cell mutagenicity Not classified.

Carcinogenicity In June 2003, SCOEL (the EU Scientific Committee on Occupational Exposure Limits) concluded

that the main effect in humans of the inhalation of respirable crystalline silica dust is silicosis. "There is sufficient information to conclude that the relative risk of lung cancer is increased in persons with silicosis (and, apparently, not in employees without silicosis exposed to silica dust in quarries and in the ceramic industry). Therefore, preventing the onset of silicosis will also reduce the cancer risk..." (SCOEL SUM Doc 94-final, June 2003) According to the current state of the art, worker protection against silicosis can be consistently assured by respecting the existing regulatory occupational exposure limits. Occupational exposure to respirable dust and respirable

crystalline silica should be monitored and controlled. No carcinogenicity data available for this product. Sepiolite was evaluated by IARC as class 3 ("Cannot be classified as to carcinogenicity to humans"). Based on read-across with sepiolite, bentonite was assessed as non-carcinogenic.

 $Therefore\ classification\ of\ benton ite\ for\ carcinogenicity\ is\ not\ warranted.$

IARC Monographs. Overall Evaluation of Carcinogenicity

Not available.

US. National Toxicology Program (NTP) Report on Carcinogens

Not available.

Reproductive toxicity Not classified.

Specific target organ toxicity - Not classified.

single exposure

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard Not an aspiration hazard.

12. Ecological information

EcotoxicityThe product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Product		Species	Test Results
Hectorite (CAS 1302-78-9)			
Aquatic			
Algae	EC50	Freshwater algae	> 100 mg/l, 72 hours
Crustacea	EC50	Coon stripe shrimp (Pandalus danae)	24.8 mg/l, 96 hours
		Daphnia	> 100 mg/l, 48 hours
		Dungeness or edible crab (Cancer magister)	81.6 mg/l, 96 hours
Fish	LC50	Freshwater fish	16000 mg/l, 96 hours
		Marine water fish	2800 - 3200 mg/l, 24 hours

^{*} Estimates for product may be based on additional component data not shown.

^{*} Estimates for product may be based on additional component data not shown.

Persistence and degradability
Not relevant for inorganic substances

Bioaccumulative potential Will not bio-accumulate.

Mobility in soil Bentonite is almost insoluble and thus presents a low mobility in most soils.

Mobility in general The product has poor water-solubility.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructionsCollect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose in

accordance with all applicable regulations.

Local disposal regulations Dispose in accordance with all applicable regulations.

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal. Store containers and offer for recycling of material when in accordance with the local

regulations.

14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to

Annex II of MARPOL 73/78 and

the IBC Code

Not applicable.

15. Regulatory information

US federal regulations This product is not known to be a "Hazardous Chemical" as defined by the OSHA Hazard

Communication Standard, 29 CFR 1910.1200.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - No

Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous No

chemical

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

Material name: HECTABRITE® DP

Food and Drug

Administration (FDA)

Total food additive
Direct food additive
GRAS food additive

US state regulations

US. California Controlled Substances. CA Department of Justice (California Health and Safety Code Section 11100)

Not listed.

US. Massachusetts RTK - Substance List

Not regulated.

US. New Jersey Worker and Community Right-to-Know Act

Not regulated.

US. Pennsylvania Worker and Community Right-to-Know Law

Not listed.

US. Rhode Island RTK

Not regulated.

US. California Proposition 65

WARNING: This product contains a chemical known to the State of California to cause cancer.

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

^{*}A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date 13-May-2014
Revision date 11-March-2016

Version # 17

Further information This safety datasheet only contains information relating to safety and does not replace any product

information or product specification.

HMIS® ratings Health: 1

Flammability: 0 Physical hazard: 0

NFPA ratings Health: 1

Flammability: 0 Instability: 0

List of abbreviations

SWERF = Size-Weighted Relevant Fine Fraction methodology is a scientific method developed to quantify the content of respirable particles within a bulk product. All details about the SWERF

method are available at www.crystallinesilica.eu.

UVCB = a substance of Unknown or Variable composition, Complex reaction products or

Biological materials

References For any information on literature references or toxicity/ecotoxicity studies, please contact the

supplier.

4031 Version #: 17 Revision date: 11-March-2016 Print date: 11-March-2016

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The manufacturer expressly does not make any representations, warranties, or guarantees as to its accuracy, reliability or completeness nor assumes any liability, for its use. It is the user's responsibility to verify the suitability and completeness of such information for each particular use. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. ACC - Industrial Specialties Group cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.

Revision Information

This document has undergone significant changes and should be reviewed in its entirety.