# **ILFORD** PHOTO

## **HARMAN** technology Ltd

## SAFETY DATA SHEET Ilfotec HC Film Developer

According to WHMIS 2015, in compliance with the Hazardous Product Act (HPA, as amended) and the requirements of the Hazardous Product Regulations (HPR)

### 1. Identification

Product identifier

Product name Ilfotec HC Film Developer

Product number 1155064

Internal identification 10019

Container size 1 Litre

Recommended use of the chemical and restrictions on use

**Restriction on use** Photographic Developer Solution

Details of the supplier of the safety data sheet

Supplier Distributor

Amplis Foto Inc, 22 Telson Road, Markham, Ontario L3R 1E5

Tel: 905 477 4111 Fax: 905 477 2502

Contact person Contact Distributor: phil.nielsen@amplis.com, http://www.amplis.com

Emergency telephone number

Emergency telephone Canada/USA: For medical emergency, call 1 800 842 9660 (Product Misuse).

#### 2. Hazard identification

#### Classification of the substance or mixture

Physical hazards Not Classified

Health hazards Acute Tox. 4 - H302 Skin Irrit. 2 - H315 Eye Dam. 1 - H318 Skin Sens. 1 - H317 Muta. 2 -

H341 Carc. 2 - H351 Repr. 2 - H361d STOT RE 2 - H373

**Environmental hazards** Aquatic Acute 1 - H400 Aquatic Chronic 3 - H412

#### Label elements

## Pictogram









Signal word

Danger

## Ilfotec HC Film Developer

**Hazard statements** H302 Harmful if swallowed.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction. H318 Causes serious eye damage.

H341 Suspected of causing genetic defects.

H351 Suspected of causing cancer.

H361d Suspected of damaging the unborn child.

H373 May cause damage to organs through prolonged or repeated exposure.

H400 Very toxic to aquatic life.

H412 Harmful to aquatic life with long lasting effects.

**Precautionary statements** 

P101 If medical advice is needed, have product container or label at hand.

P273 Avoid release to the environment.

P280 Wear protective clothing, gloves, eye and face protection.

P301+P312 IF SWALLOWED: Call a POISON CENTRE/doctor if you feel unwell.

P302+P352 IF ON SKIN: Wash with plenty of water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P405 Store locked up.

P501 Dispose of contents/ container in accordance with local regulations.

**Contains** 

DIETHANOLAMINE, Diethanolamine bisulphite, 2,2'-OXYBISETHANOL, HYDROQUINONE, N-carboxymethyliminobis(ethylenenitrilo)tetra(acetic acid), 1-Phenyl-4-methyl-3-pyrazolidone

#### Other hazards

No information available.

#### 3. Composition/information on ingredients

#### **Mixtures**

DIETHANOLAMINE	30-60%
----------------	--------

CAS number: 111-42-2

#### Classification

Acute Tox. 4 - H302 Skin Irrit. 2 - H315 Eye Dam. 1 - H318 STOT RE 2 - H373 Aquatic Chronic 3 - H412

#### Diethanolamine bisulphite

10-30%

CAS number: 63149-47-3

#### Classification

Acute Tox. 4 - H302 Skin Irrit. 2 - H315 Eye Dam. 1 - H318 STOT RE 2 - H373 Aquatic Chronic 3 - H412

## Ilfotec HC Film Developer

## 2,2'-OXYBISETHANOL 10-30%

CAS number: 111-46-6

Classification

Acute Tox. 4 - H302

HYDROQUINONE 5-10%

CAS number: 123-31-9 M factor (acute) = 10

Classification

Acute Tox. 4 - H302 Eye Dam. 1 - H318 Skin Sens. 1 - H317 Muta. 2 - H341 Carc. 2 - H351 Aquatic Acute 1 - H400

N-carboxymethyliminobis(ethylenenitrilo)tetra(acetic acid)

1-5%

CAS number: 67-43-6

Classification

Acute Tox. 4 - H332 Eye Irrit. 2 - H319 Repr. 2 - H361d

#### 1-Phenyl-4-methyl-3-pyrazolidone

< 1%

CAS number: 2654-57-1

Classification

Acute Tox. 4 - H302 Skin Sens. 1 - H317 Aquatic Chronic 2 - H411

The full text for all hazard statements is displayed in Section 16.

#### 4. First-aid measures

#### Description of first aid measures

**Inhalation** Move affected person to fresh air at once. Get medical attention if any discomfort continues.

**Ingestion** Rinse mouth thoroughly with water. Get medical attention if any discomfort continues.

Skin contact Remove affected person from source of contamination. Remove contaminated clothing. Wash

skin thoroughly with soap and water. Get medical attention if irritation persists after washing.

**Eye contact** Remove affected person from source of contamination. Remove any contact lenses and open

eyelids wide apart. Continue to rinse for at least 15 minutes. Get medical attention if irritation

persists after washing.

#### Most important symptoms and effects, both acute and delayed

**Inhalation** No specific symptoms known.

#### Ilfotec HC Film Developer

**Ingestion** No specific symptoms known.

**Skin contact** May cause sensitisation by skin contact.

Eye contact Irritation of eyes and mucous membranes. May cause serious eye damage.

#### Indication of any immediate medical attention and special treatment needed

Notes for the doctor No specific recommendations.

#### 5. Fire-fighting measures

#### Extinguishing media

Suitable extinguishing media Use fire-extinguishing media suitable for the surrounding fire.

#### Specific hazards arising from the hazardous product

Specific hazards Toxic gases or vapours. No unusual fire or explosion hazards noted.

Hazardous combustion

Thermal decomposition or combustion products may include the following substances:

Ammonia or amines. Oxides of sulfur. Oxides of carbon. Oxides of nitrogen.

Advice for firefighters

Protective actions during

firefighting

products

Avoid breathing fire gases or vapours.

Special protective equipment

for firefighters

Use protective equipment appropriate for surrounding materials. Selection of respiratory protection for fire fighting: follow the general fire precautions indicated in the workplace.

#### 6. Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin and eyes. Provide adequate ventilation. For personal protection, see

Section 8.

**Environmental precautions** 

**Environmental precautions** Do not discharge into drains or watercourses or onto the ground. Collect and dispose of

spillage as indicated in Section 13.

#### Methods and material for containment and cleaning up

**Methods for cleaning up** Wear protective clothing, gloves, eye and face protection.

Small Spillages: Flush away spillage with plenty of water.

Large Spillages: Absorb in vermiculite, dry sand or earth and place into containers. Flush contaminated area with plenty of water. Avoid the spillage or runoff entering drains, sewers or

watercourses.

Reference to other sections

**Reference to other sections** For personal protection, see Section 8. For waste disposal, see Section 13.

#### 7. Handling and storage

#### Precautions for safe handling

Usage precautions Provide adequate ventilation. Avoid spilling. Avoid contact with skin and eyes. Do not eat,

drink or smoke when using this product. Read and follow manufacturer's recommendations.

#### Conditions for safe storage, including any incompatibilities

Storage precautions Store in tightly-closed, original container. Storage advice to ensure the product remains in a

useable condition throughout its specified shelf life: Store at temperatures above 0°C. Store at

temperatures not exceeding 30°C.

## Ilfotec HC Film Developer

Storage class Chemical storage.

Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.

#### 8. Exposure Controls/personal protection

#### **Control parameters**

#### Occupational exposure limits

#### **HYDROQUINONE**

Long-term exposure limit (8-hour TWA): ACGIH 1 mg/m<sup>3</sup>

A3, DSens

ACGIH = American Conference of Governmental Industrial Hygienists. A3 = Confirmed Animal Carcinogen with Unknown Relevance to Humans. DSens = Dermal sensitizer.

#### **Exposure controls**

#### Protective equipment







Appropriate engineering

controls

Provide adequate ventilation. This product must not be handled in a confined space without

adequate ventilation.

**Eye/face protection** Eyewear complying with an approved standard should be worn if a risk assessment indicates

eye contact is possible.

Hand protection Use protective gloves.

Other skin and body

protection

Wear suitable protective clothing as protection against splashing or contamination.

**Respiratory protection** If ventilation is inadequate, suitable respiratory protection must be worn.

#### 9. Physical and Chemical Properties

#### Information on basic physical and chemical properties

Appearance Viscous liquid. Liquid.

Colour Clear liquid. Colourless to pale yellow.

Odour No characteristic odour.

pH (concentrated solution): 9.4

Initial boiling point and range >100°C @ 760 mm Hg

Relative density 1.217 @ 20°C

Solubility(ies) 100% Soluble in water.

Other information Not available.

#### 10. Stability and reactivity

**Reactivity** The following materials may react with the product: Strong acids. Oxidizing agents.

**Stability** Stable under the prescribed storage conditions. No particular stability concerns.

## Ilfotec HC Film Developer

Possibility of hazardous

reactions

Under normal conditions of storage and use, no hazardous reactions will occur.

Conditions to avoid Avoid excessive heat for prolonged periods of time. Avoid contact with acids.

Materials to avoid Strong acids. Avoid contact with other photographic solutions and/or cleaning compounds.

Hazardous decomposition

products

Thermal decomposition or combustion products may include the following substances: Ammonia or amines. Sulfurous gases (SOx). Oxides of carbon. Oxides of nitrogen.

#### 11. Toxicological information

#### Information on toxicological effects

**Toxicological effects** This chemical formulation has not been tested for health effects. Exposure effects listed are

based on existing health data for the individual components that comprise the mixture.

Acute toxicity - oral

**ATE oral (mg/kg)** 991.33

Acute toxicity - inhalation

ATE inhalation (gases ppmV) 196,815.96

ATE inhalation (vapours mg/l) 481.11

ATE inhalation (dusts/mists

mg/l)

65.61

Germ cell mutagenicity

**Genotoxicity - in vitro**The product contains a substance that is classified as: Suspected of causing genetic defects.

Carcinogenicity

Carcinogenicity The product contains a substance that is classified as: Suspected of causing cancer.

Reproductive toxicity

Reproductive toxicity -

development

The product contains a substance that is classified as: Suspected of damaging the unborn

child.

Specific target organ toxicity - repeated exposure

STOT - repeated exposure

The product contains a substance that is classified as: May cause damage to organs through

prolonged or repeated exposure.

**Inhalation** May cause respiratory system irritation.

**Ingestion** May cause discomfort if swallowed.

Skin contact Irritating to skin. May cause sensitization by skin contact. May cause allergic contact eczema.

Eye contact Irritation of eyes and mucous membranes. Repeated exposure may cause chronic eye

irritation.

Acute and chronic health

hazards

Prolonged or repeated exposure may cause severe irritation. May cause skin

irritation/eczema. May cause sensitization by skin contact. Irritating to eyes. Vapour or spray in the eyes may cause irritation and smarting. May cause allergy. May cause hypersensitivity.

Route of exposure Skin and/or eye contact Ingestion.

Medical considerations May aggravate existing: Skin disorders and allergies. Pre-existing eye problems.

Toxicological information on ingredients

## Ilfotec HC Film Developer

#### **DIETHANOLAMINE**

Acute toxicity - oral

Acute toxicity oral (LD₅o

mg/kg)

1.600.0

Rat

Species

**ATE oral (mg/kg)** 1,600.0

Carcinogenicity

IARC carcinogenicity IARC Group 2B Possibly carcinogenic to humans.

Diethanolamine bisulphite

Acute toxicity - oral

ATE oral (mg/kg) 500.0

2,2'-OXYBISETHANOL

Acute toxicity - oral

Acute toxicity oral (LD50

mg/kg)

1,000.0

Species Human

**ATE oral (mg/kg)** 1,000.0

**HYDROQUINONE** 

Acute toxicity - oral

Acute toxicity oral (LD50

mg/kg)

375.0

Species Rat

ATE oral (mg/kg) 375.0

Carcinogenicity

IARC carcinogenicity IARC Group 3 Not classifiable as to its carcinogenicity to humans.

1-Phenyl-4-methyl-3-pyrazolidone

Acute toxicity - oral

Acute toxicity oral (LD50

mg/kg)

627.0

**Species** Rat

ATE oral (mg/kg) 627.0

12. Ecological Information

**Toxicity** The product contains a substance which is very toxic to aquatic organisms.

**Ecological information on ingredients** 

DIETHANOLAMINE

Acute aquatic toxicity

## Ilfotec HC Film Developer

Acute toxicity - fish LC<sub>50</sub>, 96 hours: >100 mg/L (Fathead Minnow) mg/l, Fish

2,2'-OXYBISETHANOL

Acute aquatic toxicity

Acute toxicity - fish LC<sub>50</sub>, 96 hours: >100 mg/l, Fish

Acute toxicity - aquatic

invertebrates

EC<sub>50</sub>, 48 hours: 0.3 - 1 mg/l, Daphnia magna

**HYDROQUINONE** 

Acute aquatic toxicity

 $LC_{50}/EC_{50}$  0.01 <  $L(E)C50 \le 0.1$ 

M factor (acute) 10

Acute toxicity - fish LC<sub>50</sub>, 96 hours: 0.10-0.18 (Fathead Minnow) mg/l, Fish

Acute toxicity - aquatic

invertebrates

EC<sub>50</sub>, 48 hours: 0.05 mg/l, Daphnia magna

Acute toxicity - aquatic

plants

IC<sub>50</sub>, 72 hours: 1.0 mg/l, Algae

#### Persistence and degradability

**Persistence and degradability** There are no data on the degradability of this product.

Bioaccumulative potential

Bioaccumulative potential No data available on bioaccumulation.

Mobility in soil

**Mobility** The product is soluble in water.

Other adverse effects

Other adverse effects None known.

#### 13. Disposal considerations

#### Waste treatment methods

**Disposal methods**Used, diluted, and spent solutions may be allowed to be discharged to sanitary sewer by

permit IF allowed by local regulations. Consult your local authority for advice. Waste may have to be pre-treated before discharge. Consult local authorities before discharging any waste to sewer. Do not discharge to septic system. Waste that cannot be discharged to sewer

may have to handled by a licensed hazardous waste contractor.

14. Transport information

**General** A marine pollutant exception applies to this product, so that no labeling or placarding is

required for transportation by land in Canada under SOR / 2008-34. Other marine pollutant exceptions also apply, so it is not required to be labeled or transported as hazardous goods in

the United States or abroad. See 49CFR 171.4 (c), IATA SP A197 and IMDG 2.10.2.7.

**UN number** 

UN No. (TDG) 3082

UN No. (IMDG) 3082

## Ilfotec HC Film Developer

**UN No. (ICAO)** 3082

UN No. (DOT) UN3082

UN proper shipping name

Proper shipping name (TDG) UN3082, Environmentally hazardous substance, liquid, n.o.s. (contains hydroquinone).

Proper shipping name (IMDG) UN3082, Environmentally hazardous substance, liquid, n.o.s. (contains hydroquinone).

Proper shipping name (ICAO) UN3082, Environmentally hazardous substance, liquid, n.o.s. (contains hydroquinone).

Proper shipping name (DOT) ENVIRONMENTALLY HAZARDOUS SUBSTANCES, LIQUID, N.O.S. (CONTAINS

HYDROQUINONE, 1-Phenyl-4-methyl-3-pyrazolidone)

Transport hazard class(es)

DOT class 9

DOT hazard label 9

TDG class 9 (M6)

TDG label(s) 9

IMDG class 9

ICAO class/division 9

#### Transport labels



#### DOT transport label



## Packing group

TDG packing group III

IMDG packing group III

ICAO packing group

DOT packing group

#### **Environmental hazards**

## Environmentally hazardous substance/marine pollutant



#### Special precautions for user

**EmS** F-A, S-F

**DOT reportable quantity** RQ: Hydroquinone (1717.4458 lbs), RQ: Diethanolamine (344.047 lbs)

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78

and the IBC Code

## Ilfotec HC Film Developer

#### 15. Regulatory information

#### **Inventories**

Canada - DSL/NDSL

N-carboxymethyliminobis(ethylenenitrilo)tetra(acetic acid)

Sodium Sulfite

Sodium Bromide

**DIETHANOLAMINE** 

Diethanolamine bisulphite

Water

2.2'-OXYBISETHANOL

**HYDROQUINONE** 

1-Phenyl-4-methyl-3-pyrazolidone

#### 16. Other information

#### General information

HARMAN technology Ltd believe the information and recommendations contained herein are based on correct and factual data. However, no express or implied guarantee or warranty of any kind is made with respect to this information. Use this information only to supplement other information you have gathered and then make an independent determination about the completeness and suitability of all information to ensure the proper use and disposal of this product and the health and safety of employees and customers.

## Key literature references and

sources for data

European Photographic Chemical Industry Code of Practice For Classification And Labelling Material Safety Data Sheet, Misc. manufacturers. Dangerous Properties of Industrial

Chemicals, 6.edition, N.Sax, 1984.

Issued by HS&E Advisor Dr Trevor Rhodes Tel: +44(0)1565 650000, email:

trevor.rhodes@harmantechnology.com

Revision date 2018-06-08

Revision 2

Supersedes date 14/05/2015

Hazard statements in full H302 Harmful if swallowed.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage. H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H341 Suspected of causing genetic defects.

H351 Suspected of causing cancer.

H361d Suspected of damaging the unborn child.

H373 May cause damage to organs through prolonged or repeated exposure.

H400 Very toxic to aquatic life.

H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects.