

Page 1/9

Safety Data Sheet acc. to OSHA HCS

Printing date 04/10/2015 Version 11 Reviewed on 04/10/2015

1 Identification

- · Product identifier Coloured glaze
- · Trade name:

Product ID#: UNLEADED ONGLAZE BLACK

94E1000

· Product Use:

Coloured glaze

Preparation of ceramic parts and coatings

- Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Johnson Matthey Inc.

498 Acorn Lane

Downingtown, PA 19335

tel. 1 610 873-3200

fax. 1 610 873-3255

- · Information department: Product Safety Department 1 (610) 873-3200 M-F 8am-5pm
- Emergency telephone number: 1 856 384-7050

2 Hazard(s) identification

Classification of the substance or mixture



GHS08 Health hazard

Resp. Sens. 1 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H351 Suspected of causing cancer. Carc. 2



GHS07

Skin Sens. 1 H317 May cause an allergic skin reaction.

Classification according to Directive 67/548/EEC or Directive 1999/45/EC



Sensitizing

May cause sensitization by inhalation and skin contact.

- Information concerning particular hazards for human and environment: Not applicable.
- Classification system:

The classification was made according to the latest editions of international substances lists, and expanded upon from company and literature data.

- · Label elements
- GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms GHS08
- · Signal word Danger

(Contd. on page 2)

Printing date 04/10/2015 Version 11 Reviewed on 04/10/2015

Product ID#: UNLEADED ONGLAZE BLACK

94E1000

(Contd. of page 1)

· Hazard-determining components of labeling:

cobalt

· Hazard statements

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H317 May cause an allergic skin reaction.

H351 Suspected of causing cancer.

· Precautionary statements

P284 Wear respiratory protection.

P261 Avoid breathing dust/fume/gas/mist/vapors/spray

P280 Wear protective gloves.

P272 Contaminated work clothing must not be allowed out of the workplace.

P201 Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood. P202

P321 Specific treatment (see on this label).

P342+P311 If experiencing respiratory symptoms: Call a poison center/doctor

Wash contaminated clothing before reuse.

P304+P341 If inhaled: If breathing is difficult, remove person to fresh air and keep comfortable for breathing.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P302+P352 If on skin: Wash with plenty of water and soap

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard description:

· Canadian Hazard Symbols

D2A - Very toxic material causing other toxic effects



· American Hazard Description

Based upon the components the following hazards may exist:

Cobalt is a cancer hazard

Target Organs - Lungs

- · Classification system:
- NFPA ratings (scale 0 4)



Health = 1Fire = 0

Reactivity = 0

HMIS ratings (scale 0 - 4)



1 Health = 1

Fire = 0

Other hazards

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · **vPvB**: Not applicable.

Printing date 04/10/2015 Version 11 Reviewed on 04/10/2015

Product ID#: UNLEADED ONGLAZE BLACK

94E1000

(Contd. of page 2)

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- Description: Mixture of frits and/or raw materials of natural origin and inorganic pigments in powder form

· Hazardous componen	ts:	
CAS: 65997-18-4 EINECS: 266-047-6	frits, chemicals	75-100%
EINECS: 231-158-0 RTECS: GF 8750000	cobalt Xn R42/43 R53 Resp. Sens. 1, H334; Carc. 2, H351; Skin Sens. 1, H317; Aquatic Chronic 4, H413	1-5%
· Main components:		
CAS: 65997-18-4 EINECS: 266-047-6	frits, chemicals	75-100%
EINECS: 231-158-0 RTECS: GF 8750000	cobalt Xn R42/43 R53 Resp. Sens. 1, H334; Carc. 2, H351; Skin Sens. 1, H317; Aquatic Chronic 4, H413	1-5%

· SVHC -

Additional information:

For the wording of the listed risk phrases refer to section 16.

This product is partly or entirely the result of a melting, calcining or sintering process at high temperatures. It therefore does not necessarily exhibit the properties of the abovementioned metallic constituents. The mentioned metals are present in a complex matrix and are expressed as their oxides; it is however highly unlikely that these oxides are actually present in the product, unless explicitly specified.

4 First-aid measures

- · Description of first aid measures
- General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

After inhalation:

If inhaled, remove to fresh air. If not breathing give artificial respiration. If breathing is difficult give oxygen. Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

After skin contact:

Remove contaminated clothing and wash skin with soap and water. Wash or clean clothing before reuse.

- · After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: If symptoms persist consult doctor.
- Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

USA ·

Printing date 04/10/2015 Version 11 Reviewed on 04/10/2015

Product ID#: UNLEADED ONGLAZE BLACK

94E1000

(Contd. of page 3)

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment: Wear full firefighting gear and SCBA

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- · Environmental precautions:

Do not allow product to reach sewage system or any water course.

Do not allow to enter sewers/ surface or ground water.

· Methods and material for containment and cleaning up:

Dispose contaminated material as waste according to item 13.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- Handling:
- · Precautions for safe handling

Thorough dedusting.

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of dust.

Provide suction extractors if dust is formed.

- Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Additional information about design of technical systems:

The application of this product requires well exhausted firing kilns and efficient ventilation of working areas.

- · Control parameters
- · Components with limit values that require monitoring at the workplace:

There is no PEL established for this mixture. Recommend monitoring based upon the components in the mixture.

65997-18-4 frits, chemicals

PEL	Long-term value: 15 mg/m ³
	recommended PFI for nuisance dust

(Contd. on page 5)

Printing date 04/10/2015 Version 11 Reviewed on 04/10/2015

Product ID#: UNLEADED ONGLAZE BLACK

94E1000

	(Contd. of page 4)
TLV	Long-term value: 15 mg/m ³
	recommended TLV for nuisance dust
7440	48-4 cobalt
PEL	Long-term value: 0.1* mg/m³
	as Co; *for metal dust and fume
REL	Long-term value: 0.05 mg/m ³
	as Co; metal dust & fume
TLV	Long-term value: 0.02; NIC - 0.02* mg/m ³
	BEI; *hard metals:thoracic ;NIC-A2,RSEN;as W

· Ingredients with biological limit values:

7440-48-4 cobalt

BEI 15 μg/L

Medium: urine

Time: end of shift at end of workweek Parameter: Cobalt (background)

 $1 \mu g/L$

Medium: blood

Time: end of shift at end of workweek

Parameter: Cobalt (background, semi-quantitative)

- Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

- · Breathing equipment: Not required.
- · Protection of hands:



Protective gloves

Material of gloves
Nitrile rubber, NBR
Chemical resistant gloves

• Eye protection: Not required.

9 Physical and chemical properties

- · Information on basic physical and chemical properties
- General Information
- Appearance:

Form: Powder Color: Black Odorless

· pH-value: Neutral

(Contd. on page 6)

Printing date 04/10/2015 Version 11 Reviewed on 04/10/2015

Product ID#: UNLEADED ONGLAZE BLACK

94E1000

	(Contd. of page 5
· Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	Undetermined.
· Flash point:	Not applicable.
· Auto igniting:	Product is not selfigniting.
· Danger of explosion:	Product does not present an explosion hazard.
Density:	Not determined.
· Solubility in / Miscibility with	
Water:	Insoluble.
· Viscosity:	
Dynamic:	Not applicable.
Kinematic:	Not applicable.
· Solvent content:	
Organic solvents:	0.0 %
Water:	0.0 %
Solvent (USA):	0.0 %
Solids content:	100.0 %
· Other information	No further relevant information available.

10 Stability and reactivity

- Reactivity
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- Primary irritant effect:
- on the skin: No irritant effect.
- on the eye: No irritating effect.
- · Sensitization:

Sensitization possible through inhalation.

Sensitization possible through skin contact.

· Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Harmful

Irritant

(Contd. on page 7)

Printing date 04/10/2015 Version 11 Reviewed on 04/10/2015

Product ID#: UNLEADED ONGLAZE BLACK

94E1000

(Contd. of page 6)

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

7440-48-4 cobalt

2B

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.

· UN-Number		
DOT, ADR, ADN, IMDG, IATA	Not regulated	
· UN proper shipping name		
DOT, ADR, ADN, IMDG, IATA	Not regulated	
Transport hazard class(es)		
DOT, ADR, ADN, IMDG, IATA		
· Class	Not regulated	
· Packing group		
· DOT, ADR, IMDG, IATA	Not regulated	

(Contd. on page 8)

Printing date 04/10/2015 Version 11 Reviewed on 04/10/2015

Product ID#: UNLEADED ONGLAZE BLACK

94E1000

Environmental hazards:	
Marine pollutant:	No
Special precautions for user	Not applicable.
Transport in bulk according to Annex	II of
MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	Not dangerous according to the above specifications.
DOT	
Remarks:	Not regulated
· ADR	
Remarks:	Not regulated
· ADN	
· Remarks:	Not regulated
· IMDG	
· Remarks:	Not regulated
· IATA	
· Remarks:	Not regulated
· UN "Model Regulation":	-

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- Section 355 (extremely hazardous substances):

None of the ingredients is listed.

Section 313 (Specific toxic chemical listings):

7440-48-4 cobalt

TSCA (Toxic Substances Control Act):

All ingredients are listed.

Proposition 65

Warning: This product contains a chemical known to the State of California to cause cancer

7440-48-4 cobalt

· Warning: This product contains a chemical known to the State of California to cause female reproductive

hazards.

None of the ingredients is listed.

· Warning: This product contains a chemical known to the State of California to cause male reproductive hazards

None of the ingredients is listed.

· Warning: This product contains a chemical known to the State of California to cause development toxicity

None of the ingredients is listed.

· Canadian Ingredient disclosure list

Limit 0,1%

7440-48-4 cobalt

(Contd. on page 9)

Printing date 04/10/2015 Version 11 Reviewed on 04/10/2015

Product ID#: UNLEADED ONGLAZE BLACK

94E1000

(Contd. of page 8) None of the ingredients is listed.

· Limit 1%

Cancerogenity categories

EPA (Environmental Protection Agency)

None of the ingredients is listed.

TLV (Threshold Limit Value established by ACGIH)

7440-48-4 cobalt

A3

· MAK (German Maximum Workplace Concentration)

7440-48-4 cobalt

2 4.0%

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· National regulations:

The product is subject to be labeled according with the prevailing version of the regulations on hazardous substances.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

- H317 May cause an allergic skin reaction.
- H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
- H351 Suspected of causing cancer.
- H413 May cause long lasting harmful effects to aquatic life.

R42/43 May cause sensitization by inhalation and skin contact.

May cause long-term adverse effects in the aquatic environment. R53

· Contact:

J. Rose

EHS Specialist

· Date of preparation / last revision 04/10/2015 / 10

· Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

WHMIS: Workplace Hazardous Materials Information System (Canada)

VOC: Volatile Organic Compounds (USA, EU)

Resp. Sens. 1: Sensitisation - Respirat., Hazard Category 1

Skin Sens. 1: Sensitisation - Skin, Hazard Category 1

Carc. 2: Carcinogenicity, Hazard Category 2

Aquatic Chronic 4: Hazardous to the aquatic environment - Chronic Hazard, Category 4

* Data compared to the previous version altered.