

Page 1/10

Safety Data Sheet acc. to OSHA HCS

Printing date 04/10/2015 Version 9 Reviewed on 04/10/2015

1 Identification

· Product identifier Coloured glaze

· Trade name:

Product ID#: GREEN ONGLAZE

94K1003

· Product Use:

Coloured glaze

Preparation of ceramic parts and coatings

- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Johnson Matthey Inc.

498 Acorn Lane

Downingtown, PA 19335

tel. 1 610 873-3200

fax. 1 610 873-3255

- · Information department: Product Safety Department 1 (610) 873-3200 M-F 8am-5pm
- · Emergency telephone number: 1 856 384-7050

2 Hazard(s) identification

· Classification of the substance or mixture

The product is not classified according to the Globally Harmonized System (GHS).

- · Classification according to Directive 67/548/EEC or Directive 1999/45/EC Not applicable.
- Information concerning particular hazards for human and environment:

The product does not have to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

· Classification system:

The classification was made according to the latest editions of international substances lists, and expanded upon from company and literature data.

- · Label elements
- · GHS label elements Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · Hazard description:
- · American Hazard Description

Based upon the components the following hazards may exist:

Nickel, Titanium dioxide, Cobalt and Antimony are cancer hazards

Target Organs - Lungs, Hair

(Contd. on page 2)

Printing date 04/10/2015 Version 9 Reviewed on 04/10/2015

Product ID#: GREEN ONGLAZE

94K1003

(Contd. of page 1)

- · Classification system:
- NFPA ratings (scale 0 4)



Health = 0Fire = 0Reactivity = 0

· HMIS ratings (scale 0 - 4)



0 Health = 0Fire = 0

- · Other hazards
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable. · **vPvB:** Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- Description: Mixture of frits and/or raw materials of natural origin and inorganic pigments in powder form

· Hazardous compon	ents:	
CAS: 65997-18-4 EINECS: 266-047-6	frits, chemicals	75-100%
CAS: 8007-18-9 EINECS: 232-353-3	antimony nickel titanate yellow	10-<25%
CAS: 65997-18-4 frits, chemicals EINECS: 266-047-6		1-5%
· Main components:		
CAS: 65997-18-4 EINECS: 266-047-6	frits, chemicals	75-100%
CAS: 8007-18-9 EINECS: 232-353-3	antimony nickel titanate yellow	10-<25%
CAS: 65997-18-4 EINECS: 266-047-6	frits, chemicals	1-5%
CAS: 68187-11-1 EINECS: 269-072-0	cobalt chromite blue spinel	1-5%
	chromium (III) compounds, n.o.s. (calculated as Cr2O3)	< 0.5%
CAS: 7778-18-9 EINECS: 231-900-3	calcium sulphate, natural	< 0.5%

· SVHC -

Additional information:

For the wording of the listed risk phrases refer to section 16.

This product is partly or entirely the result of a melting, calcining or sintering process at high temperatures. It therefore does not necessarily exhibit the properties of the abovementioned metallic constituents. The mentioned metals are present in a complex matrix and are expressed as their oxides; it is however highly unlikely that these oxides are actually present in the product, unless explicitly specified.

Printing date 04/10/2015 Version 9 Reviewed on 04/10/2015

Product ID#: GREEN ONGLAZE

94K1003

(Contd. of page 2)

4 First-aid measures

- · Description of first aid measures
- General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

After inhalation:

If inhaled, remove to fresh air. If not breathing give artificial respiration. If breathing is difficult give oxygen. Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

After skin contact:

Remove contaminated clothing and wash skin with soap and water. Wash or clean clothing before reuse.

- After eve contact: Rinse opened eye for several minutes under running water.
- After swallowing: Immediately call a doctor.
- Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: Wear full firefighting gear and SCBA

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- **Environmental precautions:**

Do not allow product to reach sewage system or any water course.

Do not allow to enter sewers/ surface or ground water.

- · Methods and material for containment and cleaning up: Pick up mechanically.
- Reference to other sections

No dangerous substances are released.

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- · Handling:
- · Precautions for safe handling

Thorough dedusting.

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of dust.

Provide suction extractors if dust is formed.

Information about protection against explosions and fires: No special measures required.

(Contd. on page 4)

Product ID#: GREEN ONGLAZE

94K1003

(Contd. of page 3)

- Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Additional information about design of technical systems:

The application of this product requires well exhausted firing kilns and efficient ventilation of working areas.

- · Control parameters
- Components with limit values that require monitoring at the workplace:

There is no PEL established for this mixture. Recommend monitoring based upon the components in the mixture.

	1 11616	e is no FEL established for this mixture. Recommend monitoring based upon the components in the mixture.	
	6599	7-18-4 frits, chemicals	
	PEL	Long-term value: 15 mg/m³ recommended PEL for nuisance dust	
	TLV	Long-term value: 15 mg/m³ recommended TLV for nuisance dust	
	8007-18-9 antimony nickel titanate yellow		
	PEL	Long-term value: 1 mg/m³ as Ni	
	REL	Long-term value: 0.015 mg/m³ as Ni; See Pocket Guide App. A	
	TLV	Long-term value: 0.2 mg/m³ as Ni; inhalable fraction	
	65997-18-4 frits, chemicals		
	PEL	Long-term value: 15 mg/m³ recommended PEL for nuisance dust	
	TLV	Long-term value: 15 mg/m³ recommended TLV for nuisance dust	
chromium (III) compounds, n.o.s. (calculated as Cr2O3)			
	PEL	Long-term value: 0.5 mg/m³ as Cr	
	REL	Long-term value: 0.5 mg/m ³ as Cr; See Pocket Guide App. C	
	TLV	Long-term value: 0.5 mg/m ³ as Cr	

CAS No. Designation of material % Type Value Unit

· Additional Occupational Exposure Limit Values for possible hazards during processing:
titanium compounds n o s (calculated as TiO2)

titanium compounds, n.o.s. (calculated as TiO2)

PEL Long-term value: * 15 mg/m³ * total dust

REL LFC (LOQ 0.2 mg/m3)

(Contd. on page 5)

Printing date 04/10/2015 Version 9 Reviewed on 04/10/2015

Product ID#: GREEN ONGLAZE

94K1003

	(Contd. of page
nicke	l compounds, n.o.s. (calculated as NiO)
PEL	Long-term value: 1 mg/m³ TWA is 1 mg/m3
REL	Long-term value: 0.015 mg/m³ as Ni, TWA is 0.015 mg/m3
TLV	Long-term value: 0.2 I mg/m³ as Ni
antin	nony compounds, n.o.s. (calculated as Sb2O3)
PEL	Long-term value: 0.5 mg/m³ as Sb
REL	Long-term value: 0.5 mg/m³ as Sb
alum	nium compounds n.o.s. (calculated as Al2O3)
PEL	Long-term value: * 15 **5 mg/m³ * Total dust, **Respirable dust
chro	nium (III) compounds, n.o.s. (as Cr2O3)
PEL	Long-term value: 0.5 mg/m³ as Cr, inorganic compound
REL	Long-term value: 0.5 mg/m³ as Cr, inorganic compound
TLV	Long-term value: 0.5 mg/m³ as Cr(III), inorganic compound

- Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- Personal protective equipment:
- General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

- · Breathing equipment: Not required.
- Protection of hands:
- · Material of gloves

Nitrile rubber, NBR

Chemical resistant gloves

• Eye protection: Not required.

α \mathbf{n}_1	• ,	1 1	7		,	•
U Ph	120100	and	chomi	cal	propert	100
				$cu\iota\iota$	$v_1v_2v_3v_4v_4v_4v_5v_4v_5v_5v_5v_5v_5v_5v_5v_5v_5v_5v_5v_5v_5v$	4 - 10

· Information on basic physical and chemical properties

· General Information

· Appearance:

Form: Powder
Color: Green
Odor: Odorless
Odour threshold: Not determined.

• **pH-value:** Not applicable.

· Change in condition

Melting point/Melting range: Undetermined.

(Contd. on page 6)

Printing date 04/10/2015 Version 9 Reviewed on 04/10/2015

Product ID#: GREEN ONGLAZE

94K1003

	(Contd. of)	page 5
Boiling point/Boiling range:	Undetermined.	
· Flash point:	Not applicable.	
· Flammability (solid, gaseous):	Not determined.	
· Ignition temperature:		
Decomposition temperature:	Not determined.	
· Auto igniting:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
· Vapor pressure at 20 °C (68 °F):	0 hPa	
· Density:	Not determined.	
Relative density	Not determined.	
· Vapour density	Not applicable.	
· Evaporation rate	Not applicable.	
Solubility in / Miscibility with		
Water:	Insoluble.	
· Partition coefficient (n-octanol/wate	er): Not determined.	
· Viscosity:		
Dynamic:	Not applicable.	
Kinematic:	Not applicable.	
· Solvent content:		
Organic solvents:	0.0 %	
Water:	0.0 %	
Solvent (USA):	0.0 %	
Solids content:	100.0 %	
Other information	No further relevant information available.	

10 Stability and reactivity

- ·Reactivity
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- on the skin: No irritant effect.

(Contd. on page 7)

Printing date 04/10/2015 Version 9 Reviewed on 04/10/2015

Product ID#: GREEN ONGLAZE

94K1003

(Contd. of page 6)

- on the eye: No irritating effect.
- Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product is not subject to classification according to internally approved calculation methods for preparations: When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)					
8007-18-9	antimony nickel titanate yellow	1 (nickel compounds, antimony compounds)			
68187-11-1	cobalt chromite blue spinel	cobalt compounds			
`	· NTP (National Toxicology Program)				
8007-18-9	antimony nickel titanate yellow	nickel compounds, antimony compound			
68187-11-1	cobalt chromite blue spinel	cobalt compounds			
· OSHA-Ca (· OSHA-Ca (Occupational Safety & Health Administration)				
None of the ingredients is listed.					

12 Ecological information

- Toxicity
- Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- **Behavior in environmental systems:**
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:
- General notes:

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · **vPvB:** Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- **Recommendation:** Disposal must be made according to official regulations.

14 Transport information

- · UN-Number
- · DOT, ADR, ADN, IMDG, IATA Not regulated

(Contd. on page 8)

Printing date 04/10/2015 Version 9 Reviewed on 04/10/2015

Product ID#: GREEN ONGLAZE 94K1003

	(Contd. of pag
UN proper shipping name DOT, ADR, ADN, IMDG, IATA	Not regulated
Transport hazard class(es)	
DOT, ADR, ADN, IMDG, IATA Class	Not regulated
Packing group DOT, ADR, IMDG, IATA	Not regulated
Environmental hazards: Marine pollutant:	No
Special precautions for user	Not applicable.
Transport in bulk according to Annex MARPOL73/78 and the IBC Code	II of Not applicable.
Transport/Additional information:	Not dangerous according to the above specifications.
DOT Remarks:	Not regulated
ADR Remarks:	Not regulated
ADN Remarks:	Not regulated
IMDG Remarks:	Not regulated
IATA Remarks:	Not regulated
UN "Model Regulation":	_

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture · Sara					
· Section 355	Section 355 (extremely hazardous substances):				
None of the	None of the ingredients is listed.				
· Section 313	Section 313 (Specific toxic chemical listings):				
8007-18-9	antimony nickel titanate yellow	nickel compounds, antimony compounds			
68187-11-1	cobalt chromite blue spinel	cobalt compounds, chromium compounds			
· TSCA (Tox	· TSCA (Toxic Substances Control Act):				
All ingredie	All ingredients are listed.				
· Proposition	· Proposition 65				
· Warning:	· Warning: This product contains a chemical known to the State of California to cause cancer				
8007-18-9	antimony nickel titanate yellow	nickel compounds, antimony compounds			
68187-11-1	cobalt chromite blue spinel	cobalt compounds			

(Contd. on page 9)

Printing date 04/10/2015 Version 9 Reviewed on 04/10/2015

Product ID#: GREEN ONGLAZE

94K1003

(Contd. of page 8)

· Warning: This product contains a chemical known to the State of California to cause female reproductive hazards.

None of the ingredients is listed.

· Warning: This product contains a chemical known to the State of California to cause male reproductive hazards

None of the ingredients is listed.

· Warning: This product contains a chemical known to the State of California to cause development toxicity

None of the ingredients is listed.

· Canadian Ingredient disclosure list

· Limit 0,1%

None of the ingredients is listed.

· Limit 1%

None of the ingredients is listed.

· Cancerogenity categories

EPA (Environmental Protection Agency)

None of the ingredients is listed.

TLV (Threshold Limit Value established by ACGIH)

8007-18-9 antimony nickel titanate yellow

A4

· MAK (German Maximum Workplace Concentration)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· National regulations:

The product is subject to be labeled according with the prevailing version of the regulations on hazardous substances.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Contact:

J. Rose

EHS Specialist

Date of preparation / last revision 04/10/2015 / 8

· Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

(Contd. on page 10)

Page 10/10

Safety Data Sheet acc. to OSHA HCS

Printing date 04/10/2015 Version 9 Reviewed on 04/10/2015

Product ID#: GREEN ONGLAZE

94K1003

VOC: Volatile Organic Compounds (USA, EU)

* Data compared to the previous version altered.

USA