Printing date 10/11/2017 Reviewed on 10/11/2017

1 Identification

· Product identifier: PRS50207, PRS50208

· Trade name: PROSTAR® LEAK DETECTION COMPOUND (LOW TEMPERATURE)

· Item number(s): PRS50207, PRS50208

· MSDS Number: 170

• **UPC** bar code(s): 119055, 119253

· Application of the substance / the mixture LEAK DETECTION COMPOUND

· Manufacturer/Supplier:

USA ADDRESS:

PRAXAIR DISTRIBUTION INC. DANBURY, CT 06810-5113

CANADIAN ADDRESS:

PRAXAIR CANADA INC.

MISSISSAUGA, ONTARIO L5B 1M2

· Information department:

Tel: 1-877-PRAXAIR (1-877-772-9247)

http://www.praxairdirect.com/

· Emergency telephone number: (613) 996-6666 (CANUTEC - Call collect)

2 Hazard(s) identification

· Classification of the substance or mixture:



GHS08 Health hazard

Specific Target Organ Toxicity - Repeated Exposure H373 May cause damage to the kidneys through - Category 2 prolonged or repeated exposure.



Acute Toxicity (Oral) - Category 4

H302 Harmful if swallowed.

- · Label elements
- · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Signal word: Warning

· Hazard-determining components of labeling:

ethylene glycol

· Hazard statements:

Harmful if swallowed.

May cause damage to the kidneys through prolonged or repeated exposure.

· Precautionary statements:

Do not breathe dust/fume/gas/mist/vapours/spray.

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

Get medical advice/attention if you feel unwell.

Rinse mouth.

Dispose of contents/container in accordance with local/regional/national/international regulations.

(Contd. on page 2)

(Contd. of page 1)

Safety Data Sheet acc. to OSHA HCS & WHMIS

Printing date 10/11/2017 Reviewed on 10/11/2017

Trade name: PROSTAR® LEAK DETECTION COMPOUND (LOW TEMPERATURE)

· NFPA ratings (scale 0 - 4):



3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · **Description:** Mixture of the substances listed below with nonhazardous additions.
- · Dangerous components:

107-21-1 ethylene glycol

30-60% w/w

· Additional information: Exact concentrations are being withheld as trade secrets.

4 First-aid measures

- · General information: Symptoms of poisoning may even occur after several hours.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately rinse with water.
- · After eye contact:

Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing. If eye irritation persists get medical advice/attention.

- · After swallowing: Call a poison center/doctor if you feel unwell. Rinse mouth.
- · Most important symptoms and effects, both acute and delayed:

No further relevant information available.

· Indication of any immediate medical attention and special treatment needed:

No further relevant information available.

5 Fire-fighting measures

- · Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- · Special hazards arising from the substance or mixture: No further relevant information available.
- · Protective equipment: No special measures required.

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures:
 Wear protective clothing.
- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· Reference to other sections:

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

(Contd. on page 3)

Printing date 10/11/2017 Reviewed on 10/11/2017

Trade name: PROSTAR® LEAK DETECTION COMPOUND (LOW TEMPERATURE)

(Contd. of page 2)

See Section 13 for disposal information.

7 Handling and storage

- · Handling
- · Precautions for safe handling:

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

- · Information about protection against explosions and fires: No special measures required.
- Storage
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- · Specific end use(s): Leak detection compound

8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see item 7.

Components with limit values that require monitoring at the workplace

107-21-1 ethylene glycol				
EL (Canada)	Short-term value: 20** mg/m³			
	Long-term value: 10** mg/m³			
	Ceiling limit value: 100* mg/m³, 50*** ppm			
	*Aerosol; **Particulate; ***Vapour			
EV (Canada)	Ceiling limit value: 100 mg/m³			
TLV (USA)	Short-term value: NIC-127* NIC-10** mg/m³, NIC-50* ppm			
, ,	Long-term value: NIC-63.5* mg/m³, NIC-25* ppm			
	Ceiling limit value: (100) mg/m ³			
	(H); *inh. fraction + vapor,P:**inh. fraction, H			

- · Additional information: The lists that were valid during the creation were used as basis.
- · Personal protective equipment
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

- · Breathing equipment: Not required.
- · Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

· Material of gloves:

Protective gloves not normally required. People with sensitive skin may prefer to wear water-proof gloves, such as rubber or neoprene, to avoid skin contact.

• Eye protection: Goggles recommended during refilling.

9 Physical and chemical properties

· Form: Liquid · Color: Colorless · Odor: Odorless · Odor threshold: Not determined.

(Contd. on page 4)

Printing date 10/11/2017 Reviewed on 10/11/2017

Trade name: PROSTAR® LEAK DETECTION COMPOUND (LOW TEMPERATURE)

	(Contd. of page
· pH-value at 20 °C:	7
· Change in condition	
Melting point/Melting range:	-54 °C
Boiling point/Boiling range:	100 °C
· Flash point:	Not applicable.
· Flammability (solid, gaseous):	Not applicable.
· Ignition temperature:	410 °C
· Decomposition temperature:	Not determined.
· Auto igniting:	Product is not selfigniting.
· Danger of explosion:	Product does not present an explosion hazard.
· Explosion limits	
Lower:	3.2 Vol %
Upper:	53.0 Vol %
· Vapor pressure at 20 °C:	23 hPa
· Density at 20 °C:	1.075 g/cm³
· Relative density:	Not determined.
· Vapor density:	Not determined.
· Evaporation rate at 20 °C:	.610 (BA=1)
· Solubility in / Miscibility with	
Water:	Fully miscible.
· Partition coefficient (n-octanol/wa	ter): Not determined.
· Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
· Solvent content:	
Organic solvents:	0.0 %
VOC content:	0.0 g/l / 0.00 lb/gl
· Other information	No further relevant information available.

10 Stability and reactivity

- · Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- · Possibility of hazardous reactions: No dangerous reactions known.
- · Conditions to avoid: No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

٠,

Printing date 10/11/2017 Reviewed on 10/11/2017

Trade name: PROSTAR® LEAK DETECTION COMPOUND (LOW TEMPERATURE)

(Contd. of page 4)

11 Toxicological information

- · Information on toxicological effects:
- · Acute toxicity

· LD/LC5	0 valu	es that are relevant for classification:
107-21-	1 ethy	lene glycol
Oral	LD50	5840 mg/kg (rat)
Dermal	LD50	9530 mg/kg (rabbit)

- · Specific symptoms in biological assay: No further relevant information available.
- · Primary irritant effect
- · on the skin: No irritant effect.
- · on the eve: Irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Harmful

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

12 Ecological information

- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability: No further relevant information available.
- · Behavior in environmental systems
- · Bioaccumulative potential: No further relevant information available.
- · Mobility in soil: No further relevant information available.
- · Additional ecological information
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

· Other adverse effects: No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings
- · Recommendation:

Place in a sealed container and label as waste. Place in a safe area, and comply with all federal, state, provincial and local regulations for disposal.

(Contd. on page 6)

Printing date 10/11/2017 Reviewed on 10/11/2017

Trade name: PROSTAR® LEAK DETECTION COMPOUND (LOW TEMPERATURE)

· Recommended cleansing agent: Water, if necessary with cleansing agents.

(Contd. of page 5)

· UN-Number		
· DOT, TDG, ADN, IMDG, IATA	Not regulated	
· UN proper shipping name · DOT, TDG, ADN, IMDG, IATA	Not regulated	
· Transport hazard class(es)		
· DOT, TDG, ADN, IMDG, IATA · Class	Not regulated	
· Packing group · DOT, TDG, IMDG, IATA	Not regulated	
· Environmental hazards:		
· Marine pollutant:	No	
· Special precautions for user:	Not applicable.	
· Transport in bulk according to Annex MARPOL73/78 and the IBC Code:	II of Not applicable.	
· UN "Model Regulation":	Not regulated	

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Sara
- · Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

107-21-1 ethylene glycol

3251-23-8 copper dinitrate

· TSCA (Toxic Substances Control Act):

All ingredients are listed or exempted

- · Proposition 65
- · Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

107-21-1 ethylene glycol

(Contd. on page 7)

Printing date 10/11/2017 Reviewed on 10/11/2017

Trade name: PROSTAR® LEAK DETECTION COMPOUND (LOW TEMPERATURE)

(Contd. of page 6)

· Canadian substance listings

· Canadian Domestic Substances List (DSL/NDSL):

All ingredients are listed.

· Canadian Ingredient Disclosure list (limit 0.1%):

None of the ingredients is listed.

· Canadian Ingredient Disclosure list (limit 1%):

107-21-1 ethylene glycol

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

Hazard pictograms





GHS07 GHS08

- · Signal word Warning
- · Hazard-determining components of labeling:

ethylene glycol

· Hazard statements

Harmful if swallowed.

May cause damage to the kidneys through prolonged or repeated exposure.

· Precautionary statements

Do not breathe dust/fume/gas/mist/vapours/spray.

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

Get medical advice/attention if you feel unwell.

Rinse mouth.

Dispose of contents/container in accordance with local/regional/national/international regulations.

16 Other information

This MSDS format meets ANSI Z400.1-1998, OSHA 1910.1200 and WHMIS requirements. Praxair Distribution Inc provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Product use and conditions of use are beyond the control of Praxair Distribution Inc. Warranty of materials is limited to test results of product performance as detailed in certificates of compliance. Interpretation of test results is the responsibility of end-user. No other warranties, expressed or implied, are made.

· Department issuing SDS: Product safety department

· Contact: Stephen Nowicki

· Date of preparation / last revision 10/11/2017 / -

· Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent