

Revision Number: 5.0

SAFETY DATA SHEET

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

PRODUCT IDENTIFIER Trewax Clear Paste Wax

OTHER MEANS OF IDENTIFICATION

Synonyms None known.

RECOMMENDED USE OF THE CHEMICAL AND RESTRICTIONS OF USE

Recommended Use Floor Wax - Wood

Uses advised against See product label for usage restrictions.

DETAILS OF THE SUPPLIER OF THE SAFETY DATA SHEET

COMPANY IDENTITY Beaumont Products, Inc. **COMPANY ADDRESS** 1560 Big Shanty Drive **COMPANY CITY, STATE, ZIP** Kennesaw, GA 30144 **COMPANY PHONE** 1-800-451-7096

EMERGENCY PHONE CHEMTEL: 1-800-255-3924, Int'l: 1-813-248-0585

SECTION 2: HAZARDS IDENTIFICATION

CLASSIFICATION

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Aspiration toxicity	Category 1
Flammable Solids	Category 1

GHS LABEL ELEMENTS, INCLUDING PRECAUTIONARY STATEMENTS

Emergency Overview

Signal Word Danger

Hazard Statements

May be fatal if swallowed and enters airways

Flammable solids



Odor Solvent Appearance Light Tan Physical State Solid containing liquid

PRECAUTIONARY STATEMENTS - PREVENTION

If medical advice is needed, have product container or label at hand.

Keep out of reach of children.

Read label before use.

Keep away from flames and hot surfaces. - No smoking.

Ground/bond container and receiving equipment

Use explosion-proof electrical/ventilating/lighting/equipment
Wear protective gloves/protective clothing/eye protection/face protection.

PRECAUTIONARY STATEMENTS - RESPONSE

Ingestion

IF SWALLOWED: Immediately call a POISION CENTER or doctor/physician Do NOT induce vomiting

Fire

In case of fire: Use CO2, dry chemical, foam for extinction

PRECAUTIONARY STATEMENTS - STORAGE

Store locked up

PRECAUTIONARY STATEMENTS - DISPOSAL

Dispose of contents/container to an approved waste disposal plant

HAZARDS NOT OTHERWISE CLASSIFIED

Not applicable

UNKNOWN TOXICITY

No information available

OTHER INFORMATION

Prolonged or repeated contact may dry skin and cause irritation

INTERACTIONS WITH OTHER CHEMICALS

No information available.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

CHEMICAL NAMECAS#WT%Petroleum distillates64742-47-860 – 100

The exact percentages (concentrations) of ingredients in this product have been withheld as a trade secret. Any hazards associated with the finished product are listed in Section 2 of this SDS.

SECTION 4: FIRST AID MEASURES

FIRST AID MEASURES

GENERAL ADVICE Immediate medical attention is required. Show this safety data sheet to the

doctor in attendance.

SKIN CONTACT Removal of solidified molten material from skin requires medical attention.

Distributed By
Freeman Manufacturing & Supply Co.
FREEMAN www.freemansupply.com 800-321-8511

EYE CONTACT

Rinse thoroughly with plenty of water, also under the eyelids. If symptoms

persist, get medical advice/attention.

INGESTION Aspiration hazard if swallowed – can enter lungs and cause damage. Do NOT

induce vomiting. If vomiting occurs spontaneously, keep head below hips to prevent aspiration. Rinse mouth immediately and drink plenty of water. Never give anything by mouth to an unconscious person. Call a physician or POISON

Revision Number: 5.0

CONTROL center immediately.

INHALATION Remove victim to fresh air and keep at rest in a position comfortable for

breathing. Call a POISON CENTER or doctor/physician if you feel unwell.

SELF-PROTECTION OF THE FIRST AIDER Ensure that medical personnel are aware of the material(s) involved, take

precautions to protect themselves and prevent spread of contamination.

MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED

Most Important Symptoms and Effects Difficulty in breathing. Coughing and/ or wheezing. Dizziness.

INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED

Notes to Physician Treat symptomatically.

SECTION 5: FIRE-FIGHTING MEASURES

SUITABLE EXTINGUISHING MEDIA

This product is combustible. Use dry chemical, foam, or carbon dioxide to extinguish. Water fog may be used to cool containers to prevent rupturing.

UNSUITABLE EXTINGUISHING MEDIA

No information available.

SPECIFIC HAZARDS ARISING FROM THE CHEMICAL

This product has a flashpoint of 150°F/66°C.

Uniform Fire Code Combustible liquid: II

HAZARDOUS COMBUSTION PRODUCTS

Carbon Oxides

EXPLOSION DATA

Sensitivity to Mechanical Impact No.

Sensitivity to Static Discharge Yes.

PROTECTIVE EQUIPMENT AND PRECAUTIONS FOR FIREFIGHTERS

Use protective equipment appropriate for firefighting surrounding materials. Move containers from the fire area if you can do it without risk.

SECTION 6: ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES

Personal Precautions Safety Data Sheets are intended for occupational-use products; this is a

consumer-use product. Wear protective clothing as required. Evacuate

personnel to safe areas. See section 8 for more information. Avoid contact with skin, eyes or clothing. Eliminate all ignition sources. Use product in accordance

Revision Number: 5.0

with label instructions.

ENVIRONMENTAL PRECAUTIONS

Environmental Precautions Refer to protective measures listed in Sections 7 and 8. Prevent further leakage

or spillage if safe to do so. Prevent product from entering drains.

METHODS AND MATERIAL FOR CONTAINMENT AND CLEAN-UP

Methods for Containment Prevent further leakage or spillage if safe to do so. Do not touch or walk

through spilled material. Dike ahead of the spill and collect runoff water. Keep

out of drains, sewers, ditches and waterways.

Methods for cleaning up Pick up and transfer to properly labeled containers. Take precautionary

measures against static discharges. Dam up. Soak up with Inert absorbent

material.

SECTION 7: HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING

Handling Handle in accordance with good industrial hygiene and safety practice. Use

personal protection equipment. Avoid contact with skin and eyes. Avoid breathing vapors or mists. Keep away from heat/sparks/open flames/hot surfaces. – No Smoking. Keep out of reach of children and pets. Wash hands thoroughly after handling. Use according to package label instructions.

CONDITIONS FOR SAFE STORAGE, INCLUDING AND INCOMPATIBILITIES

Storage Keep container closed and upright when not in use. Store in a cool and well-

ventilated place. Store locked up. Keep out of reach of children. Keep away from heat, sparks, flame and other sources of ignition. Store in a controlled

area or only where trained personnel have access.

Incompatible Products None known

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

CONTROL PARAMETERS

Exposure Guidelines

No data available.

Printed on 5/11/2015 10:10 AM



APPROPRIATE ENGINEERING CONTOLS

Engineering Measures Showers

Eyewash stations Ventilation systems

INDIVIDUAL PROTECTION MEASURES, SUCH AS PERSONAL EQUIPMENT

Protective Equipment

When using this product as directed on the product label, no protective equipment is necessary. Take normal precautions necessary when using a floor petroleum distillate-based wax product.

Respiratory ProtectionNone required during normal consumer use.

Industrial use: Use in a well-ventilated area. If adequate ventilation is

Revision Number: 5.0

unavailable, use a NIOSH-approved respirator.

Skin and Body ProtectionNone required during normal consumer use.

Industrial use: Wear impervious gloves and suitable protective clothing.

Eye/Face ProtectionNone required during normal consumer use.

Industrial use: Wear safety glasses or chemical goggles.

Hygiene MeasuresHandel in accordance with good industrial hygiene and safety practice. Do not

eat, drink of smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and

immediately after handling the product.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE Paste.

APPEARANCE Tan, opaque. pH No data available.

ODOR Solvent

ODOR THRESHOLD

MELTING/FREEZING POINT

150-192°F/66-89°C.

INITIAL BOILING POINT

BOILING POINT RANGE

FLASH POINT

150°F/66°C.

EVAPORATION RATE

PERCENTAGE VOLATILE BY VOLUME

FLAMMABILITY

No data available.

No data available.

Combustible.

UPPER FLAMMABILITY LIMIT

LOWER FLAMMABILITY LIMIT

VAPOR PRESSURE

VAPOR DENSITY

No data available.

No data available.

No data available.

Printed on 5/11/2015 10:10 AM



Page 5 of 11

SPECIFIC GRAVITY

SOLUBILITY

PARTITION COEFFICIENT

AUTO IGNITION TEMPERATURE

DECOMPOSITION TEMPERATURE

VISCOSITY

No data available.

%VOC BY WEIGHT 66.80.

SECTION 10: STABILITY AND REACTIVITY

REACTIVITY

No data available.

CHEMICAL STABILITY

This product is stable under normal conditions (77°F/25°C and 100kPa/1bar).

POSSIBILITY OF HAZARDOUS REACTIONS

None under normal conditions of use according to label instructions.

HAZARDOUS POLYMERIZATION

Hazardous Polymerization does not occur.

CONDITIONS TO AVOID

Avoid excessive heat; store in a cool, dry, well-ventilated area. Keep away from heat, flame, and other potential ignition sources.

INCOMPATIBLE MATERIALS

Incompatible with strong acids, alkalis, and oxidizers.

HAZARDOUS DECOMPOSITION PRODUCTS

Carbon Oxides

SECTION 11: TOXICOLOGICAL INFORMATION

INFORMATION ON LIKELY ROUTES OF EXPOSURE

PRODUCT INFORMATION

INGESTION Specific test data for the substance or mixture is not available.

SKIN CONTACT Specific test data for the substance or mixture is not available.

EYE CONTACT Specific test data for the substance or mixture is not available.

INHALATION Specific test data for the substance or mixture is not available.

COMPONENT INFORMATION



INFORMATION ON TOXICOLOGICAL EFFECTS

Symptoms No information available.

DELAYED AND IMMEDIATE EFFECTS AS WELL AS CHRONIC EFFECTS FROM SHORT AND LONG-TERM EXPOSURE

Sensitization No information available.

Mutagenic Effects No information available.

CarcinogenicityThe table below indicates whether each agency has listed any ingredient as a

Carcinogen.

IARC (International Agency for Research on Cancer)

Group 3 – Not classifiable as to Carcinogenicity in Humans.

Reproductive ToxicityNo information available.

STOT – Single Exposure No information available.

STOT – Repeated ExposureNo information available.

Chronic Toxicity No known effect.

Target Organ Effects Respiratory system. Eyes. Skin

Aspiration Hazard No information available.

NUMERICAL MEASURES OF TOXICITY - PRODUCT INFORMATION

The following values are calculated based on chapter 3.1 of the GHS document $\,$

ATEmix (oral) 57,290.00 mg/kg

ATEmix (inhalation-dust/mist)

50.46 mg/l

SECTION 12: ECOLOGICAL INFORMATION

ECOTOXICITY

The environmental impact of this product has not been fully investigated.

PERSISTENCE AND DEGRADABILITY

No data available.

BIOACCUMULATION

No information available.

OTHER ADVERSE EFFECTS

No information available.



SECTION 13: DISPOSAL CONSIDERATIONS

WASTE TREATMENT METHODS

When disposing of this product, please refer to Section 8 of this Safety Data Sheet for appropriate personal protection instruction.

Disposal MethodsDispose of in accordance with federal, state, local, and regional regulations.

Contaminated PackagingDispose of in accordance with federal, state, local, and regional regulations.

US EPA Waste Number D001 D005

California Hazardous Waste Codes 331

SECTION 14: TRANSPORT INFORMATION

DOT

Proper Shipping Name CONSUMER COMMODITY

Hazard Class ORM-D

Description CONSUMER COMMODITY, ORM-D

Emergency Response Guide 133

Number

TDG

UN-No. UN3175

Proper Shipping Name SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S.

Hazard Class 4.1 Packing Group II

Description UN3175, SOLIDS CONTAINING FLAMMABLE LIQUID N.O.S (PETROLEUM DISTILLATES, HYDROTREATED

LIGHT, PETROLEUM DISTILLATES, HYDROTREATED MIDDLE), 4.1, II

MEX

UN-No. UN3175

Proper Shipping Name SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S.

Hazard Class 4.1 Packing Group II

Description UN3175, SOLIDS CONTAINING FLAMMABLE LIQUID N.O.S (PETROLEUM DISTILLATES, HYDROTREATED

LIGHT, PETROLEUM DISTILLATES, HYDROTREATED MIDDLE), 4.1, II

<u>ICAO</u>

UN-No. UN3175

Proper Shipping Name SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S.

Hazard Class 4.1 Packing Group II

Description UN3175, SOLIDS CONTAINING FLAMMABLE LIQUID N.O.S (PETROLEUM DISTILLATES, HYDROTREATED

LIGHT, PETROLEUM DISTILLATES, HYDROTREATED MIDDLE), 4.1, II

<u>IATA</u>

UN-No. UN3175



Proper Shipping Name SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S.

Hazard Class 4.1 Packing Group II

Description UN3175, SOLIDS CONTAINING FLAMMABLE LIQUID N.O.S (PETROLEUM DISTILLATES, HYDROTREATED

LIGHT, PETROLEUM DISTILLATES, HYDROTREATED MIDDLE), 4.1, II

Special precautions for users This material is shipped as consumer commodity per 49 CFR 173.167.

IMDG/IMO

UN-No. UN3175

Proper Shipping Name SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S.

Hazard Class 4.1
Packing Group II
EmS-No F-A, S-I

Description UN3175, SOLIDS CONTAINING FLAMMABLE LIQUID N.O.S (PETROLEUM DISTILLATES, HYDROTREATED

LIGHT, PETROLEUM DISTILLATES, HYDROTREATED MIDDLE), 4.1, II

RID

UN-No. UN3175

Proper Shipping Name SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S.

Hazard Class 4.1
Packing Group II
Classification code F1

Description UN3175, SOLIDS CONTAINING FLAMMABLE LIQUID N.O.S (PETROLEUM DISTILLATES, HYDROTREATED

LIGHT, PETROLEUM DISTILLATES, HYDROTREATED MIDDLE), 4.1, II

ADR

UN-No. UN3175

Proper Shipping Name SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S.

Hazard Class 4.1
Packing Group II
Classification code F1
Tunnel restriction code (E)

Description UN3175, SOLIDS CONTAINING FLAMMABLE LIQUID N.O.S (PETROLEUM DISTILLATES, HYDROTREATED

LIGHT, PETROLEUM DISTILLATES, HYDROTREATED MIDDLE), 4.1, II

<u>ADN</u>

UN-No. UN3175

Proper Shipping Name SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S.

Hazard Class 4.1
Packing Group II
Classification code F1

Special Provisions 216, 274, 601, 800

Description UN3175, SOLIDS CONTAINING FLAMMABLE LIQUID N.O.S (PETROLEUM DISTILLATES, HYDROTREATED

LIGHT, PETROLEUM DISTILLATES, HYDROTREATED MIDDLE), 4.1, II

Limited Quantity 1 KG
Ventilation VE01, VE03



SECTION 15: REGULATORY INFORMATION

OSHA HAZARD COMMUNICATION RULE, 29 CFR 1910.1200:

The Occupational Safety and Health Administration requires Safety Data Sheets to provide any hazards that may be associated with the product and make this information available in the workplace. Since the use pattern and exposure in the workplace are generally not consistent with those experienced by consumers, this SDS may contain additional health hazard information not pertinent to consumer use.

US TSCA INVENTORY STATUS

All chemicals used in this product are either listed on or exempt from the

Revision Number: 5.0

TSCA Inventory.

CANADA DSL STATUS

SARA 302 COMPONENTS

All chemicals used in this product are either listed or exempt.

No chemicals used in this product are reportable under SARA Title III,

Section 302.

SARA 311/312 HAZARDOUS CHEMICALS

Acute Health Hazard Yes
Chronic Health Hazard Yes
Fire Hazard Yes
Sudden release of pressure
Reactive Hazard No

<u>SARA 313 COMPONENTS</u> This product is not known to contain any SARA 313 components.

<u>CALIFORNIA PROPOSITION 65</u>

This product is known to contain chemicals known to the state of
California to cause cancer, birth defects, or other reproductive harm.

U.S. STATE RIGHT-TO-KNOW REGULATIONS

Chemical Name	New	Massachusetts	Pennsylvania	California	Rhode Island	Illinois
	Jersey					
Microcrystalline Wax (CAS # 63231-60-7)	х	Х	Х			
Petroleum distillates (CAS # 64742-47-8)	Х	Х	Х			

WHMIS CLASSIFICATION

Non-controlled

SECTION 16: ADDITIONAL INFORMATION

NFPA Health: 1 Flammability: 2 Instability: 0

HMIS Health: 2 Flammability: 0 Physical: 0

SDS REVISION NUMBER 5.0

SDS PREPARATION DATE 27/Apr/2015

SUPERCEDES Revision 4.0; 22/SEP/2014

REVISION NOTES None available.

This information is supplied under the OSHA Hazard Communication Standard, 29 CFR 1910.1200, and is offered in good faith based on data available that is believed to be true and accurate.



This product has been classified in accordance with the hazard criteria of the *Controlled Products Regulations* and the SDS contains all information required by the *Controlled Products Regulations*.

The recommended hygiene and safe handling procedures are believed to be generally applicable to this product. However, each user should review these recommendations in a specific context of the intended use and determine whether they are appropriate for that use. No warranty, express or implied, is made regarding the accuracy of this data, the hazards connected with the use of the product, or the results to be obtained from the use thereof. We assume no responsibility for damage or injury from the use of the product described herein.