

Axner Wax Resist A435608

MATERIAL SAFETY DATA SHEET

Distributed by:

Distributed by:
Laguna Clay Company
14400 Lomitas Ave
City of Industry, CA 91746
1-800-4Laguna
info@lagunaclay.com
www.lagunaclay.com

Date: 12/03/2004

REVISION:1

Health.....:1
Fire: 0
Reactivity: 0

I. PRODUCT IDENTIFICATION:

Axner Wax Resist

Chemical Family.....: Wax Emulsion
Chemical Name.... Paraffin Wax Emulsion
Synonyms.....:None

II. REGULATED INGREDIENTS

<u>Components</u>	<u>%</u>	<u>Current TLV</u>
DEA (cas # 111-42-2)	< 0.5	NA

III. SHIPPING DATA

DOT Shipping Name:None
DOT Hazard Class.....: Non Hazardous
DOT Identification Number:
DOT Labels Required.:None
DOT Placards.....: None

IV. PHYSICAL DATA

Flash Pont ...Non flammable
Boiling Point..... 220°F
Vapor Pressure.....: negligible
Vapor Density(Air = 1)..... 1
Volatiles.....44-48%
Solubility (in H2O)..:Soluble
Specific Gravity....0.90 TYPICAL(H2O=1)
Appearance and Odor: White emulsion, waxy odor

V. FIRE & EXPLOSION HAZARD DATA

Flash Point.....: Non flammable

Flammable Limits(%) NA

Extinguishing Media.:Use Carbon Dioxide, alcohol foam, carbon dioxide, & dry chemical.

Unusual Fire Hazards.: None

VI. HEALTH DATA

Toxicological Test Data: ND

Effects of Overexposure: I Skin: Non observed

II Eyes: Immediately wash eyes with running water for 15 mins. If irritation develops, consult a physician.

III Inhalation: NO

VIII. SPECIAL PROTECTION

EYES.....:Chemical safety goggles.

SKIN.....:Rubber gloves

RESPIRATORY...: Normal Air Flow

VENTILATION.....: NA

OTHER.....:Eye was fountains and safety showers should be easily accessible. Educate and train employees in the safe use and handling of the product.

IX. REACTIVITY DATA

STABILITY.....:Stable

CONDITIONS TO AVOID.... Open flames,static electricity and excessive heat

INCOMPATIBILITY.....Strong oxidizing agents and cationic materials

HAZARDOUS DECOMPOSITION: Oxides of carbon

HAZARDOUS POLYMERIZATION: Will not occur.

CONDITIONS TO AVOID.....:None

X. ENVIRONMENTAL DATA

TOXICITY DATA.....: Please dispose of chemical waste accordingly. Protect the environment.

SPILL OR LEAKS.....: Spills should be taken up with absorbent such as vermiculite or sand and placed in containers. Spill area can be washed with water. Collect water for approved disposal.

WASTE DISPOSAL METHOD: Waste material may be disposed of under conditions which meet federal, state and local environmental control regulations.

CONTAINER DISPOSAL...:Empty containers should be disposed of according to local, state and federal regulations.

The information contained herein is furnished without warranty of any kind. Users should consider these data only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use and disposal of these materials and the safety and health of employees and customers and the protection of the environment. Any information relating to usage is for guidance purposes only.

For Industrial Use Only. NA=Not Available; NEG= Negligible; (C)=Carcinogen.

Page 3 of 3

www.**axner**.com
a trademark of Laguna Clay Company
pottery supply