Frank T Ross and Sons Ltd.

Weldbond Universal Adhesive

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: Weldbond Universal Adhesive PRODUCT USE: Adhesive

MANUFACTURER; Frank T Ross and Sons Ltd SUPPLIER Frank T Ross and Sons Ltd

ADDRESS: 110 Riviera Drive, Unit 3

Markham, Ontario. L3R 5M1

ADDRESS: 110 Riviera Drive, Unit 3 Markham, Ontario. L3R 5M1

EMERGENCY: 905-940 1107 **EMERGENCY #**: 905-940-1107

SECTION 2: HAZARDOUS IDENTIFICATION

HAZARD **NOHSC Classification:**CLASSIFICATION **ADG Classification:**Non-Hazardous Substance
Non-Dangerous Goods
Not a Scheduled poison

RISK PHRASES None SAFETY PHRASES None

SECTION II: INFORMATION ON INGREDIENTS

MIXTURE CAS No

PROPORTION

Water 7732-18-5 30 - < 60%

Polyvinyl acetate homopolymer 9003-20-7 30 -

< 60%

Ingredients determined not to be hazardous Not applicable

< 10%

SECTION 4: FIRST AID MEASURES

Eye Contact: Immediately flush with water for 15 minutes. Holding eyelids open during flushing. If irritation

persists, repeat flushing and obtain medical attention immediately.

Skin Contact: Immediately flush with soap and water minutes. Seek medical attention if irritation persists.

Remove contaminated clothing and launder before reuse.

Inhalation: Move victim to fresh air.

Ingestion: DO NOT INDUCE VOMITING. Rinse mouth with water, then drink one glass of water. Seek medical

attention. Do not give anything to victim if unconscious or convulsing.

SECTION 5: FIRE FIGHTING MEASURES

Flammability: Non flammable Flash Point deg (C, TCC): >95 °C

Means of Extinction: As appropriate for surrounding fire. Use water, dry chemical, carbon dioxide or foam

Special Fire Hazards: Fire fighters should wear self-contained breathing apparatus.

Auto-ignition Not applicable.

temperature:

Flame propagation or Not applicable.

Page: 1 of 4

Frank T Ross and Sons Ltd.

Weldbond Universal Adhesive

burning rate of solid:

Sensitivity to static

Not applicable

discharge:

Unusual Fire and **Explosion Hazards.** Hazardous

None expected. As per surrounding fire.

Oxides of carbon, oxides of nitrogen.

decomposition products:

SECTION 6: ACCIDENTAL RELEASE MEASURES

Leak and Spill Procedures:

Before attempting clean up, refer to the hazard data provided above. Small spills may be absorbed with non-reactive absorbent and placed is suitable, covered container. For large

quantities, dispose of in accordance with local, state or federal regulations. For large spills prevent from entering sewers and waterways. For large spills provide diking to

prevent spreading.

SECTION 7: HANDLING AND STORAGE

KEEP OUT OF REACH OF CHILDREN. Store in a closed container away from incompatible Storage Requirements:

materials, which include acids, oxidizing materials.

Storage temperature should be above freezing. Store between 10C/41F and 49C/120F

SECTION 8: EXPOSURE CONTROL/PERSONAL PROTECTION

EXPOSURE An Australian exposure standard for this mixture has not been set by NOHSC

STANDARDS

Exposure Standard [NOHSC:1003(2004)] **TWA STEL** Vinyl acetate monomer 10 ppm 20 ppm

BIOLOGICAL Not applicable

LIMIT VALUES

% Volatile (Wt%):

ENGINEERING Good general dilution ventilation. Use local exhaust ventilation if mists or vapours are produced.

Ensure that ventilation is sufficient to control exposure levels below exposure standards

PERSONAL Use personal protective equipment that minimizes skin and eye contact, and

vapour, mists or aerosol inhalation. **PROTECTION**

Under condition of ordinary use in the work place, wear safety glasses with side shields, nitrile

12000cps

rubber or Viton gloves, long sleeved overalls, and impervious boots.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Boiling Point (deg C) 100 Specific Gravity (H₂0 = 1.095 Evaporation Rate (water=1): Slow

Approx

Solubility in water: Dilutable

emulsion **Physical State:** Liquid Viscosity: 10,000-

SECTION 10: STABILITY AND REACTIVITY

Conditions for Chemical Instability: Stable

Incompatible Materials: Strong oxidizing agents, strong acids.

Hazardous Decomposition Products: Oxides of carbon, Oxides of Nitrogen when heated. Hydrochloric acid,

volatile amines and low molecular weight hydrocarbons can be produced.

PH (as supplied):

5.50

Approx.

SECTION 11: TOXICOLOGICAL INFORMATION

Non-Toxic - "Conforms to ASTM D4236."

This evaluation was conducted in accordance with the guidelines specified by the Consumer Product Safety Commission in 16 CFR 1500.135.

Page: 2 of 4

Frank T Ross and Sons Ltd.

Weldbond Universal Adhesive

Route of Entry:

Potential Health Effects:

May cause slight irritation to eyes

Eye, skin contact, ingestion.

Eye Contact: Skin Contact: May cause slight irritation upon repeated/prolonged contact. Inhalation: May cause slight nose, throat and respiratory tract irritation Inaestion: May cause slight irritation to mouth, esophagus and stomach.

Chronic Effects

No ingredients listed IARC or NTP or ACGIH. Non-hazardous by WHIMIS/OSHA Carcinogenicity:

criteria.

Teratogenicity, Mutagenicity, Reproductive Effects:

The ingredients in this product were found not to be mutagenic when tested by the

Ames Assay, (OECD Guidelines for chemical testing, sec.471)

Skin: Repeated or prolonged exposures to dilutions can cause drying, de-fatting and

dermatitis.

SECTION 12: ECOLOGICAL INFORMATION

VOC Contents: Max. 0.9% or 9 g/l

Biodegradability: Not biodegradable

SECTION 13: DISPOSAL CONSIDERATIONS

This product and its containers are a prescribed waste and may only be disposed of in accordance with applicable State and local regulations. These regulations vary from jurisdiction to jurisdiction and hence the user is counselled to seek advice from the local authority and classify the waste before considering disposal. The disposal information given below is a general guide and does not replace the requirement of the local regulations.

DISPOSAL Small quantities Dry and fully cured material may be disposed of as general industrial waste.

Large amounts must be disposed of strictly in accordance with local industrial waste disposal or environmental protection regulation, ensure that the product is

fully cured before disposing it, if permitted, as landfill or by incineration.

Do not allow the uncured mixture to contaminate sewerage systems, soil, surface or ground water. **SPECIAL PRECAUTIONS** When large amounts of this product need to be disposed of the services of a registered, professional

waste disposal organisation is highly recommended.

SECTION 14: TRANSPORTATION

This product has not been classified as Dangerous Goods. This product does not need to be transported in accordance with the ADG Code requirements.

UN Number: None allocated **Proper Shipping Name:** None allocated ADG Class: None allocated ADG Subsidiary Risk: None allocated ADG Packaging Group: None allocated Hazchem Code: None allocated IMDG/IMO Code: Unrestricted ICAO/IATA Code: Unrestricted

SECTION 15: REGULATORY INFORMATION

AICS All ingredients are listed in AICS SUSDP Not a scheduled poison

SECTION 16: OTHER INFORMATION

Date:	21 October, 2016	Prepared By:	Technical Services	Telephone:	905 940 1107
			Group	-	

Page: 3 of 4

Frank T Ross and Sons Ltd.

Weldbond Universal Adhesive

ACRONYMS

ADG Code: Australian Code for the Transport of Dangerous Goods by Road and Rail

AICS: Australian Inventory of Chemical Substances.

CAS Number: Chemical Abstracts Service Registry Number

CNS: Central nervous system

DG: Dangerous Goods

Hazchem Code: An emergency action code of numbers and letters, which gives information to

emergency services.

IARC: International Agency for Research on Cancer.

N.O.S.: Not otherwise specified.

NOHSC: National Health and Safety Commission.

PPE: Personal protection equipment

R-Phrases: Risk Phrases. S-Phrases: Safety Phrases.

SUSDP: Standard for the Uniform Scheduling of Drugs and Poisons.

UN Number: United Nations Number

Disclaimer:

Information for this material safety data sheet was obtained from sources considered technically accurate and reliable. While every effort has been made to ensure full disclosure of product hazards, in some cases data is not available and is so stated. Since conditions of actual product use are beyond the control of supplier, it is assumed that users of this material; have been fully trained according to the mandatory requirements of national workplace requirements. No warranty, expressed or implied, is made and supplier will not be liable for any losses, injuries for consequential damages, which may result from the use or reliance on any information contained in this form

Page: 4 of 4