

1-METHOXY-2-PROPANOL

1. Product Identification

Synonyms: Propylene glycol methyl ether; Propylene glycol monomethyl ether; Glycol ether PM

CAS No.: 107-98-2

Molecular Weight: 90.12

Chemical Formula: CH₃OCH₂CHOHCH₃

Product Codes: 9060

2. Composition/Information on Ingredients

Ingredient	CAS No	Percent
Hazardous		
-----	-----	-----

1-Methoxy-2-propanol	107-98-2	98 - 100%
Yes		
2-Methoxy-1-propanol	1589-47-5	0 - 2%
Yes		

3. Hazards Identification

Emergency Overview

WARNING! FLAMMABLE LIQUID AND VAPOR. HARMFUL IF INHALED. AFFECTS CENTRAL NERVOUS SYSTEM. MAY BE HARMFUL IF SWALLOWED OR ABSORBED THROUGH SKIN. MAY CAUSE IRRITATION TO SKIN, EYES, AND RESPIRATORY TRACT.

SAF-T-DATA^(tm) Ratings (Provided here for your convenience)

Health Rating: 1 - Slight (Life)

Flammability Rating: 2 - Moderate

Reactivity Rating: 1 - Slight

Contact Rating: 2 - Moderate (Life)

Lab Protective Equip: GOGGLES; LAB COAT; VENT HOOD; PROPER GLOVES

Storage Color Code: Red (Flammable)

Potential Health Effects

Inhalation:

Vapors are irritating to the respiratory tract. Vapors are disagreeable to breathe above 100 ppm because of objectionable odor. Eye, nasal and throat irritation will occur before any central nervous system effects, which occur at 1000 ppm. Headache, dizziness, drowsiness and incoordination may occur.

Ingestion:

Causes irritation to the gastrointestinal tract. Symptoms may include nausea, vomiting and diarrhea. Symptoms may parallel those from inhalation.

Skin Contact:

May cause irritation with redness and pain. May be absorbed through the skin with possible systemic effects.

Eye Contact:

May cause irritation, redness and pain.

Chronic Exposure:

Chronic exposure may damage the liver and kidneys.

Aggravation of Pre-existing Conditions:

No information found.

4. First Aid Measures

Inhalation:

Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

Ingestion:

If swallowed, give several glasses of water to drink to dilute. If large amounts were swallowed or symptoms occur, get medical advice. Never give anything by mouth to an unconscious person.

Skin Contact:

Immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention if symptoms occur.

Eye Contact:

Immediately flush eyes with plenty of water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get medical attention if irritation persists.

5. Fire Fighting Measures

Fire:

Flash point: 32C (90F) CC

Flammable limits in air % by volume:

lel: 1.6; uel: 13.8

Flammable Liquid

Explosion:

Above flash point, vapor-air mixtures are explosive within flammable limits noted above. Vapors can flow along surfaces to distant ignition source and flash back. Sensitive to static discharge.

Fire Extinguishing Media:

Dry chemical, foam or carbon dioxide. Water may be ineffective. Water spray may be used to keep fire exposed containers cool, dilute spills to nonflammable mixtures, protect personnel attempting to stop leak and disperse vapors.

Special Information:

In the event of a fire, wear full protective clothing and NIOSH-approved self-contained breathing apparatus with full facepiece operated in the pressure demand or other positive pressure mode.

6. Accidental Release Measures

Ventilate area of leak or spill. Remove all sources of ignition. Wear appropriate personal protective equipment as specified in Section 8. Isolate hazard area. Keep unnecessary and unprotected personnel from entering. Contain and recover liquid when possible. Use non-sparking tools and equipment. Collect liquid in an appropriate container or absorb with an inert material (e. g., vermiculite, dry sand, earth), and place in a chemical waste container. Do not use combustible materials, such as saw dust. Do not flush to sewer! If a leak or spill has not ignited, use water spray to disperse the vapors, to protect personnel attempting to stop leak, and to flush spills away from exposures.

7. Handling and Storage

Protect against physical damage. Store in a cool, dry well-ventilated location, away from any area where the fire hazard may be acute. Outside or detached storage is preferred. Separate from incompatibles. Containers should be bonded and grounded for transfers to avoid static sparks. Storage and use areas should be No Smoking areas. Use non-sparking type tools and equipment, including explosion proof ventilation. Containers of this material may be hazardous when empty since they retain product residues (vapors, liquid); observe all warnings and precautions listed for the product.

8. Exposure Controls/Personal Protection

Airborne Exposure Limits:

-ACGIH Threshold Limit Value (TLV):
100 ppm (TWA), 150 ppm (STEL)

Ventilation System:

A system of local and/or general exhaust is recommended to keep employee exposures below the Airborne Exposure Limits. Local exhaust ventilation is generally preferred because it can control the emissions of the contaminant at its source, preventing

dispersion of it into the general work area. Please refer to the ACGIH document, *Industrial Ventilation, A Manual of Recommended Practices*, most recent edition, for details.

Personal Respirators (NIOSH Approved):

If the exposure limit is exceeded and engineering controls are not feasible, a half-face organic vapor respirator may be worn for up to ten times the exposure limit, or the maximum use concentration specified by the appropriate regulatory agency or respirator supplier, whichever is lowest. A full-face piece organic vapor respirator may be worn up to 50 times the exposure limit, or the maximum use concentration specified by the appropriate regulatory agency or respirator supplier, whichever is lowest. For emergencies or instances where the exposure levels are not known, use a full-face piece positive-pressure, air-supplied respirator. **WARNING:** Air-purifying respirators do not protect workers in oxygen-deficient atmospheres.

Skin Protection:

Wear protective gloves and clean body-covering clothing.

Eye Protection:

Use chemical safety goggles. Maintain eye wash fountain and quick-drench facilities in work area.

9. Physical and Chemical Properties

Appearance:

Clear, colorless liquid.

Odor:

Slight ethereal odor.

Solubility:

Miscible in water.

Density:

0.962 @ 20C/4C

pH:

No information found.

% Volatiles by volume @ 21C (70F):

No information found.

Boiling Point:

120C (248F)

Melting Point:

-95C (-139F)

Vapor Density (Air=1):

3.11

Vapor Pressure (mm Hg):

11.8 @ 25C (77F)

Evaporation Rate (BuAc=1):

0.71

10. Stability and Reactivity

Stability:

Stable under ordinary conditions of use and storage.

Hazardous Decomposition Products:

Carbon dioxide and carbon monoxide may form when heated to decomposition.

Hazardous Polymerization:

Will not occur.

Incompatibilities:

Strong oxidizers, strong acids, strong bases, aluminum, and copper. This substance acts as a solvent with many resins, plastics and rubbers.

Conditions to Avoid:

Heat, flames, ignition sources and incompatibles.

11. Toxicological Information

Oral rat LD50: 5660 mg/kg; skin rabbit LD50: 13,000 mg/kg; inhalation rat LC50: 10,000 ppm/5-hour; investigated as a reproductive effector.

-----\Cancer			
Lists\-----			
Ingredient Category	---NTP Carcinogen---		IARC
	Known	Anticipated	

1-Methoxy-2-propanol (107-98-2)	No	No	None
2-Methoxy-1-propanol (1589-47-5)	No	No	None

12. Ecological Information

Environmental Fate:

When released into the soil, this material may leach into groundwater. When released into the soil, this material may biodegrade to a moderate extent. When released into water, this material is not expected to evaporate significantly. When released into water, this material may biodegrade to a moderate extent. This material has an estimated bioconcentration factor (BCF) of less than 100. This material is not expected to significantly bioaccumulate. When released into the air, this material is expected to be readily degraded by reaction with photochemically produced hydroxyl radicals. When released into the air, this material is expected to have a half-life between 1 and 10 days. When released into the air, this material is expected to be readily removed from the atmosphere by wet deposition.

Environmental Toxicity:

No information found.

13. Disposal Considerations

Whatever cannot be saved for recovery or recycling should be handled as hazardous waste and sent to a RCRA approved incinerator or disposed in a RCRA approved waste facility. Processing, use or contamination of this product may change the waste management options. State and local disposal regulations may differ from federal disposal regulations. Dispose of container and unused contents in accordance with federal, state and local requirements.

14. Transport Information

Domestic (Land, D.O.T.)

Proper Shipping Name: 1-METHOXY-2-PROPANOL

Hazard Class: 3

UN/NA: UN3092

Packing Group: III

Information reported for product/size: 20L

International (Water, I.M.O.)

Proper Shipping Name: 1-METHOXY-2-PROPANOL

Hazard Class: 3

UN/NA: UN3092

Packing Group: III

Information reported for product/size: 20L

International (Air, I.C.A.O.)

Proper Shipping Name: 1-METHOXY-2-PROPANOL

Hazard Class: 3

UN/NA: UN3092

Packing Group: III

Information reported for product/size: 20L

15. Regulatory Information

-----\Chemical Inventory Status - Part

1\ Ingredient	TSCA	EC	Japan
Australia	-----	---	-----
1-Methoxy-2-propanol (107-98-2)	Yes	Yes	Yes
2-Methoxy-1-propanol (1589-47-5)	Yes	Yes	Yes

-----\Chemical Inventory Status - Part
2\-----

Ingredient Phil.	Korea	--Canada--	
		DSL	NDSL
----- 1-Methoxy-2-propanol (107-98-2) Yes	Yes	Yes	No
2-Methoxy-1-propanol (1589-47-5) Yes	Yes	Yes	No

-----\Federal, State & International Regulations - Part
1\-----

Ingredient Chemical Catg.	-SARA 302-		-----SARA	
	RQ	TPQ	List	
----- 1-Methoxy-2-propanol (107-98-2) ether	No	No	No	Glycol
2-Methoxy-1-propanol (1589-47-5)	No	No	No	No

-----\Federal, State & International Regulations - Part
2\-----

Ingredient	CERCLA	-RCRA-	-TSCA-
		261.33	8 (d)
----- 1-Methoxy-2-propanol (107-98-2)	1	No	Yes
2-Methoxy-1-propanol (1589-47-5)	No	No	No

Chemical Weapons Convention: No TSCA 12(b): No CDTA: No
 SARA 311/312: Acute: Yes Chronic: Yes Fire: Yes Pressure: No
 Reactivity: No (Pure / Liquid)

Australian Hazchem Code: 2S

Poison Schedule: None allocated.

WHMIS:

This MSDS has been prepared according to the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all of the information required by the CPR.

16. Other Information

NFPA Ratings: Health: 1 Flammability: 3 Reactivity: 0

Label Hazard Warning:

WARNING! FLAMMABLE LIQUID AND VAPOR. HARMFUL IF INHALED.
 AFFECTS CENTRAL NERVOUS SYSTEM. MAY BE HARMFUL IF SWALLOWED
 OR ABSORBED THROUGH SKIN. MAY CAUSE IRRITATION TO SKIN, EYES,
 AND RESPIRATORY TRACT.

Label Precautions:

Avoid breathing vapor.
Avoid contact with eyes, skin and clothing.
Keep away from heat, sparks and flame.
Keep container closed.
Wash thoroughly after handling.
Use only with adequate ventilation.

Label First Aid:

If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention. If swallowed, give several glasses of water to drink to dilute. If large amounts were swallowed or symptoms occur, get medical advice. Never give anything by mouth to an unconscious person. In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse. Get medical attention if symptoms occur.

Product Use:

Laboratory Reagent.

Revision Information:

MSDS Section(s) changed since last revision of document include: 3.

Disclaimer:

Mallinckrodt Baker, Inc. provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgment in determining its appropriateness for a particular purpose. MALLINCKRODT BAKER, INC. MAKES NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, INCLUDING WITHOUT LIMITATION ANY WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE WITH RESPECT TO THE INFORMATION SET FORTH HEREIN OR THE PRODUCT TO WHICH THE INFORMATION REFERS. ACCORDINGLY, MALLINCKRODT BAKER, INC. WILL NOT BE RESPONSIBLE FOR DAMAGES RESULTING FROM USE OF OR RELIANCE UPON THIS INFORMATION.

Prepared by: Environmental Health & Safety
Phone Number: (314) 654-1600 (U.S.A.)