

SAFETY DATA SHEET

Version 6.2 Revision Date 12.05.2020 Print Date 28.04.2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name : 1-Octanethiol

Product Number	:	471836
Brand	:	Aldrich
CAS-No.	:	111-88-6

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

1.3 Details of the supplier of the safety data sheet

Company	:	SIGMA-ALDRICH CANADA CO. 2149 WINSTON PARK DRIVE OAKVILLE ON L6H 6J8 CANADA
Telephone Fax	-	+1 905 829-9500 +1 905 829-9292

1.4 Emergency telephone number

Emergency Phone #

: 800-424-9300 CHEMTREC (USA) +1-703-527-3887 CHEMTREC (International) 24 Hours/day; 7 Days/week

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

GHS Classification in accordance with Hazardous Products Regulations (HPR) (SOR/2015-17)

Flammable liquids (Category 4), H227 Skin sensitisation (Category 1), H317 Short-term (acute) aquatic hazard (Category 1), H400 Long-term (chronic) aquatic hazard (Category 1), H410

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 GHS Label elements, including precautionary statements

Pictogram



Warning

Signal word

Aldrich - 471836

Page 1 of 10



Hazard statement(s)	
H227	Combustible liquid.
H317	May cause an allergic skin reaction.
H410	Very toxic to aquatic life with long lasting effects.
Precautionary statement(s)	
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P261	Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.
P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective gloves/ protective clothing/ eye protection/ face protection.
P302 + P352	IF ON SKIN: Wash with plenty of water.
P333 + P313	If skin irritation or rash occurs: Get medical advice/ attention.
P362 + P364	Take off contaminated clothing and wash it before reuse.
P370 + P378	In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.
P391	Collect spillage.
P403	Store in a well-ventilated place.
P501	Dispose of contents/ container to an approved waste disposal plant.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS Stench.

SECTION 3: Composition/information on ingredients

3.1 Substances : Mercaptan C8 Synonyms Octyl mercaptan n-Octyl mercaptan Formula : C₈H₁₈S Molecular weight : 146.29 g/mol CAS-No. : 111-88-6 EC-No. : 203-918-1 Component Classification Concentration * **Octane-1-thiol** Flam. Liq. 4; Skin Sens. 1; <= 100 % Aquatic Acute 1; Aquatic Chronic 1; H227, H317, H400, H410 * Weight percent

For the full text of the H-Statements mentioned in this Section, see Section 16.

Aldrich - 471836

Page 2 of 10



SECTION 4: First aid measures

4.1 Description of first aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

In case of eye contact

Flush eyes with water as a precaution.

If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

- **4.2 Most important symptoms and effects, both acute and delayed** The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11
- **4.3 Indication of any immediate medical attention and special treatment needed** No data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Unsuitable extinguishing media Do NOT use water jet.

5.2 Special hazards arising from the substance or mixture Carbon oxides, Sulphur oxides Combustible.

5.3 Advice for firefighters Wear self-contained breathing apparatus for firefighting if necessary.

5.4 Further information Use water spray to cool unopened containers.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas. For personal protection see section 8.

Aldrich - 471836

Page 3 of 10



6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

6.3 Methods and materials for containment and cleaning up

Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Keep in suitable, closed containers for disposal.

6.4 Reference to other sections For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist. Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge.

For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Storage class (TRGS 510): 10: Combustible liquids

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

8.2 Exposure controls

Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Personal protective equipment

Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact Material: Nitrile rubber Minimum layer thickness: 0.4 mm Break through time: 480 min Material tested:Camatril® (KCL 730 / Aldrich Z677442, Size M)

Aldrich - 471836

Page 4 of 10



Splash contact Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 60 min Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

Body Protection

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a fullface respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

a)	Appearance	Form: liquid
b)	Odour	No data available
c)	Odour Threshold	No data available
d)	рН	No data available
e)	Melting point/freezing point	No data available
f)	Initial boiling point and boiling range	197 - 200 °C 387 - 392 °F - lit.
g)	Flash point	70 °C (158 °F) - c.c.
h)		
11)	Evaporation rate	No data available
i)	Evaporation rate Flammability (solid, gas)	No data available No data available
	Flammability (solid,	
i)	Flammability (solid, gas) Upper/lower flammability or	No data available

Aldrich - 471836

Page 5 of 10



- I) Vapour density No data available
- m) Relative density 0.843 g/cm3 at 25 °C (77 °F)
- n) Water solubility No data available
- o) Partition coefficient: No data available n-octanol/water
- p) Auto-ignition No data available temperature
- q) Decomposition No data available temperature
- r) Viscosity No data available
- s) Explosive properties No data available
- t) Oxidizing properties No data available

9.2 Other safety information No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No data available

10.2 Chemical stability

Stable under recommended storage conditions. Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions No data available

10.4 Conditions to avoid

Heat, flames and sparks. Heat, flames and sparks.

10.5 Incompatible materials

Strong oxidizing agents, Strong acids, Alkali metals

10.6 Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Carbon oxides, Sulphur oxides

Other decomposition products - No data available In the event of fire: see section 5

Aldrich - 471836

Page 6 of 10



SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - male and female - 2,436 mg/kg (OECD Test Guideline 420) LC50 Inhalation - Rat - male and female - 4.5 h - > 3.1 mg/l (OECD Test Guideline 403) LD50 Dermal - Rabbit - male and female - > 1,680 mg/kg (OECD Test Guideline 402)

Skin corrosion/irritation

Skin - Rabbit Result: slight irritation - 72 h (OECD Test Guideline 404)

Serious eye damage/eye irritation

Eyes - Rabbit Result: slight irritation (OECD Test Guideline 405)

Respiratory or skin sensitisation

Maximisation Test - Guinea pig Result: positive (OECD Test Guideline 406)

Germ cell mutagenicity

No data available Ames test Escherichia coli/Salmonella typhimurium Result: negative Mutagenicity (mammal cell test): chromosome aberration. Human lymphocytes Result: negative In vitro mammalian cell gene mutation test Mouse lymphoma test Result: negative

Carcinogenicity

- IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure Inhalation - May cause respiratory irritation.

Specific target organ toxicity - repeated exposure No data available

Aspiration hazard

No data available

Aldrich - 471836

Page 7 of 10



Additional Information

Repeated dose toxicity - Rat - male and female - Oral - No observed adverse effect level - 50 mg/kg RTECS: Not available

Nausea, Dizziness, Headache, To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish	semi-static test LC50 - Oryzias latipes (Orange-red killifish) - 0.326 mg/l - 96 h (OECD Test Guideline 203)
Toxicity to daphnia and other aquatic invertebrates	semi-static test EC50 - Daphnia magna (Water flea) - 0.0243 mg/l - 48 h (OECD Test Guideline 202)
	semi-static test NOEC - Daphnia magna (Water flea) - 0.0037 mg/l - 48 h (OECD Test Guideline 202)
Toxicity to algae	semi-static test EC50 - Pseudokirchneriella subcapitata (green algae) - 0.033 mg/l - 72 h (OECD Test Guideline 201)
	semi-static test NOEC - Pseudokirchneriella subcapitata (green algae) - 0.0038 mg/l - 72 h (OECD Test Guideline 201)

12.2 Persistence and degradability

Biodegradability Result: 10 % - Not readily biodegradable. (OECD Test Guideline 301D)

12.3 Bioaccumulative potential No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

12.6 Other adverse effects

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Very toxic to aquatic life with long lasting effects.

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Very toxic to aquatic life with long lasting effects.

Aldrich - 471836

Page 8 of 10



SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Offer surplus and non-recyclable solutions to a licensed disposal company. This combustible material may be burned in a chemical incinerator equipped with an afterburner and scrubber. Contact a licensed professional waste disposal service to dispose of this material.

Contaminated packaging

Dispose of as unused product.

SECTION 14: Transport information

DOT (US)

UN number: 3334 Class: 9 Proper shipping name: A Aviation regulated liquid, n.o.s. (Octane-1-thiol) Reportable Quantity (RQ): Poison Inhalation Hazard: No

IMDG

UN number: 3082 Class: 9 Packing group: III EMS-No: F-A, S-F Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Octane-1-thiol) Marine pollutant : yes

ΙΑΤΑ

UN number: 3334 Class: 9 Packing group: III Proper shipping name: Aviation regulated liquid, n.o.s. (Octane-1-thiol) **Further information**

EHS-Mark required (ADR 2.2.9.1.10, IMDG code 2.10.3) for single packagings and combination packagings containing inner packagings with Dangerous Goods > 5L for liquids or > 5kg for solids.

SECTION 15: Regulatory information

This product has been classified in accordance with the hazard criteria of the Hazardous Products Regulations (HPR) and the SDS contains all the information required by the HPR.

SECTION 16: Other information

Further information

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any

Aldrich - 471836

Page 9 of 10



damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Version: 6.2

Revision Date: 12.05.2020

Print Date: 28.04.2021

Aldrich - 471836

Page 10 of 10

