MSDS Number: **A2832** \* \* \* \* \* *Effective Date:* **02/22/06** \* \* \* \* \* *Supercedes:* 

11/12/03



## Material Safety Data Sheet

From: Mallinckrodt Baker, Inc. 222 Red School Lane Phillipsburg, NJ 08865





24 Hour Emergency Telephone: 908-859-2151

CHEMTREC: 1-800-424-9300

National Response in Canada CANUTEC: 613-996-6666

Outside U.S. and Canada Chemtrec: 703-527-3887

NOTE: CHEMTREC, CANUTEC and National Response Center emergency numbers to be used only in the event of chemical emergencies involving a spill, leak, fire, exposure or accident involving chemicals.

All non-emergency questions should be directed to Customer Service (1-800-582-2537) for assistance.

# **ALUMINUM NITRATE**

## 1. Product Identification

Synonyms: Aluminum (III) nitrate, nonohydrate (1:3:9); Nitric acid, aluminum salt;

Aluminum nitrate, nonahydrate

**CAS No.:** 13473-90-0 (Anhydrous) 7784-27-2 (Nonahydrate)

**Molecular Weight: 375.** 

Chemical Formula: Al(NO3)3 9H2O

Product Codes: J.T. Baker: 0528 Mallinckrodt: 3172

# 2. Composition/Information on Ingredients

| Ingredient<br>Hazardous | CAS No     | Percent   |  |
|-------------------------|------------|-----------|--|
|                         |            |           |  |
| Aluminum Nitrate<br>Yes | 13473-90-0 | 98 - 100% |  |

## 3. Hazards Identification

#### **Emergency Overview**

\_\_\_\_\_

# DANGER! STRONG OXIDIZER. CONTACT WITH OTHER MATERIAL MAY CAUSE FIRE. HARMFUL IF SWALLOWED OR INHALED. CAUSES IRRITATION TO SKIN, EYES AND RESPIRATORY TRACT.

**SAF-T-DATA**<sup>(tm)</sup> Ratings (Provided here for your convenience)

-----

Health Rating: 2 - Moderate Flammability Rating: 0 - None

Reactivity Rating: 3 - Severe (Oxidizer)

Contact Rating: 2 - Moderate

Lab Protective Equip: GOGGLES & SHIELD; LAB COAT & APRON; VENT HOOD;

PROPER GLOVES

Storage Color Code: Yellow (Reactive)

\_\_\_\_\_\_

#### **Potential Health Effects**

\_\_\_\_\_

#### **Inhalation:**

Causes irritation to the respiratory tract. Symptoms may include coughing, shortness of breath.

#### **Ingestion:**

May cause gastroenteritis and abdominal pains. Purging and diuresis can be expected. Rare cases of nitrates being converted to the more toxic nitrites have been reported, mostly with infants.

#### **Skin Contact:**

Causes irritation to skin. Symptoms include redness, itching, and pain.

#### **Eve Contact:**

Causes irritation, redness, and pain.

#### **Chronic Exposure:**

Small repeated oral doses of nitrates may cause weakness, depression, headache, and mental impairment.

#### **Aggravation of Pre-existing Conditions:**

Persons with stomach diseases and infants are much more sensitive to nitrate ion toxicity.

## 4. First Aid Measures

#### **Inhalation:**

Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

#### Ingestion:

Induce vomiting immediately as directed by medical personnel. Never give anything by mouth to an unconscious person. Get medical attention.

#### **Skin Contact:**

Wipe off excess material from skin then immediately flush skin with plenty of water for at least 15 minutes. Remove contaminated clothing and shoes. Get medical attention. Wash clothing before reuse. Thoroughly clean shoes before reuse.

#### **Eye Contact:**

Immediately flush eyes with plenty of water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get medical attention.

## 5. Fire Fighting Measures

#### Fire:

Not combustible, but substance is a strong oxidizer and its heat of reaction with reducing agents or combustibles may cause ignition. When heated, gives off oxygen thus increasing fire hazard.

#### **Explosion:**

Contact with oxidizable substances may cause extremely violent combustion. Some nitrates may explode when shocked, exposed to heat or flame, or by spontaneous chemical reaction.

#### Fire Extinguishing Media:

Use water or water spray only. Water spray may be used to keep fire exposed containers cool.

#### **Special Information:**

In the event of a fire, wear full protective clothing and NIOSH-approved self-contained breathing apparatus with full facepiece operated in the pressure demand or other positive pressure mode. This oxidizing material can increase the flammability of adjacent combustible materials.

## 6. Accidental Release Measures

Ventilate area of leak or spill. Wear appropriate personal protective equipment as specified in Section 8. Spills: Pick up and place in a suitable container for reclamation or disposal, using a method that does not generate dust. Keep combustibles (wood, paper, oil, etc.) away from spilled material. Cover spill with sodium bicarbonate or soda ash and mix.

# 7. Handling and Storage

Keep in a tightly closed container, stored in a cool, dry, ventilated area. Protect against physical damage. Separate from incompatibilities. Separate from combustible, organic, or any other readily oxidizable materials. Do not store on wooden floors. Containers of this material may be hazardous when empty since they retain product residues (dust, solids); observe all warnings and precautions listed for the product.

## 8. Exposure Controls/Personal Protection

#### **Airborne Exposure Limits:**

-OSHA Permissible Exposure Limit (PEL):

2 mg/m3 (TWA) soluble salts as Al

-ACGIH Threshold Limit Value (TLV):

2 mg/m3 (TWA) soluble salts as Al

#### **Ventilation System:**

A system of local and/or general exhaust is recommended to keep employee exposures below the Airborne Exposure Limits. Local exhaust ventilation is generally preferred because it can control the emissions of the contaminant at its source, preventing dispersion of it into the general work area. Please refer to the ACGIH document, *Industrial Ventilation, A Manual of Recommended Practices*, most recent edition, for details.

#### **Personal Respirators (NIOSH Approved):**

If the exposure limit is exceeded and engineering controls are not feasible, a half facepiece particulate respirator (NIOSH type N95 or better filters) may be worn for up to ten times the exposure limit or the maximum use concentration specified by the appropriate regulatory agency or respirator supplier, whichever is lowest. A full-face piece particulate respirator (NIOSH type N100 filters) may be worn up to 50 times the exposure limit, or the maximum use concentration specified by the appropriate regulatory agency, or respirator supplier, whichever is lowest. If oil particles (e.g. lubricants, cutting fluids, glycerine, etc.) are present, use a NIOSH type R or P filter. For emergencies or instances where the exposure levels are not known, use a full-facepiece positive-pressure, air-supplied respirator. WARNING: Air-purifying respirators do not protect workers in oxygen-deficient atmospheres.

#### **Skin Protection:**

Rubber or neoprene gloves and additional protection including impervious boots, apron, or coveralls, as needed in areas of unusual exposure.

#### **Eve Protection:**

Use chemical safety goggles and/or full face shield where dusting or splashing of solutions is possible. Maintain eye wash fountain and quick-drench facilities in work area.

# 9. Physical and Chemical Properties

#### Appearance:

White crystals.

Odor:

Odorless.

**Solubility:** 

Very soluble.

**Specific Gravity:** 

No information found.

pH:

Aqueous solution is acidic.

% Volatiles by volume @ 21C (70F):

0

**Boiling Point:** 

135C (275F) Decomposes.

**Melting Point:** 

73C (163F)

Vapor Density (Air=1):

No information found.

Vapor Pressure (mm Hg):

No information found.

**Evaporation Rate (BuAc=1):** 

No information found.

# 10. Stability and Reactivity

#### **Stability:**

Stable under ordinary conditions of use and storage.

#### **Hazardous Decomposition Products:**

Oxides of nitrogen.

#### **Hazardous Polymerization:**

Will not occur.

#### **Incompatibilities:**

Reducing agents, organic materials, cyanides, thiocyanides, acids, and heavy metals.

#### **Conditions to Avoid:**

Heat, shock, friction, incompatibles.

## 11. Toxicological Information

(9-hydrate): Oral rat LD50: 3671 mg/kg; Investigated as a reproductive effector.

| \Cancer                       |                |             |      |
|-------------------------------|----------------|-------------|------|
| Lists\                        |                |             |      |
|                               | NTP Carcinogen |             |      |
| Ingredient                    | Known          | Anticipated | IARC |
| Category                      |                |             |      |
|                               |                |             |      |
|                               |                |             |      |
| Aluminum Nitrate (13473-90-0) | No             | No          | None |

# 12. Ecological Information

#### **Environmental Fate:**

No information found.

### **Environmental Toxicity:**

No information found.

## 13. Disposal Considerations

Whatever cannot be saved for recovery or recycling should be handled as hazardous waste and sent to a RCRA approved waste facility. Processing, use or contamination of this product may change the waste management options. State and local disposal regulations may differ from federal disposal regulations. Dispose of container and unused contents in accordance with federal, state and local requirements.

## 14. Transport Information

Domestic (Land, D.O.T.)

Proper Shipping Name: ALUMINUM NITRATE

Hazard Class: 5.1 UN/NA: UN1438 Packing Group: III

**Information reported for product/size:** 300LB

**International (Water, I.M.O.)** 

-----

**Proper Shipping Name:** ALUMINUM NITRATE

Hazard Class: 5.1 UN/NA: UN1438 Packing Group: III

**Information reported for product/size: 300LB** 

# 15. Regulatory Information

| \Chemical Inventory Status - Part    |       |     |               |
|--------------------------------------|-------|-----|---------------|
| Ingredient                           | TSCA  | EC  | Japan         |
| Australia                            |       |     |               |
| Aluminum Nitrate (13473-90-0) Yes    | Yes   | Yes | Yes           |
| \Chemical Inventory Status - Part    |       |     |               |
| Ingredient Phil.                     | Korea | _   | anada<br>NDSL |
|                                      |       |     |               |
| Aluminum Nitrate (13473-90-0)<br>Yes | Yes   | Yes | No            |

| \Federal, State & International Re   | gulati | ons - | Part             |       |
|--|--------|-------|------------------|-------|
| 1\   | -SARA  | 302-  |                  | SARA  |
| 313 Ingredient Chemical Catg.  | RQ     | TPQ   | List             |       |
|  |        |       |                  |       |
| Aluminum Nitrate (13473-90-0)<br>Nitrate Cmpd  | No     | No    | No               |       |
| \Federal, State & International Regulations - Part 2\  |        |       |                  |       |
| Ingredient   | CERCL  |       | -RCRA-<br>261.33 | 8 (d) |
| Aluminum Nitrate (13473-90-0)  | No     |       |                  |       |
| Chemical Weapons Convention: No TSCA 12(b): No CDTA: No SARA 311/312: Acute: Yes Chronic: Yes Fire: Yes Pressure: No Reactivity: No (Pure / Solid) |        |       |                  |       |

**Australian Hazchem Code:** 1S **Poison Schedule:** None allocated.

**WHMIS:** 

This MSDS has been prepared according to the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all of the information required by the CPR.

## 16. Other Information

NFPA Ratings: Health: 1 Flammability: 0 Reactivity: 0 Other: Oxidizer Label Hazard Warning:

DANGER! STRONG OXIDIZER. CONTACT WITH OTHER MATERIAL MAY CAUSE FIRE. HARMFUL IF SWALLOWED OR INHALED. CAUSES IRRITATION TO SKIN, EYES AND RESPIRATORY TRACT.

#### **Label Precautions:**

Keep from contact with clothing and other combustible materials.

Store in a tightly closed container.

Use only with adequate ventilation.

Avoid breathing dust.

Avoid contact with eyes, skin and clothing.

Wash thoroughly after handling.

#### **Label First Aid:**

If swallowed, induce vomiting immediately as directed by medical personnel. Never give anything by mouth to an unconscious person. If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. In case of contact, wipe off excess material from skin then immediately flush eyes or skin with plenty of water for at least 15 minutes. Remove contaminated clothing and shoes. Wash

clothing before reuse. In all cases, get medical attention.

**Product Use:** 

Laboratory Reagent.

**Revision Information:** 

MSDS Section(s) changed since last revision of document include: 3.

Disclaimer:

\*

\*\*\*\*\*\*\*\*

Mallinckrodt Baker, Inc. provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgment in determining its appropriateness for a particular purpose. MALLINCKRODT BAKER, INC. MAKES NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, INCLUDING WITHOUT LIMITATION ANY WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE WITH RESPECT TO THE INFORMATION SET FORTH HEREIN OR THE PRODUCT TO WHICH THE INFORMATION REFERS. ACCORDINGLY, MALLINCKRODT BAKER, INC. WILL NOT BE RESPONSIBLE FOR DAMAGES RESULTING FROM USE OF OR RELIANCE UPON THIS INFORMATION.

\*

\*\*\*\*\*\*\*\*

**Prepared by:** Environmental Health & Safety Phone Number: (314) 654-1600 (U.S.A.)