SAFETY DATA SHEET

Version 5.6 Revision Date 12/15/2014 Print Date 02/05/2015

1. PRODUCT AND COMPANY IDENTIFICATION

Product name Dimethyl phthalate

Product Number 525081 Brand Aldrich

Product Use For laboratory research purposes.

Sigma-Aldrich Canada Co. Sigma-Aldrich Corporation Supplier Manufactur :

> 3050 Spruce St. 2149 Winston Park Drive er

OAKVILLE ON L6H 6J8 St. Louis, Missouri 63103

USA

Telephone Fax +1 9058299292 : 1-800-424-9300

Emergency Phone # (For

both supplier and manufacturer)

Preparation Information Sigma-Aldrich Corporation

Product Safety - Americas Region

1-800-521-8956

CANADA

+1 9058299500

2. HAZARDS IDENTIFICATION

Emergency Overview

Target Organs

Nerves.

Other hazards which do not result in classification

Rapidly absorbed through skin.

WHMIS Classification

Not Rated

GHS Classification

Acute aquatic toxicity (Category 3)

GHS Label elements, including precautionary statements

Pictogram none Signal word none

Hazard statement(s)

Harmful to aquatic life. H402

Precautionary statement(s) none

HMIS Classification

Health hazard: 0 Flammability: 1 Physical hazards: 0

Potential Health Effects

Inhalation May be harmful if inhaled. May cause respiratory tract irritation. Skin May be harmful if absorbed through skin. May cause skin irritation.

May cause eye irritation. **Eves** Ingestion May be harmful if swallowed.

Aldrich - 525081 Page 1 of 7

3. COMPOSITION/INFORMATION ON INGREDIENTS

Synonyms : DMP

Formula : $C_{10}H_{10}O_4$ Molecular weight : 194.18 g/mol

CAS-No.	EC-No.	Index-No.	Concentration		
Dimethyl phthalate					
131-11-3	205-011-6	-	<=100%		

4. FIRST AID MEASURES

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

In case of eye contact

Flush eyes with water as a precaution.

If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

5. FIREFIGHTING MEASURES

Conditions of flammability

Not flammable or combustible.

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Special protective equipment for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

Hazardous combustion products

Hazardous decomposition products formed under fire conditions. - Carbon oxides

Explosion data - sensitivity to mechanical impact

No data available

Explosion data - sensitivity to static discharge

No data available

6. ACCIDENTAL RELEASE MEASURES

Personal precautions

Avoid breathing vapours, mist or gas. Ensure adequate ventilation.

Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

Methods and materials for containment and cleaning up

Keep in suitable, closed containers for disposal.

7. HANDLING AND STORAGE

Conditions for safe storage

Keep container tightly closed in a dry and well-ventilated place.

Aldrich - 525081 Page 2 of 7

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value	Control	Basis
			parameters	
Dimethyl phthalate	131-11-3	TWA	5.000000 mg/m3	Canada. Alberta, Occupational Health and Safety Code (table 2: OEL)
Remarks	Occupational exposure limit is based on irritation effects and its adjustment to compensate for unusual work schedules is not required			
		TWA	5.000000 mg/m3	Canada. British Columbia OEL
		TWAEV	5.000000 mg/m3	Québec. Regulation respecting occupational health and safety, Schedule 1, Part 1: Permissible exposure values for airborne contaminants
		TWA	5.000000 mg/m3	USA. ACGIH Threshold Limit Values (TLV)

Personal protective equipment

Respiratory protection

Respiratory protection not required. For nuisance exposures use type OV/AG (US) or type ABEK (EU EN 14387) respirator cartridges. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Hand protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0.2 mm Break through time: 480 min

Material tested:Dermatril® P (KCL 743 / Aldrich Z677388, Size M)

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm Break through time: 120 min

Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374 If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

Eye protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin and body protection

impervious clothing, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Hygiene measures

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Specific engineering controls

Use mechanical exhaust or laboratory fumehood to avoid exposure.

Aldrich - 525081 Page 3 of 7

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

Form liquid, clear Colour colourless

Safety data

No data available pΗ

Melting Melting point/range: 2 °C (36 °F) - lit.

point/freezing point

Boiling point 282 °C (540 °F) - lit.

146.0 °C (294.8 °F) - closed cup Flash point

490 °C (914 °F) Ignition temperature

Auto-ignition

490.0 °C (914.0 °F)

temperature

Lower explosion limit 0.94 %(V) Upper explosion limit 8.03 %(V)

0.0020 hPa (0.0015 mmHg) at 20.0 °C (68.0 °F) Vapour pressure

1.3 hPa (1.0 mmHg) at 100.0 °C (212.0 °F)

1.19 g/cm3 at 25 °C (77 °F) Density

slightly soluble Water solubility Partition coefficient: log Pow: 1.47

n-octanol/water

Relative vapour

No data available

density

Odour No data available Odour Threshold No data available Evaporation rate No data available

10. STABILITY AND REACTIVITY

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

No data available

Conditions to avoid

No data available

Materials to avoid

Oxidizing agents, acids

Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Carbon oxides

Other decomposition products - No data available

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Oral LD50

LD50 Oral - Rat - 8,200 mg/kg

Inhalation LC50

No data available

Aldrich - 525081 Page 4 of 7

Dermal LD50

LD50 Dermal - Rabbit - > 12,000 mg/kg

Other information on acute toxicity

No data available

Skin corrosion/irritation

Skin - Rabbit - No skin irritation - 24 h - Draize Test

Serious eye damage/eye irritation

Eyes - Rabbit - No eye irritation - 72 h - OECD Test Guideline 405

Respiratory or skin sensitisation

No data available

Germ cell mutagenicity

Genotoxicity in vitro - Ames test - S. typhimurium - with and without metabolic activation - negative

Genotoxicity in vivo - Rat - male - Intraperitoneal - negative

Carcinogenicity

This product is or contains a component that is not classifiable as to its carcinogenicity based on its IARC, ACGIH, NTP, or EPA classification.

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as

probable, possible or confirmed human carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a

carcinogen or potential carcinogen by ACGIH.

Reproductive toxicity

Reproductive toxicity - Rat - female - Oral

No adverse effect has been observed in chronic toxicity tests.

Teratogenicity

Developmental Toxicity - Rat - Oral

No adverse effect has been observed in chronic toxicity tests.

Specific target organ toxicity - single exposure (Globally Harmonized System)

No data available

Specific target organ toxicity - repeated exposure (Globally Harmonized System)

No data available

Aspiration hazard

No data available

Potential health effects

Inhalation May be harmful if inhaled. May cause respiratory tract irritation.

Ingestion May be harmful if swallowed.

Skin May be harmful if absorbed through skin. May cause skin irritation.

Eyes May cause eye irritation.

Signs and Symptoms of Exposure

burning sensation, Cough, wheezing, laryngitis, Shortness of breath, Headache, Nausea, Vomiting, Central nervous system depression, Gastrointestinal disturbance, Kidney injury may occur., To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Synergistic effects

No data available

Additional Information

RTECS: TI1575000

12. ECOLOGICAL INFORMATION

Toxicity

Toxicity to fish flow-through test LC50 - Pimephales promelas (fathead minnow) - 39 mg/l - 96 h

Aldrich - 525081 Page 5 of 7

Toxicity to daphnia

EC50 - Daphnia magna (Water flea) - 46.00 mg/l - 48 h

and other aquatic invertebrates

Toxicity to algae static test EC50 - Desmodesmus subspicatus (Scenedesmus subspicatus) - 204 mg/l - 72

h

Persistence and degradability

Biodegradability aerobic

Result: 91 % - Readily biodegradable

Remarks: No data available

Bioaccumulative potential

Bioaccumulation Lepomis macrochirus (Bluegill) - 21 d

Bioconcentration factor (BCF): 57

Mobility in soil

No data available

PBT and vPvB assessment

No data available

Other adverse effects

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Harmful to aquatic life.

13. DISPOSAL CONSIDERATIONS

Product

Offer surplus and non-recyclable solutions to a licensed disposal company.

Contaminated packaging

Dispose of as unused product.

14. TRANSPORT INFORMATION

DOT (US)

UN number: 3082 Class: 9 Packing group: III

Proper shipping name: Environmentally hazardous substance, liquid, n.o.s. (Dimethyl phthalate)

Reportable Quantity (RQ): 5000 lbs

Marine pollutant: No

Poison Inhalation Hazard: No

IMDG

Not dangerous goods

IATA

Not dangerous goods

15. REGULATORY INFORMATION

WHMIS Classification

Not Rated

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.

16. OTHER INFORMATION

Further information

Copyright 2014 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

Aldrich - 525081 Page 6 of 7

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Aldrich - 525081 Page 7 of 7