

1254 Chestnut Street Newton, MA 02464-1418 Tel: (617) 965-5511

Fax: (617) 965-5818

## MATERIAL SAFETY DATA SHEET

PAGE 1 03 March 2006

SECTION 1. CHEMICAL IDENTIFICATION -----

CHEMICAL NAME: Organic Polymer Solution LOR B Series Resists

PRODUCT #: See Table 1 – Section 9

SECTION 2. COMPOSITION------

HAZARDOUS

INGREDIENTS: Cyclopentanone (CAS: 120-92-3); 65-90%.

Propylene glycol monomethyl ether (CAS: 107-98-2); 10-15%

**OTHER** 

INGREDIENTS: Polyaliphatic imide copolymer (CAS: 102322-80-5); 1-20%

Proprietary Dye, 0.1 - 2% Proprietary Surfactant, <1%

SECTION 3. HAZARD DATA-----

INFLAMMABILITY: Flammable liquid.

SKIN CONTACT: Irritant.

EYE CONTACT: Severe eye irritant.
INGESTION: Harmful if ingested.
INHALATION: Harmful if inhaled.
MUTAGENICITY: Data not available.
CARCINOGENICITY: Data not available.

TARGET ORGANS: Eyes, Epidermis, Nervous System.

SECTION 4. FIRST AID MEASURES-----

INHALATION: Inhalation is not an expected route of exposure. If respiratory irritation or

distress occurs remove victim to fresh air. Seek medical attention if

respiratory irritation or distress continues.

INGESTION: If victim is conscious and alert, give 2-3 glasses of water to drink and

induce vomiting by touching back of throat with a finger. Do not induce vomiting or give anything by mouth to an unconscious person. Seek immediate medical attention. Do not leave victim unattended. Vomiting may occur spontaneously. To prevent aspiration of swallowed product, lay victim on side with head lower than waist. If vomiting occurs and the

victim is conscious, give water to further dilute the chemical.

SKIN CONTACT: In case of contact, immediately wash with plenty of soap and water for at

least 5 minutes. Seek medical attention. Remove contaminated clothing

and shoes. Clean contaminated clothing and shoes before re-use.

PAGE 2 03 March 2006

CHEMICAL NAME: Organic Polymer Solution
TRADE NAME: LOR B Series Resists
PRODUCT #: See Table 1 - Section 9

-----

### SECTION 5. FIRE FIGHTING MEASURES-----

**EXTINGUISHING** 

MEDIA: Dry chemical, carbon dioxide, alcohol foam, and universal

foam.

SPECIAL FIRE FIGHTING

PRECAUTIONS: Firefighters should wear NIOSH/MSHA approved self-

contained breathing apparatus and full protective clothing.

Remove all ignition sources if it can be done safely.

UNUSUAL FIRE OR

EXPLOSION HAZARDS: Product will burn under fire conditions. Containers may

explode (due to build-up of pressure) when exposed to extreme heat. Vapors may travel a considerable distance to a source of

ignition and flash back along vapor trail.

### SECTION 6. ACCIDENTAL RELEASE PROCEDURES -----

**EVACUATION** 

PROCEDURES & SAFETY: Wear appropriate protective gear for the situation. See Personal

Protection information in Section 8.

CLEANUP & DISPOSAL

OF SPILL:

Absorb with an inert absorbent. Sweep up and place in an appropriate closed container (see Section 7). Clean up residual material by washing area with water. Collect washings for

disposal.

ENVIRONMENTAL &

REGULATORY REPORTING: Do not flush to drain. If required proper authorities should be

notified.

## SECTION 7. STORAGE AND HANDLING PRECAUTIONS-----

STORAGE: Store in tightly closed container in a cool, dry, well-ventilated

environment away from ignition sources. Recommended container

materials are polyethylene or glass.

HANDLING: Use only under yellow light.

Keep away from heat, sparks, and flames.

Use only with mechanical exhaust.

Do not contact with skin, eyes, and clothing. Severe eye irritant.

Avoid prolonged or repeated contact with skin.

Do not breathe vapors or mist.

Wash with soap and water after handling. Have safety shower and eye wash available. Store and transfer under a blanket of dry inert gas. CHEMICAL NAME: Organic Polymer Solution TRADE NAME: LOR B Series Resists See Table 1 - Section 9

\_\_\_\_\_

### SECTION 8. EXPOSURE CONTROLS AND PERSONAL PROTECTION-----

RESPIRATORY

PROTECTION: Under normal conditions, use of air-purifying (half-mask/full-face)

respirator with cartridges/canisters approved for use against organic

vapors, dust, mists and fumes is recommended.

VENTILATION: General area dilution/exhaust ventilation.

SKIN PROTECTION: Skin contact should be minimized through the use of gloves and

suitable long-sleeved clothing.

EYE PROTECTION: Eye contact should be prevented through use of chemical safety

glasses with side shields or splash proof goggles.

## SECTION 9. PHYSICAL AND CHEMICAL DATA-----

APPEARANCE: Clear, yellow to brown

ODOR: Slightly sweet

BOILING POINT: 120-130 °C (248-266 °F)

SPECIFIC GRAVITY: See Table 1 below

VAPOR PRESSURE: 9 mm Hg @ 20 °C (68 °F)

VAPOR DENSITY: 2.3 (air=1)

 $H_2O$  SOLUBILITY: 10-20% @ 20 °C, by wt.

% VOLATILES: See Table 1 below FLASH POINT: 30 °C (86 °F) TCC AUTOIGNITION TEMP: 278 °C (532 °F)

FLAMMABILITY LIMITS: 1.3 lower (vol/vol %)

unk. Upper

### Table 1

Name	Product #	<b>Specific Gravity</b>	Volatiles (% by wt)	VOC (g/L)
LOR 0.7B	G316702	0.965	98	940
LOR 1B	G316703	0.967	96	930
LOR 2B	G316704	0.973	95	930
LOR 3B	G316707	0.980	93	920
LOR 5B	G316708	0.982	92	910
LOR 6B	G316709	0.984	91	900
LOR 7B	G316710	0.988	91	900
LOR 10B	G316711	0.990	89	880
LOR 15B	G316712	0.992	88	870
LOR 20B	G316715	1.002	86	860
LOR 30B	G316716	1.004	85	850
LOR 50B	G316719	1.007	82	830

PAGE 4 03 March 2006

CHEMICAL NAME: Organic Polymer Solution TRADE NAME: LOR B Series Resists See Table 1 - Section 9

------

## SECTION 10. REACTIVITY DATA -----

STABILITY: Stable

INCOMPATIBILITY: Strong Oxidizing Agents, Strong Bases, Strong Acids, Strong Reducing Agents, Iron, Hydrazine

HAZARDOUS POLYMERIZATION: May occur. Avoid extreme pH.

HAZARDOUS COMBUSTION OR

DECOMPOSITION PRODUCTS: Oxides of carbon.

## SECTION 11. TOXICITY HAZARDS------

## As cyclopentanone:

Acute Eye Irritation: eye irritation, 100mg, rabbit. Severely irritating. Acute Skin Irritation: skin irritation, 500mg, rabbit. Mildly irritating.

Acute Dermal Toxicity: LD50 – lethal dose 50% of test species, >5000 mg/kg, rabbit.

Acute Respiratory Irritation: no test data found for product. Acute Inhalation Toxicity: no test data found for product.

Acute Oral Toxicity: LD50 – lethal dose 50% of test species, 1180 mg/kg, rat.

## As Propylene glycol monomethyl ether:

Acute Inhalation Toxicity: LC50 – 15,000 ppm, rat. Acute Oral Toxicity: LD-50 – 6600 mg/kg, rat.

## As Polyaliphatic imide copolymer:

No data available.

# SECTION 12. ECOLOGICAL DATA-----

### As cyclopentanone:

Data not available.

### As Propylene glycol monomethyl ether:

It has a low potential to affect aquatic organisms.

Acute Aquatic Effects Data:

48-h EC50 (daphnia): 23,300 mg/L

96-h LC50 (fathead minnow): 20,800 mg/L 168-h EC50 (freshwater algae): 1,000mg/L

### Biodegradation:

Biodegradable under aerobic or anaerobic conditions. Aerobic biodegradation of 96% after 28 days. Anaerobic biodegradation of 38% after 81 days (30 day lag period).

### Bioaccumulation:

Not expected to bioaccumulate in aquatic organisms. Log Kow (calculated): -0.437

PAGE 5 03 March 2006

CHEMICAL NAME: Organic Polymer Solution
TRADE NAME: LOR B Series Resists
PRODUCT #: See Table 1 - Section 9

-----

Environmental Fate:

Vapors will photodegrade. Photochemical degradation of vapors in 3.1 hours.

# SECTION 13. DISPOSAL CONSIDERATIONS-----

Comply with applicable local, state or international regulations regarding the proper disposal of this material and/or containers.

# SECTION 14. TRANSPORTATION INFORMATION-----

HAZARD CLASSIFICATION: Flammable Liquid SHIPPING NAME: Resin Solution UN 1866

PACKING GROUP III

# SECTION 15. REGULATORY INFORMATION-----

#### **EUROPEAN INFORMATION**

EINECS LISTED

EC Nos: Cyclopentanone 204-435-9, 1-Methoxy-2-Propanol 203-539-1

**RISK & SAFETY PHRASES** 

R10 Flammable

R36/38 Irritating to eyes and skin S2 Keep out of reach of children

S23 Do not breath vapor S24 Avoid contact with skin

INDICATIONS OF DANGER
Xi Irritant

### US AND INTERNATIONAL INFORMATION

HAZARDOUS LISTINGS: All components of this product are listed on the U.S.

Toxic Substances Control Act Chemical Inventory

(TSCA Inventory) or are exempted from listing because a

Low Volume Exemption has been granted.

SARA Title III: This product IS NOT subject to SARA Title III, Section

313 Reporting Requirements.

Calif. SCAQMD Rule 443.1 VOC's: See Table 1 – Section 9

PAGE 6 03 March 2006

CHEMICAL NAME: Organic Polymer Solution
TRADE NAME: LOR B Series Resists
PRODUCT #: See Table 1 - Section 9

-----

## SECTION 16. ADDITIONAL PRECAUTIONS AND COMMENTS------

National Fire Protection Association Hazard Ratings – NFPA:

- 2 Health Hazard Rating
- 3 Flammability Rating
- 0 Reactivity Rating

To the best of our knowledge, the above information is believed to be accurate but does not claim to be all-inclusive and is intended to be used only as a guide. The supplier makes no warranty of any kind, expressed or implied, concerning the use of this product and shall not be held liable for any damage resulting from handling or from contact with the above product. User assumes all risks incident to its use.

MSDS Revision Information:

A) 3/03/06 – Review of MSDS – no changes