#### SIGMA-ALDRICH

### MATERIAL SAFETY DATA SHEET

Date Printed: 10/27/2006 Date Updated: 02/04/2006

Version 1.5

# Section 1 - Product and Company Information

Product Name 1H, 1H, 2H, 2H-PERFLUORODECYLTRIETHOXYSILAN

E, 97%

Product Number 658758 Brand ALDRICH

Company Sigma-Aldrich Canada, Ltd Address 2149 Winston Park Drive Oakville ON L6H 6J8 CA

Technical Phone: 9058299500 9058299292

Fax: 800-424-9300 Emergency Phone:

## Section 2 - Composition/Information on Ingredient

Substance Name CAS # SARA 313 101947-16-4 1H, 1H, 2H, 2H-PERFLUORODECYLTRIETHOXY No

SILANE

Formula C16H19F17O3Si

Triethoxy-1H,1H,2H,2H-perfluorodecylsilane Synonyms

### Section 3 - Hazards Identification

### EMERGENCY OVERVIEW

Corrosive. Causes burns.

# HMIS RATING

HEALTH: 3

FLAMMABILITY: 0 REACTIVITY: 0

### NFPA RATING

HEALTH: 3

FLAMMABILITY: 0 REACTIVITY: 0

For additional information on toxicity, please refer to Section 11.

### Section 4 - First Aid Measures

# ORAL EXPOSURE

If swallowed, wash out mouth with water provided person is conscious. Call a physician. Do not induce vomiting.

# INHALATION EXPOSURE

If inhaled, remove to fresh air. If not breathing give artificial respiration. If breathing is difficult, give oxygen.

# DERMAL EXPOSURE

In case of skin contact, flush with copious amounts of water for

at least 15 minutes. Remove contaminated clothing and shoes. Call a physician.

### EYE EXPOSURE

In case of contact with eyes, flush with copious amounts of water for at least 15 minutes. Assure adequate flushing by separating the eyelids with fingers. Call a physician.

# Section 5 - Fire Fighting Measures

#### FLASH POINT

> 230 °F > 110 °C Method: closed cup

### AUTOIGNITION TEMP

N/A

#### FLAMMABILITY

N/A

### EXTINGUISHING MEDIA

Suitable: Carbon dioxide, dry chemical powder, or appropriate foam.

### FIREFIGHTING

Protective Equipment: Wear self-contained breathing apparatus and protective clothing to prevent contact with skin and eyes. Specific Hazard(s): Emits toxic fumes under fire conditions.

### Section 6 - Accidental Release Measures

PROCEDURE TO BE FOLLOWED IN CASE OF LEAK OR SPILL Evacuate area.

# PROCEDURE(S) OF PERSONAL PRECAUTION(S)

Wear self-contained breathing apparatus, rubber boots, and heavy rubber gloves.

# METHODS FOR CLEANING UP

Cover with dry lime or soda ash, pick up, keep in a closed container, and hold for waste disposal. Ventilate area and wash spill site after material pickup is complete.

# Section 7 - Handling and Storage

# HANDLING

User Exposure: Do not breathe vapor. Do not get in eyes, on skin, on clothing. Avoid prolonged or repeated exposure.

## **STORAGE**

Suitable: Keep tightly closed.

# Section 8 - Exposure Controls / PPE

### ENGINEERING CONTROLS

Safety shower and eye bath. Use only in a chemical fume hood.

# PERSONAL PROTECTIVE EQUIPMENT

Respiratory: Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU). Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as

a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator.

Hand: Compatible chemical-resistant gloves.

Eye: Chemical safety goggles.

Other: Faceshield (8-inch minimum).

### GENERAL HYGIENE MEASURES

Wash contaminated clothing before reuse. Discard contaminated shoes. Wash thoroughly after handling.

Section 9 - Physical/Chemical Properties

Physical State: Liquid Appearance Color: Colorless Property Value At Temperature or Pressure Molecular Weight 610.39 AMU Нq N/ABP/BP Range 209.0 - 230.0 °C MP/MP Range N/A Freezing Point N/AVapor Pressure Vapor Density N/AN/ASaturated Vapor Conc. N/A SG/Density  $1.389 \, \text{g/cm}3$ Bulk Density N/A Odor Threshold N/AVolatile% N/A VOC Content N/AWater Content N/ASolvent Content N/AN/A Evaporation Rate Viscosity N/A Surface Tension N/APartition Coefficient N/A Decomposition Temp. N/A > 230 °F > 110 °C Method: closed cup Flash Point Explosion Limits N/AFlammability N/AAutoignition Temp N/ARefractive Index 1.342 Optical Rotation N/AN/AMiscellaneous Data

## N/A = not available

# Section 10 - Stability and Reactivity

### STABILITY

Solubility

Stable: Stable.

Materials to Avoid: Strong oxidizing agents.

N/A

### HAZARDOUS DECOMPOSITION PRODUCTS

Hazardous Decomposition Products: Carbon monoxide, Carbon dioxide.

### HAZARDOUS POLYMERIZATION

Hazardous Polymerization: Will not occur

## Section 11 - Toxicological Information

#### ROUTE OF EXPOSURE

Skin Contact: Causes burns.

Skin Absorption: May be harmful if absorbed through the skin.

Eye Contact: Causes burns.

Inhalation: May be harmful if inhaled. Material is extremely destructive to the tissue of the mucous membranes and upper

respiratory tract.

Ingestion: May be harmful if swallowed.

### SIGNS AND SYMPTOMS OF EXPOSURE

Inhalation may result in spasm, inflammation and edema of the larynxand bronchi, chemical pneumonitis, and pulmonary edema. Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin. Symptoms of exposure may include burning sensation, coughing, wheezing, laryngitis, shortness of breath, headache, nausea, and vomiting.

Section 12 - Ecological Information

No data available.

Section 13 - Disposal Considerations

APPROPRIATE METHOD OF DISPOSAL OF SUBSTANCE OR PREPARATION
Contact a licensed professional waste disposal service to dispose
of this material. Dissolve or mix the material with a combustible
solvent and burn in a chemical incinerator equipped with an
afterburner and scrubber. Observe all federal, state, and local
environmental regulations.

### Section 14 - Transport Information

#### DOT

Proper Shipping Name: Corrosive liquids, n.o.s.

UN#: 1760 Class: 8

Packing Group: Packing Group III

Hazard Label: Corrosive

PIH: Not PIH

### IATA

Proper Shipping Name: Corrosive liquid, n.o.s.

IATA UN Number: 1760

Hazard Class: 8
Packing Group: III

### Section 15 - Regulatory Information

## EU ADDITIONAL CLASSIFICATION

Symbol of Danger: C

Indication of Danger: Corrosive.

R: 34

Risk Statements: Causes burns.

S: 26-36/37/39-45

Safety Statements: In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Wear suitable protective clothing, gloves, and eye/face protection. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

## US CLASSIFICATION AND LABEL TEXT

Indication of Danger: Corrosive.

Risk Statements: Causes burns. Safety Statements: In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Wear suitable protective clothing, gloves, and eye/face protection. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

UNITED STATES REGULATORY INFORMATION SARA LISTED: No

### CANADA REGULATORY INFORMATION

WHMIS Classification: This product has been classified in accordance with the hazard criteria of the CPR, and the MSDS contains all the information required by the CPR.

DSL: No NDSL: No

Section 16 - Other Information

#### DISCLAIMER

For R&D use only. Not for drug, household or other uses.

### WARRANTY

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Inc., shall not be held liable for any damage resulting from handling or from contact with the above product. See reverse side of invoice or packing slip for additional terms and conditions of sale. Copyright 2006 Sigma-Aldrich Co. License granted to make unlimited paper copies for internal use only.