MSDS Number: **T1814** * * * * * Effective Date: **08/10/04** * * * * * Supercedes:

11/02/01



From: Mallinckrodt Baker, Inc. 222 Red School Lane Phillipsburg, NJ 08865



24 Hour Emergency Telephone: 908-859-2151

CHEMTREC: 1-800-424-9300

National Response in Canada CANUTEC: 613-996-6666

Outside U.S. And Canada Chemtrec: 703-527-3887

NOTE: CHEMTREC, CANUTEC and National Response Center emergency numbers to be used only in the event of chemical emergencies involving a spill, leak, fire, exposure or accident involving chemicals.

All non-emergency questions should be directed to Customer Service (1-800-582-2537) for assistance.

Tetramethylammonium Hydroxide, 0.26N

1. Product Identification

Synonyms: TMAH

CAS No.: Not applicable to mixtures.

Molecular Weight: Not applicable to mixtures. Chemical Formula: Not applicable to mixtures.

Product Codes: 5875

2. Composition/Information on Ingredients

Ingredient Hazardous	CAS No	Percent
Tetramethylammonium Hydroxide	75-59-2	2 - 3%
	13-39-2	2 - 3%
Yes	7720 10 5	07 000
Water	7732-18-5	97 - 98%
No		

3. Hazards Identification

Emergency Overview

POISON! DANGER! CORROSIVE ALKALINE SOLUTION. CAUSES BURNS

TO ANY AREA OF CONTACT. MAY BE FATAL IF SWALLOWED, INHALED OR ABSORBED THROUGH SKIN.

J.T. Baker SAF-T-DATA(tm) Ratings (Provided here for your convenience)

Health Rating: 3 - Severe (Poison) Flammability Rating: 0 - None Reactivity Rating: 0 - None

Contact Rating: 3 - Severe (Corrosive)

Lab Protective Equip: GOGGLES & SHIELD; LAB COAT & APRON; VENT HOOD;

PROPER GLOVES

Storage Color Code: White (Corrosive)

Potential Health Effects

Exposure may result in intense burning of the eyes, nose, throat, lungs and skin. Experimental studies have indicated that TMAH is a weak inhibitor of acetylcholinesterase and acts as a cholinergic (muscarinic and nicotinic) agonist. Depending on the level and duration of exposure, signs and symptoms may include blurred or double vision; pinpoint pupils; changes in heart rate and blood pressure; abdominal cramping, nausea and vomiting; diarrhea, excessive salivation sweating or bronchial secretions; urinary incontinence; muscle twitching, tremors or convulsions. Other symptoms consistent with cholinergic activity may also be observed.

Inhalation:

Inhalation of alkaline vapors can produce upper airway edema, respiratory failure, wheezing, pulmonary edema, and pnemonitis.

Ingestion:

Alkaline corrosive ingestion may produce burns to the lips, tongue, oral mucosa, upper airway, esophagus and occasionally stomach.

Skin Contact:

Dermal contact with alkaline corrosives may produce pain, redness, severe irritation or full thickness burns. May be absorbed through the skin with possible systemic effects.

Eve Contact:

Alkaline eye exposures produce severe irritation with effects similar to those of dilute caustics. Inflammation or burns with possible damage to the eye tissues can occur together with tearing and considerable pain.

Chronic Exposure:

No information found.

Aggravation of Pre-existing Conditions:

Persons with pre-existing skin disorders or eye problems or impaired respiratory function may be more susceptible to the effects of the substance.

4. First Aid Measures

Inhalation:

Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention immediately.

Ingestion:

If swallowed, DO NOT INDUCE VOMITING. Give large quantities of water. Never give anything by mouth to an unconscious person. Get medical attention immediately.

Skin Contact:

Immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Get medical attention immediately. Wash clothing before reuse. Thoroughly clean shoes before reuse.

Eve Contact:

Immediately flush eyes with plenty of water for at least 15 minutes, lifting lower and upper eyelids occasionally. Get medical attention immediately.

5. Fire Fighting Measures

Fire:

Not considered to be a fire hazard.

Explosion:

Not considered to be an explosion hazard.

Fire Extinguishing Media:

Use any means suitable for extinguishing surrounding fire.

Special Information:

In the event of a fire, wear full protective clothing and NIOSH-approved self-contained breathing apparatus with full facepiece operated in the pressure demand or other positive pressure mode.

6. Accidental Release Measures

Ventilate area of leak or spill. Keep unnecessary and unprotected people away from area of spill. Wear appropriate personal protective equipment as specified in Section 8. Contain and recover liquid when possible. Do not flush caustic residues to the sewer. Residues from spills can be diluted with water, neutralized with dilute acid such as acetic, hydrochloric or sulfuric. Absorb neutralized caustic residue on clay, vermiculite or other inert substance and package in a suitable container for disposal.

7. Handling and Storage

Store at 5 - 27C. Keep from freezing. Keep in a tightly closed container. Store in a cool, dry, corrosion-proof, ventilated area away from moisture, sources of heat or ignition, combustibles and oxidizers. Protect against physical damage. Containers of this material

may be hazardous when empty since they retain product residues (vapors, liquid); observe all warnings and precautions listed for the product.

8. Exposure Controls/Personal Protection

Airborne Exposure Limits:

None established.

Ventilation System:

A system of local and/or general exhaust is recommended to keep employee exposures as low as possible. Local exhaust ventilation is generally preferred because it can control the emissions of the contaminant at its source, preventing dispersion of it into the general work area. Please refer to the ACGIH document, *Industrial Ventilation, A Manual of Recommended Practices*, most recent edition, for details.

Personal Respirators (NIOSH Approved):

For conditions of use where exposure to the substance is apparent and engineering controls are not feasble, consult an industrial hygienist. For emergencies, or instances where the exposure levels are not known, use a full-facepiece positive-pressure, air-supplied respirator. WARNING: Air purifying respirators do not protect workers in oxygen-deficient atmospheres.

Skin Protection:

Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls, as appropriate, to prevent skin contact.

Eye Protection:

Use chemical safety goggles and/or a full face shield where splashing is possible. Maintain eye wash fountain and quick-drench facilities in work area.

9. Physical and Chemical Properties

```
Appearance:
Light yellow liquid.
Odor:
Ammonia odor.
Solubility:
Complete (100%)
Specific Gravity:
1.00
pH:
> 13
% Volatiles by volume @ 21C (70F):
95
Boiling Point:
100C (212F)
Melting Point:
No information found.
Vapor Density (Air=1):
```

ca. 0.6

Vapor Pressure (mm Hg):

ca. 18 @ 20C (68F)

Evaporation Rate (BuAc=1):

ca. 0.4

10. Stability and Reactivity

Stability:

Stable under ordinary conditions of use and storage.

Hazardous Decomposition Products:

Ammonia, volatile amines, nitrogen oxides, and alcohols.

Hazardous Polymerization:

Will not occur.

Incompatibilities:

Strong acids.

Conditions to Avoid:

Heat, flames, ignition sources and incompatibles.

11. Toxicological Information

Tetramethylammonium hydroxide: Skin guinea pig LD50 = 25 mg/kg Preliminary results from an experimental study in rats demonstrated lethality following one or more skin applications of tetramethylammonium hydroxide at dose levels of 50 mg/kg and higher.

\Cancer			
Lists\			
	NTP Carcinogen		
Ingredient	Known	Anticipated	IARC
Category			
Tetramethylammonium Hydroxide	No	No	None
(75-59-2)			
Water (7732-18-5)	No	No	None

12. Ecological Information

Environmental Fate:

If neutralized, this material may be biodegradable. No specific information available.

Environmental Toxicity:

Acute aquatic toxicity testing on a pH neutralized solution of this compound has been shown to be highly toxic to the ceriodaphnia dubia (water flea).

13. Disposal Considerations

Whatever cannot be saved for recovery or recycling should be managed in an appropriate and approved waste facility. Although not a listed RCRA hazardous waste, this material may exhibit one or more characteristics of a hazardous waste and require appropriate analysis to determine specific disposal requirements. Processing, use or contamination of this product may change the waste management options. State and local disposal regulations may differ from federal disposal regulations. Dispose of container and unused contents in accordance with federal, state and local requirements.

14. Transport Information

Domestic (Land, D.O.T.)

Proper Shipping Name: TETRAMETHYLAMMONIUM HYDROXIDE, SOLUTION

Hazard Class: 8 UN/NA: UN1835 Packing Group: II

Information reported for product/size: 8.5LB

International (Water, I.M.O.)

Proper Shipping Name: TETRAMETHYLAMMONIUM HYDROXIDE, SOLUTION

Hazard Class: 8 UN/NA: UN1835 Packing Group: II

Information reported for product/size: 8.5LB

International (Air, I.C.A.O.)

Proper Shipping Name: TETRAMETHYLAMMONIUM HYDROXIDE, SOLUTION

Hazard Class: 8 UN/NA: UN1835 Packing Group: II

Information reported for product/size: 8.5LB

15. Regulatory Information

\Chemical Inventory Status - Part			
1\			
Ingredient	TSCA	EC	Japan
Australia			
Tetramethylammonium Hydroxide (75-59-2)	Yes	Yes	Yes
Yes			
Water (7732-18-5)	Yes	Yes	Yes
Yes			

\Chemical Inventory Status - Part				
Ingredient Phil.		Korea	Can a DSL	
Tetramethylammonium Hydroxide (75-59-2) Yes		Yes	Yes	No
Water (7732-18-5) Yes		Yes	Yes	No
\Federal, State & International Re	gulati	ons -	Part	
21.2	-SARA	302-		SARA
313 Ingredient Chemical Catg.	RQ	TPQ	List	
Tetramethylammonium Hydroxide (75-59-2) Water (7732-18-5)	No No	No No	No No	No No
\Federal, State & International Re 2\	gulati	ons -	Part	
Ingredient	CERCI	ıA	-RCRA- 261.33	8 (d)
Tetramethylammonium Hydroxide (75-59-2) Water (7732-18-5)	No No	_	No No	
Chemical Weapons Convention: No TSCA 12 SARA 311/312: Acute: Yes Chronic: No Reactivity: No (Mixture / Liquid)				

Australian Hazchem Code: 2R **Poison Schedule:** None allocated.

WHMIS:

This MSDS has been prepared according to the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all of the information required by the CPR.

16. Other Information

NFPA Ratings: Health: 3 Flammability: 0 Reactivity: 0

Label Hazard Warning:

POISON! DANGER! CORROSIVE ALKALINE SOLUTION. CAUSES BURNS TO ANY AREA OF CONTACT. MAY BE FATAL IF SWALLOWED, INHALED OR ABSORBED THROUGH SKIN.

Label Precautions:

Do not get in eyes, on skin, or on clothing.

Do not breathe vapor or mist.

Keep container closed.

Use only with adequate ventilation.

Wash thoroughly after handling.

Label First Aid:

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse. If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. If swallowed, DO NOT INDUCE VOMITING. Give large quantities of water. Never give anything by mouth to an unconscious person. In all cases get medical attention immediately.

Pro	duc	t I	Jse

Process Chemical

Revision Information:

No Changes.

Disclaimer:

Mallinckrodt Baker, Inc. provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgment in determining its appropriateness for a particular purpose. MALLINCKRODT BAKER, INC. MAKES NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, INCLUDING WITHOUT LIMITATION ANY WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE WITH RESPECT TO THE INFORMATION SET FORTH HEREIN OR THE PRODUCT TO WHICH THE INFORMATION REFERS. ACCORDINGLY, MALLINCKRODT BAKER, INC. WILL NOT BE RESPONSIBLE FOR DAMAGES RESULTING FROM USE OF OR RELIANCE UPON THIS INFORMATION.

Prepared by: Environmental Health & Safety Phone Number: (314) 654-1600 (U.S.A.)