

# Acrylic Polymers Surface Grafting of Acetylated Bacterial Cellulose Nanofibers By Free Radical Polymerization

Amir Sani and Yaser Dahman

Department of Chemical Engineering, Toronto, M5B 2K3




## Introduction

Bacterial Cellulose (B.C.) nanofibers are relatively strong, having breaking strengths of up to 1GN/m<sup>2</sup> (10,000 MPa). This B.C. is produced in the form of nanofibres, yielding a very pure cellulose product with unique physical properties that distinguish it from plant-derived cellulose. Although B.C. nanofibers have useful properties, it lacks properties of synthetic polymers. Modification of cellulose by graft copolymerisation also provides significant route to alter the physical and chemical properties in addition to promoting more stable biocomposites.

## Experimental Work


- ✓ Bacterial Cellulose was produced in shake flasks using a fructose-based medium by *Acetobacter Xylinum* BPR 2001 (ATCC # 700178).
- ✓ B.C. nanofibers were heterogeneously acetylated by fibrous acetylation method.
- ✓ Graft copolymerization of HEMA monomer onto the cellulose acetate (C.A.) was carried with a benzoyl-peroxide free-radical initiator.

## Free-Radical Graft Co-Polymerization Mechanism




B.C.		C.A.	
Group	(cm <sup>-1</sup> )	Group	(cm <sup>-1</sup> )
OH stretching	3345	OH stretching	3345
CH stretching	2900	C=O stretching	1730
OH bending of adsorbed water	1638	CH <sub>3</sub> asymmetric deformation	1450
HCH and OCH in-plane bending vibration	1420	CH <sub>3</sub> symmetric deformation	1375
		Acetate C-C-O stretching	1250
		C-O stretching	1050

## FTIR Of Modified B.C.



## <sup>13</sup>C Solid-State NMR



## References

1. Joseph et al., J. Chem Tech Biotech 2003, 78:964-970.
2. Kim et al., Cellulose 2002; 9: 361-367.
3. Carlmark et al., Biomacro. 2003; 4: 1740-1745.