

MATERIAL LEGEND

- ASPHALT SHINGLES
- PREFIN. ROOF VENT
- PREFIN. HORIZONTAL/VERTICAL SIDING
- PREFIN. VINYL SHAKES

- PREFIN. ALUM. EAVESTROUGH, FASCIA AND SOFFIT
- PREFIN. ALUM. FRIEZE BOARD
- 8"x 8" PREFINISHED STRUCTURAL POST
- 1 1/2" x 3/8" BREAK IN ALUM. FASCIA

- 6" PREFIN. WINDOW OR DOOR BATTEN
- 6" PREFIN. CORNER BATTEN
- ALUM. CLAD PORCH BEAM
- PREFINISHED GABLE DECORATION

- FINISHED GRADE
- CONCRETE FOUNDATION
- CONCRETE FOOTING
- PRECAST CONCRETE ENTRY STEPS
- GALV. METAL WINDOW WELL (AS REQ'D BY GRADE) DRAIN TO WEEPING TILE

- 8" PREFIN. BANDING
- PREFINISHED RAILING SYSTEM
- STEP FND'N AND FTG'S AS REQUIRED BY GRADE
- WOOD WHEEL CHAIR RAMP (INSTALL AS REQUIRED 1:12 SLOPE)
- ARTIFICIAL STONE CLADDING

NOTE: PROVIDE GUARDS (CONFORMING TO DIVISION B, PART 9.8.8 OF THE 2012 ONTARIO BUILDING CODE AND SB-7 TYPE GUARDS FOR HOUSING AND SMALL BUILDINGS) AT PORCH WHERE DISTANCE FROM PORCH TO GRADE IS 2'-0" OR GREATER.
NOTE: FOR WALK-OUT & PART WALK-OUT LOTS STEP CONC. FOUNDATION AS REQ'D FOR PROPOSED GRADES ENSURING A MAX. OF 4'-0" OF Laterally UNSUPPORTED WALL.
NOTE: WINDOW SIZES SHOWN ARE APPROXIMATE. EXACT ROUGH OPENINGS TO BE DETERMINED BY WINDOW MANUFACTURERS SPECIFICATIONS.
NOTE: WHERE PATIO/TERRACE DOOR THRESHOLD IS GREATER THAN 2'-0" ABOVE FINISHED GRADE, PROVIDE SB-7 GUARD OR PROVIDE BLOCKING TO PREVENT DOOR FROM OPENING MORE THAN 4".



I, Carrie McMillan, review and take responsibility for the design work on behalf of our firm Orchard Design Studio Incorporated registered under Division C, Part 3 (3.2.4) of the Building Code. I am qualified, and the firm is registered, in the appropriate classes/categories.
Firm BCIN: 28615
Individual BCIN: 32875
Signed: _____



STATUS: BUILDING PERMIT
PLOTTED: 3/10/2015 4:32 PM
SCALE: 3/32"=1'-0"
DWN BY: BAM
DATE: MARCH 2015
REV.

PROJECT KEHL STREET TOWNHOMES BLOCK-E	242 KEHL STREET, KITCHENER, ONTARIO
TITLE REAR ELEVATION	

SHEET No.
A4.03