

NOTE:  
PROVIDE BUILT-UP WOOD STUD POST EQUAL TO STUD DEPTH x WIDTH OF BEAM. AT BOTH ENDS OF STEEL OR WOOD BEAMS UNLESS NOTED OTHERWISE.

NOTE RE SPECIFICATIONS:  
FOR STANDARD FOUNDATION AND FRAMING NOTES, CODE REQUIREMENTS AND TYPICAL CONSTRUCTION ASSEMBLIES REFER TO SHEETS AT END OF PACKAGE


STAIR NOTES:  
STAIR RUN = 8 1/4"  
PROVIDE SOLID WOOD BLOCKING, AS REQ'D, AROUND STAIRWELL WALLS FOR FUTURE RAILING ATTACHMENT



FRAMING NOTES:  
ALL INTERIOR STUD WALLS TO BE 2x4, U.N.O.  
PROVIDE DOUBLE JOIST FRAMING UNDER ALL PARALLEL WALLS ABOVE

FIRE STOP NOTE:  
ALL BEAMS AND JOISTS RESTING ON PARTY WALL ARE REQUIRED TO BE FIRE STOPPED

NOTE:  
SUMP PUMP/PIT SHALL BE INSTALLED AND CONNECTED TO THE STORM SEWER. CONTACT THE DEPARTMENT OF PUBLIC WORKS FOR VERIFICATION OF LOCATION

NOTE:  
PROVIDE 2-2x8 ABOVE ALL BASEMENT EXTERIOR WINDOWS, U.N.O.  
COLUMN SCHEDULE  
3 1/2" STEEL COLUMN (18,500 lb.)  
(ON 42"x42"x18" dp. CONC. FTG., WHERE SHOWN)



PROJECT KEHL STREET TOWNHOMES BLOCK-E 242 KEHL STREET, KITCHENER, ONTARIO	TITLE BASEMENT FLOOR PLAN END UNITS 31 & 34	STATUS: BUILDING PERMIT	 Habitat for Humanity® Waterloo Region	<p>I, <b>Carrie McMillan</b>, review and take responsibility for the design work on behalf of our firm <b>Orchard Design Studio</b> Incorporated registered under Division C, Part 3 (3.2.4) of the Building Code. I am qualified, and the firm is registered, in the appropriate classes/categories. Firm BCIN: 28615 Individual BCIN: 32875</p> <p>Signed: _____</p>	 ORCHARD DESIGN STUDIO INCORPORATED (519) 620-0414
		PLOTTED: 3/10/20158:42 AM			
		SCALE: 3/16"=1'-0"			
		DWN BY: BAM			
		DATE: MARCH 2015			
		REV.			