00011825

ISOPROPYL ALCOHOL

SAFETY DATA SHEET

CANADA COLORS & CHEMICALS LTD 152 KENNEDY ROAD SOUTH BRAMPTON, ONTARIO, L6W 3G4



PRODUCT: ISOPROPYL ALCOHOL 99

CODE: 511501

Page 1

SECTION 01: CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

CANADA COLORS & CHEMICALS LTD. MANUFACTURER.....

152 KENNEDY ROAD SOUTH

BRAMPTON, ONTARIO

CANADA L6W 3G4

PRODUCT NAME..... **ISOPROPYL ALCOHOL 99**

PRODUCT CODE..... 511501 CHEMICAL FORMULA..... C3H8O.

HYDROCARBON.

CHEMICAL FAMILY......MOLECULAR WEIGHT..... 60.10 MATERIAL USE..... SOLVENT EMERGENCY PHONE NO..... (416)-444-2112.

SECTION 02: HAZARDS IDENTIFICATION





SIGNAL WORD. DANGER. FLAMMABLE LIQUIDS — CATEGORY 2. SKIN IRRITATION (CATEGORY 3). EYE IRRITATION — CATEGORY 2A. SPECIFIC TARGET ORGAN TOXICITY — SINGLE EXPOSURE — CATEGORY 3. HAZARD CLASSIFICATION.....

HAZARD STATEMENT.....

H225 HIGHLY FLAMMABLE LIQUID AND VAPOUR. H316 CAUSES MILD SKIN IRRITATION, H319 CAUSES SERIOUS EYE IRRITATION, H336 MAY CAUSE

DROWSINESS OR DIZZINESS.

P210 KEEP AWAY FROM HEAT/SPARKS/OPEN FLAMES/HOT SURFACES AND PRECAUTIONARY STATEMENT.....

OTHER IGNITION SOURCES - NO SMOKING... P233 KEEP CONTAINER TIGHTLY CLOSED. P240 GROUND/BOND CONTAINER AND RECEIVING EQUIPMENT. P241 USE EXPLOSION-PROOF ELECTRICAL/VENTILATING/LIGHTING/.../ EQUIPMENT, P242 USE ONLY NON-SPARKING TOOLS. P243 TAKE PRECAUTIONARY MEASURES AGAINST STATIC DISCHARGE. P261 AVOID BREATHING

DUST/FUME/GAS/MIST/VAPOURS/SPRAY. P264 WASH... THOROUGHLY AFTER HANDLING. P271 USE ONLY OUTDOORS OR IN A WELL-VENTILATED AREA. P280 WEAR PROTECTIVE GLOVES/PROTECTIVE CLOTHING/EYE PROTECTION/FACE PROTECTION. P303+P361+P353 IF ON SKIN (OR HAIR): REMOVE/TAKE OFF IMMEDIATELY ALL CONTAMINATED CLOTHING. RINSE SKIN WITH

WATER/SHOWER, P304+P340 IF INHALED: REMOVE VICTIM TO FRESH AIR AND KEEP AT REST IN A POSITION COMFORTABLE FOR BREATHING, P305+P351+P338 IF IN EYES: RINSE CAUTIOUSLY WITH WATER FOR SEVERAL MINUTES. REMOVE CONTACT LENSES, IF PRESENT AND EASY TO DO. CONTINUE RINSING. P312 CALL A POISON CENTER OR DOCTOR/PHYSICIAN IF YOU FEEL UNWELL. P337+P313 IF

EYE IRRITATION PERSISTS: GET MEDICAL ADVICE/ATTENTION. P370+P378 IN CASE OF FIRE: USE DRY SAND, DRY CHEMICAL OR ALCOHOL RESISTANT FOAM FOR EXTINCTION. P403+P235 STORE IN A WELL-VENTILATED PLACE. KEEP COOL P405 STORE LOCKED UP. P501 DISPOSE OF CONTENTS/CONTAINER ACCORDING TO ALL APPLICABLE REGULATIONS.

99

OTHER HAZARDS...... VAPOURS CAN ACCUMULATE IN LOW AREAS. MAY FORM EXPLOSIVE PEROXIDES.

SECTION 03: COMPOSITION/INFORMATION ON INGREDIENTS						
S #	WT. %					
	;#					

SECTION 04: FIRST AID MEASURES

GENERAL ADVICE:..... COSULT A PHYSICIAN. SHOW THIS SAFETY DATA SHEET TO THE DOCTOR IN ATTENDANCE, MOVE OUT OF DANGEROUS AREA.
IF BREATHED IN, MOVE PERSON INTO FRESH AIR. IF NOT BREATHING, GIVE

IF INHALED:..... ARTIFICIAL RESPIRATION, CONSULT A PHYSICIAN.

67-63-0





-	00011023		SAFETTUA	IA SHEET			raye z	
PRODUCT: ISOPROPYL ALCOHOL			. 99		CODI	E: 511501		
	S	ECTI	ON 04: FIRST AID MEASURES					
	IN CASE OF SKIN CONTACT:IN CASE OF EYE CONTACT:IF SWALLOWED:		WASH EYES WITH CO DO NOT INDUCE VOM	PIOUS AMOUNT (ITING, NEVER GIV	OF WATER, CONSULT A PI OF WATER. VE ANYTHING BY MOUTH TH WITH WATER, CONSUL	TO AN	CIAN.	
	SECTION 05: FIRE FIGHTING MEASURES							
	EXTINGUISHING MEDIA HAZARDOUS COMBUSTION PRODUUNUSUAL FIRE AND EXPLOSION HAZARDS	JCTS.	TEMPERATURE IS ABOVE THE FLASH POINT. KEEP AWAY FROM HEAT/SPARK/OPEN FLAME/HOT SURFACE. NO SMOKING. SUITABLE FOR SURROUNDING FIRE. CARBON DIOXIDE, DRY CHEMICAL, ALCOHOL. FOAM, WATER FOG. CARBON OXIDES.					
	SPECIAL PROCEDURES		EVACUATE HAZARD A SELF-CONTAINED BR			NT INCLUDI	ING A	
	SECTIO	IRES						
	PERSONAL PRECAUTIONS:		USE PERSONAL PROTECTIVE EQUIPMENT. AVOID BREATHING VAPORS, MIST OR GAS. ENSURE ADEQUATE VENTILATION. REMOVE ALL SOURCES OF IGNITION. EVACUATE PERSONNEL TO SAFE AREAS. BEWARE OF VAPOURS ACCUMULATING TO FORM EXPLOSIVE CONCENTRATIONS. VAPOURS CAN ACCUMULATE IN LOW AREAS.					
	ENVIRONMENTAL PRECAUTIONS:		PREVENT FURTHER LEAKAGE OR SPILLAGE IF SAFE TO DO SO. DO NOT LET PRODUCT ENTER DRAINS. DISCHARGE INTO THE ENVIRONMENT MUST BE AVVOIDED.					
Place.	METHODS AND MATERIALS FORCONTAINMENT AND CLEAN UP:		CONTAIN SPILLAGE AND THEN COLLECT WITH ELECTRICALLY PROTECTED VACUUM CLEANER OR BY WET-BRUSHING AND PLACE IN CONTAINER FOR DISPOSAL ACCORDING TO LOCAL REGULATIONS.					
SECTION 07: HANDLING AND STORAGE								
	PRECAUTIONS FOR SAFE HANDLING CONDITIONS FOR SAFE STORAGE		PRACTICES. AVOID CONTACT WITH EYES, SKIN AND CLOTHING. AVOID BREATHING MIST OR VAPOUR. WEAR PROTECTIVE EQUIPMENT DURING HANDLING. USE ADEQUATE VENTILATION. KEEP AWAY FROM HEAT, SPARKS, AND OPEN FLAME. TAKE MEASURES TO PREVENT THE BUILD UP OF ELECTROSTATIC CHARGE.					
SECTION 08: EXPOSURE CONTROLS/PERSONAL PROTECTION								
	INGREDIENTS TWA	ACG	SIH TLV STEL	PEL OS	SHA PEL STEL	REL NI	IOSH	
ISOPROPYL ALCOHOL 200 ppm ENGINEERING CONTROLS			GOOD VENTILATION SHOULD BE PROVIDED TO KEEP VAPOUR AND MIST CONCENTRATIONS BELOW THE EXPOSURE LIMITS. COMPLETE SUIT PROTECTING AGAINST CHEMICALS. THE TYPE OF PROTECTIVE EQUIPMENT MUST BE SELECTED ACCORDING TO THE CONCENTRATION AND AMOUNT OF THE DANGEROUS SUBSTANCE AT THE SPECIFIC WORKPLACE. FLAME RETARDANT ANTISTATIC PROTECTIVE CLOTHING. USE NIOSH APPROVED SUPPLIED-AIR RESPIRATOR. SPLASH PROOF CHEMICAL GOGGLES, FACE SHIELD. USE GOOD PERSONAL HYGIENE PRACTICES. WASH HANDS BEFORE EATING, DRINKING, SMOKING, OR USING TOILET FACILITIES. PROMPTLY REMOVE SOILED CLOTHING AND WASH THOROUGHLY BEFORE REUSE. SHOWER AFTER WORK USING PLENTY OF SOAP AND WATER. EYE WASH STATION AND SAFETY SHOWER SHOULD BE LOCATED NEAR THE WORK STATION.					

CODE: 511501

PRODUCT: ISOPROPYL ALCOHOL 99

SECTION 09: PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE...... LIQUID. ODOUR..... ALCOHOL LIKE ODOUR THRESHOLD...... NO DATA AVAILABLE. NO DATA AVAILABLE. NO DATA AVAILABLE. - 88 C. BOILING POINT...... 82-83 C 12 C (CLOSED CUP). 1.5 (nBuAc=1). NOT APPLICABLE. 12 % (V). 2% (V). PARTITION COEFFICIENT: LOG POW: 0.05. N-OCTANOL/WATER DECOMPOSITION TEMPERATURE...... NO DATA AVAILABLE. VISCOSITY...... NO DATA AVAILBLE.

SECTION 10: STABILITY AND REACTIVITY

REACTIVITY:.... NO DATA AVIALBLE. STABLE UNDER RECOMMENDED STORAGE CONDITIONS. CHEMICAL STABILITY:.... POSSIBILITY OF HAZARDOUS REACTIONS VAPOURS MAY FORM EXPLOSIVE MIXTURE WITH AIR. CONDITIONS TO AVOID: AVOID OPEN FLAMES AND SPARKS. INCOMPATIBLE MATERIALS: STRONG OXIDIZING AGENTS. HAZARDOUS DECOMPOSITION CARBON OXIDES. **PRODUCTS**

SECTION 11: TOXICOLOGICAL INFORMATION

INCOPPORATE	LOFO	I DEO
INGREDIENTS	LC50	LD50
	77.77 FAR	NAME OF TAXABLE PARTY O

ISOPROPYL ALCOHOL

INHALATION-RAT- 16000 ppm - ORAL-RAT- >5000 MG/KG

ACUTE TOXICITY: ORAL LD50... SEE ABOVE. INHALATION LC50..... SEE ABOVE RABBIT - 12800 MG/KG. DERMAL LD50..... OTHER INFORMATION ON ACUTE NO DATA AVAILABLE. TOXICITY SKIN CORROSION / IRRITATION...... RABBIT - MILD SKIN IRRITAION.

SERIOUS EYE DAMAGE / EYE IRRITATION RABBIT-EYE IRRITATION -24h. RESPIRATORY OR SKIN SENSITIZATION. NO DATA AVAILABLE. NO DATA AVAILABLE GERM CELL MUTAGENICITY..... CARCINOGENICITY.....

NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS PROBABLE, POSSIBLE OR CONFIRMED HUMAN CARCINOGEN BY IARC. ACGIH: NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS A

CARCINOGEN OR POTENTIAL CARCINOGEN BY ACGIH.
DOES NOT IMPAIR FERTILITY. NOT A DEVELOPMENTAL TOXICANT. REPRODUCTIVE TOXICITY.....

STOT- SINGLE EXPOSURE..... MAY CAUSE DROWSINESS OR DIZZINESS. STOT - REPEAT EXPOSURE..... NO DATA AVAILABLE.

ASPIRATION HAZARD..... MAY BE FATAL IF SWALLOWED AND ENTERS AIRWAYS.

POTENTIAL HEALTH EFFECTS..... INHALATION - MAY BE HARMFUL IF INHALED, CAUSES RESPIRATORY TRACT IRRITATION, VAPOURS MAY CAUSE DROWSINESS AND DIZZINESS, INGESTION -MAY BE HARMFUL IF SWALLOWED. ASPIRATION HAZARD IF SWALLOWED - CAN ENTER LUNGS AND CAUSE DAMAGE, EYES - MAY CAUSE EYE IRRITATION, SKIN -MAY BE HARMFUL IF ABSORBED THROUGH THE SKIN. MAY CAUSE SKIN

IRRITATION.

SIGNS AND SYMPTOMS OF EXPOSURE... CENTRAL NERVOUS SYSTEM DEPRESSION, PROLONGED OR REPEATED

EXPOSURE CAN CAUSE, NARCOSIS, SKIN IRRITATION. OVER EXPOSURE MAY CAUSE MILD, REVERSIBLE LIVER EFFECTS. ASPIRATION MAY LEAD TO, LUNG

EDEMA, PNEUMONIA.

PRODUCT: ISOPROPYL ALCOHOL 99

CODE: 511501

SECTION 12: ECOLOGICAL INFORMATION

PERSISTENCE AND DEGRADABILITY...... BIOACCUMULATIVE POTENTIAL..... TOXICITY.....

READILY BIODEGRADABLE.

NO BIOACCUMULATION IS TO BE EXPECTED. EC50 - DAPHNIA MAGNA (WATER FLEA) - 1.50 MG/L - 48H. TOXICITY TO FISH: LC50-

MOBILITY IN SOIL.....

PRIMPHALES (FATHEAD MINNOW) - 96450 MG/L - 96H.
DISSOLVES IN WATER. IF THE PRODUCT ENTERS SOIL, ONE OR MORE
CONSTITUENTS WILL OR MAY BE MOBILE AND MAY CONTAMINATE GROUND

WATER.

1219.

11.

OTHER ADVERSE EFFECTS..... NO DATA AVAILABLE.

SECTION 13: DISPOSAL CONSIDERATIONS

DISPOSAL CONSIDERATIONS:

INCINERATION INCLUDING ENERGY RECOVERY OF WASTE MATERIAL IN A WASTE DISPOSAL.....

PERMITTED FACILITY IN ACCORDANCE WITH LOCAL, STATE OR PROVINCIAL AND

FEDERAL REGULATIONS.

SECTION 14: TRANSPORT INFORMATION

UN NUMBER..... TDG CLASSIFICATION..... PACKING GROUP...

PACKING GROUP...... SPECIAL SHIPPING INSTRUCTIONS...... REFER TO TRANSPORTATION OF DANGEROUS GOOD REGULATIONS.

SECTION 15: REGULATORY INFORMATION

WHMIS CLASSIFICATION.....

THIS PRODUCT HAS BEEN CLASSIFIED IN ACCORDANCE WITH THE HAZARD HPR COMPLIANCE.....

CRITERIA OF THE HPR AND THE SDS CONTAINS ALL THE INFORMATION

REQUIRED BY THE HPR.

SECTION 16: OTHER INFORMATION

N.AP.=NOT APPLICABLE N.AV.=NOT AVAILABLE

REPARED BY...... Regulatory Affairs PREPARATION DATE..... MAR 23/2016