

MATERIAL SAFETY DATA SHEET / page 1

HAZARD RATING HAZARD CODE

4- SEVERE

3- SERIOUS

2- MODERATE

1- SLIGHT

0- MINIMAL

FIRE HAZARD (0) HEALTH HAZARD (0) REACTIVITY (0)

PERSONAL PROTECTION (0)

| SECTION I: | PRODUCT IDEN | TIFICATION | | |
|---|-------------------------------------|--|----------------------------------|----------------------|
| TRADE NAME AND SYNONYMS CH | | CHEMICAL FORMULA | MATERIAL | USE |
| SOAPOPULAR HAND | SOAP F | Proprietary | Foaming I | hand soap |
| SECTION II: | HAZARDOUS INGREDIENTS OF MATERIAL | | | |
| HAZARDOUS INGREDIENTS | APPROXIMATE CONCENTRATION (% | CAS. NA OR UN NUMBERS | LD ₅₀ (SPEC | IFY SPECIES & ROUTE) |
| Benzalkonium chloride The other ingredients | 0.10 – 0.30 s are not hazardous. | CAS No: 8001-54-5 | N/AV | |
| SECTION III: | PHYSICAL DAT | A OF MATERIAL | | |
| PHYSICAL STATE | pH (as is) | ODOUR AND APP | PEARANCE | |
| Liquid | 7.00±1.0 | 00 Pleasant – Colo | orless | |
| % VOLATILE (BY VOL.) | SPECIFIC GRAVIT | Y VAPOUR PRESSURE (MM) | VAPOUR | DENSITY (AIR-1) |
| N/AV | 1.000±0.050 | N/AV | | N/AV |
| EVAPORATION RATE | BOILING POINT (°C) | FREEZING POINT (°C) SOI | LUBILITY IN W | /ATER (20°C) |
| N/AV | N/AV | N/AV | Co | omplete |
| N/A = Not | Applicable | | N/AV | = Not Available |
| | | | | |
| MEANS OF EXTINCTION Vaporised water, foam of carbon bioxide. HAZARDOUS COMBUSTION PRODUCTS CO, CO ₂ products of combustion. SPECIAL PROCEDURES N/A | | FLAMMABILITY NO IF YES UNDER WHAT CONDITIONS FLASH POINT (°C) AND METHOD I UPPER EXPLOSION LIMIT (% BY V LOWER EXPLOSION LIMIT (% BY V | n/a /Olume) n/a | |



MATERIAL SAFETY DATA SHEET / page 2

SECTION V: REACTIVITY DATA

CHEMICAL STABILITY YES

IF NO, UNDER WHAT CONDITIONS? **N/A**

INCOMPATIBILITY TO OTHER SUBSTANCES YES

F SO, WHICH ONES?

Strong oxydizers, reducing agents, acids and alkalines agents.

REACTIVITY AND UNDER WHAT CONDITIONS?

When in contact with strong oxydizers, reducing agents,

acids and alkalines agents.

HAZARDOUS DECOMPOSITION PRODUCTS

CO, CO₂.

SECTION VI: TOXICOLOGICAL PROPERTIES

ROUTE OF ENTRY

Eye contact Ingestion

EFFECTS OF ACUTE EXPOSURE TO MATERIAL

EYES: May causes irritation.

INGESTION: May causes irritation, abdominal pain, diarrhea.

EXPOSURE LIMITS N.AV.

CARCINOGENICITY, REPRODUCTIVE

EFFECTS.

TERATOGENICITY. MUTAGENICITY

None

SECTION VII: PREVENTIVE MESURES

PERSONAL PROTECTIVE EQUIPMENT

GLOVES (SPECIFY)

None

EYES (SPECIFY)
None

RESPIRATORY (SPECIFY)
None

OTHER (SPECIFY)

None

ENGINEERING CONTROLS (E.G. VENTILATION, ENCLOSED PROCESS

SPECIFY) N/A

LEAKS AND SPILLS PROCEDURE

Wash away with water. WASTE DISPOSAL

Neutralize and then dispose according to local laws.

HANDLING PROCEDURES AND EQUIPMENT

N/A

STORAGE REQUIREMENTS

Steel or plastic. Store at 20°C to 30°C. Keep lid closed.

SPECIAL SHIPPING INFORMATION

Shipping temperature has to be between 20°C and 30°C.

EYES: Flush eyes with abundant water for 15 minutes. If irritation persists, seek medical attention.

INGESTION: Drink 3-4 glasses of water, do not induce vomiting. Consult physician.

PREPARED BY PHONE NUMBER DATE

Technical Department Tel: 416-979-1757 January 1, 2013

SHIPPING: Not Regulated