UW HUMAN BLOOD, BODILY FLUID AND TISSUES WORKSHEET

C	ompleted by:	Date	completea:
Pr	oject Overview		
1.	Using point form, provide a main process steps involvin	descriptive overview of the intengent the material.	ded project. Identify the
_	Handhia anaind and an ann		No. D.C. was able in an access
2. 3.	Has this project undergone Describe the material being	handled and where it will be use	No Currently in process
J.	Describe the material being	nandied and where it will be use	u/processeu (Kill# 3).
4.	Is the material fixed or emb	almed?	☐ Yes ☐ No
5.	Was the material screened	for any pathogens?	☐ Yes ☐ No
	a. If so, are pathogens pre	sent?	☐ Yes ☐ No
6.	Is the material known to be	pathogenic?	☐ Yes ☐ No
	•	nic, complete the Local Risk Asses	sment form and discontinue
7.	this form. Select the category that bes	t describes the material:	
, .			□
	□ Semen	☐ Synovial fluid	☐ Feces
	☐ Vaginal secretions	☐ Pericardial fluid	□ Urine —
	☐ Breast milk	☐ Cerebrospinal fluid	☐ Sweat
	☐ Amniotic fluid	☐ Pleural fluid	☐ Tears
	☐ Sputum	☐ Peritoneal fluid	\square Bones or teeth
	☐ Nasal secretions	☐ Blood or blood products	
	☐ Human tissues or organs,	please specify:	
	☐ Other, please specify:		



Material Sample Source

8. Complete the following table:

Source of Sample?	Where was it collected?	Who collected it?
☐ Samples from otherwise healthy individuals ☐ Clinical samples with diagnosed illness or known pathogen. Enter pathogen or illness name:	☐ On campus	☐ Nurse ☐ Phlebotomist ☐ Other, please specify:
	☐ Off campus	
☐ Donor pool :		
☐ Tissue or blood bank☐ Other, please specify:		
 Personnel Factors 9. PPE required when working with agent (che shoes, and gloves are all mandatory for micro □ Face shield □ Safety glasses □ N-95 □ 10. Have all personnel on this project been made 	obiological work! □ Face mask □ Back	c-closing gown at BSC
Hep B vaccinations are strongly recommende human blood, bodily fluids, tissues, and relat	d when working with	□ Yes □ No
Factors Associated With the Specific V	Vork Processes	
11. Frequency of contact with agent: \square Routine/o	daily □ Weekly □ Ra	ndom/monthly/yearly
12. Largest single volume used: □< 10 L □ Moo	re than 10 L (if greater	than 10L specify):
13. Identify the processes that increase exposure	potential (check all tl	nat apply):
☐ Blending ☐ Flaming loops ☐ S		king

14.	Will your exper	iments involve ce	ntrifugation?		☐ Yes ☐ No
		sealed rotors, or soble for use?	ealed centrifuge sa	fety cups	☐ Yes ☐ No
	b. If NO to "14	la", do you only u	se screw-cap, non	-glass tubes?	☐ Yes ☐ No
	c. Will you op	en the tubes in th	e BSC after centrif	uging?	☐ Yes ☐ No
	d. If NO to (b)	or (c), explain ho	w you will protect	against exposu	ire:
15.	Is all work with	the material hap	pening in a BSC?		□ Yes □ No
		completed on the	_		☐ Yes ☐ No
		perform any activity you identified in Q.13 on the bench?			
17.			to control the aero		
18.	Will you perfor a. If yes, pleas		the bench besides	those listed in (Q.13? □ Yes □ No
19.	Are you using s a. If yes, are y b. If not, pleas	ou using safety-e	ngineered sharps?		☐ Yes ☐ No ☐ Yes ☐ No
20.	Specify disinfed	tants and decont	aminants and deco	ntamination pr	ocedures in use: N/A
	Disinfectant	Working Concentration	Contact Time (min)	Preparation Frequency	Indicate where used (surface, equipment, tools, etc)

21. Complete the table to identify how biohazardous wastes generated by your research are treated (any autoclaving and direct disposal requires weekly efficacy logs):

	Waste Generated and disinfection	Disposed by (select one)
	process	
☐ Yes ☐ No ☐ N/A	Solid waste contaminated with biohazardous material and all microbial and eukaryotic cell cultures, including broth cultures	☐ Biowaste bin (UW Disposal Service) ☐ Autoclaving: Temp: °C Time: min.
☐ Yes ☐ No ☐ N/A	(Sharps) Needle and syringe assemblies	☐ Biowaste sharps bin (UW Disposal Service) ☐ Autoclaving Temp: °C Time: min.
☐ Yes ☐ No ☐ N/A	Used glass and hard plastic pipettes and Pasteur pipettes will be:	☐ Biowaste sharps bin (UW Disposal Service) ☐ Autoclaved and disposed as regular waste Temp: C Time: min.
☐ Yes ☐ No ☐ N/A ☐ Yes ☐ No ☐ N/A	Liquid waste contaminated with biohazardous material Other, specify:	☐ Biowaste bin (UW Disposal Service) ☐ Autoclaving Temp: °C Time: min. ☐ Chemically Chemical name: Contact time:

Summary

All individuals in this lab must review the following University SOPs and guidance documents. Please go to the biosafety website to access them.

- UW Emergency Response Guide for Biologicals - Exposures and Spills
- Movement and Transportation of Biological Materials
- Guidance on Disinfection
- Vacuum Aspiration Guidance
- Proper Pipetting Techniques

	x by centrifugation		
List the names of all workers on th	is project:		
I acknowledge that work on this p	roject will not begin ur	ntil the following conditions are	met:
All workers on this project hav	-	_	met.
	e revieweu tile illaliua	tory documents listed above.	
All workers have completed th		Biosafety training module.	
·	ne University's online	Biosafety training module.	
3. The Safety Office has approved	ne University's online	Biosafety training module.	
3. The Safety Office has approved Supervisor name:	ne University's online		
3. The Safety Office has approved Supervisor name:	ne University's online	Biosafety training module. Date:	_
3. The Safety Office has approved Supervisor name:	ne University's online		_
3. The Safety Office has approved Supervisor name: Signature:	ne University's online I		_
3. The Safety Office has approved Supervisor name: Signature: Safety Office Determination	ne University's online of this project.		_
3. The Safety Office has approved Supervisor name: Signature: Safety Office Determination Project may proceed as proposed	e University's online of this project. ☐ Yes ☐ No		_
3. The Safety Office has approved Supervisor name: Signature: Safety Office Determination Project may proceed as proposed	ne University's online of this project.		_
3. The Safety Office has approved Supervisor name: Signature: Safety Office Determination Project may proceed as proposed Additional criteria required	e University's online of this project. ☐ Yes ☐ No		_
-	e University's online of this project. ☐ Yes ☐ No		_
3. The Safety Office has approved Supervisor name: Signature: Safety Office Determination Project may proceed as proposed Additional criteria required Biosafety officer name:	e University's online of this project. ☐ Yes ☐ No	Date:	_