

Guest Editorial

Vehicular Communications and Networks—Part I

DUE TO the increasing number of vehicles, road accidents and traffic jams have become a serious and ubiquitous health and social issue. To fight against road transport problems, vehicular ad hoc networks (VANETs) and intelligent transportation systems (ITSs) are attracting more and more attention, thanks to the rapid development of wireless communication technologies. VANET and ITS aim to improve traffic safety, protect environment by reducing traffic congestion and fuel consumption, and enable a plethora of new applications such as mobile infotainment. Generally speaking, VANET and ITS are able to support both safety and non-safety applications. Safety applications include automatic collision warning, bad weather detection and notification, remote vehicle diagnostics, emergency management, and other assistances for safety driving. Non-safety applications include providing real-time traffic congestion and routing information, high-speed tolling, automobile high speed Internet access, vehicle tracking, and many others.

To address the special requirements of both safety and non-safety applications in the vehicle domain, there is a necessity to develop new communication technologies and find special integration solutions into vehicular and transportation systems. These result in various types of vehicular communications and networks: vehicle-to-infrastructure (V2I), vehicle-to-roadside (V2R), and vehicle-to-vehicle (V2V) communications. The goal of these communication functions is to provide highly reliable and timely information or Internet access to vehicles, drivers, and passengers. Significant efforts have been made and are still underway by governments, highway authorities, automobile manufacturers, and the academic community to accelerate the development of VANET and ITS.

In this growing interdisciplinary field, many research challenges need to be addressed. One of the most crucial challenges is how to characterize vehicular communication channels in various roadway environments due to higher mobility of vehicles, greater dynamics, and possibly more severe fading compared to conventional wireless channels. Another challenge is how to appropriately design medium access control (MAC) and network routing protocols that should essentially be scalable in performance and adaptable to environment changes due to rapid network topology changes, node density fluctuations, and fast-varying channel conditions. How to evaluate and validate vehicular networking protocols under realistic assumptions using simulation methodologies and realworld testing is also a demanding task. Other challenges for vehicular

communications and networks are, e.g., achieving security and maintaining driver privacy, efficiently disseminating a large amount of data, radio resource management, and stringent quality of service (QoS) requirements in terms of latency and reliability, only to mention a few.

The goal of this JSAC special issue is to report on cutting-edge research achievements covering various aspects of vehicular communications and networks that are distinctively different from communication networks in general. In response to the Call for Papers, we received a total of 124 submissions worldwide. After a rigorous review process, 34 papers have been selected for publication and they will undoubtedly contribute to the solutions of some of the above-mentioned challenges. These 34 accepted papers are classified as five categories, which are further divided into two parts. Part I, appearing in this issue, includes the first three categories with altogether 21 papers and is devoted to the physical layer, MAC layer, and physical-link cross-layer design technologies. Part II, scheduled to be published in March 2011, comprises the last two categories with a total of 13 papers, which deal with handover, routing, security, and privacy preserving technologies.

In particular, the first category is comprised of five papers focusing on physical layer aspects in vehicular communications. The second category includes five papers addressing MAC layer protocols. The third category contains 11 papers, discussing cross-layer design schemes combining mainly the physical layer and link layer techniques. The fourth category consists of six papers, addressing handover and routing protocols. Finally, the fifth category has seven papers, dealing with security and privacy preserving technologies. In the following, we briefly discuss each of the papers in the first three categories.

I. CATEGORY I: PHYSICAL LAYER TECHNOLOGIES

The first category of five papers is devoted to physical layer aspects of vehicular communication networks.

The paper “Investigation on Antenna Systems for Car-to-Car Communication” by Pontes, Reichardt, and Zwick aims to investigate optimum antenna configurations with which the communication limits of V2V scenarios can be explored. Considering the scenarios of a street intersection with and without parked vehicles, the authors find that the use of multiple antennas increases capacity but it depends strongly on the antenna placement and the scenario given. Antennas placed below the vehicle with the square-like antenna configuration seem to be most robust in both scenarios.

The next paper “Impact of Vehicles as Obstacles in Vehicular Ad Hoc Networks” by Boban, Vinhoza, Ferreira, Barros, and Tonguz presents a useful model for V2V communication channels by accounting for vehicles as three-dimensional objects and taking into account their impact on the line-of-sight (LOS) obstruction, received signal power, and packet reception rate. Real-world highway measurement results illustrate that considerable obstruction of LOS due to vehicles can induce significant attenuation and packet loss. It is shown that the proposed channel model is more realistic than the existing simulators with relevant implications on the design of upper layer protocols.

In the paper “Artificial Wideband Multi User Channels for Rural High Speed Vehicle to Vehicle Links”, Brown, Eggers, and Pedersen address antenna array techniques applicable to a V2V communication scenario where vehicles travel in convoy, i.e., one vehicle following another at roughly constant speed on a rural highway. The deliberate introduction of delay spread through wide space and combined multiple antenna topology, thus creating an artificial wideband channel model, is proposed which results in de-correlated V2V links. Measurement and experimental results demonstrate that uncorrelated wideband channels between separate V2V links can be formed to enable multiuser capabilities specific to vehicles on a rural highway.

Zhang, in “Cognitive Non-Continuous Carrier Interferometry Orthogonal Signal Division Multiplex Transmission in Autonomous Vehicular Communications”, presents a novel transmission system, the so-called cognitive non-continuous carrier interferometry (NCI) orthogonal signal division multiplex (OSDM) system, to provide autonomous broadband communications among mobile vehicles. Simulation results reveal that compared to the existing systems, the proposed cognitive NCI-OSDM system can achieve higher spectrum efficiency, better bit error rate performance, lower peak to average power ratio, lower power of inter-carrier interference, and higher complexity which is however controllable if the number of sub-carriers is not extremely large.

The paper “Coalition Formation Games for Distributed Cooperation Among Roadside Units in Vehicular Networks” by Saad, Han, Hjørungnes, Niyato, and Hossain is the last one in this category. It investigates novel distributed cooperative strategies among the road-side units (RSUs) in a vehicular network. The proposed cooperation model is formulated as a coalition formation game with transferable utility and then a coalition formation algorithm is proposed, which can enable the RSUs to maximize their payoffs and always converge to a Nash-stable partition. Simulation results show that the proposed algorithm can allow the RSUs to self-organize into independent coalitions while improving the payoff performance.

II. CATEGORY II: MAC LAYER TECHNOLOGIES

The second category of five papers deals with MAC layer technologies.

The paper “Performance Modeling of Message Dissemination in Vehicular Ad Hoc Networks with Priority” by Khabazian, Assa, and Mehmet-Ali studies the performance of

message dissemination in VANETs with two priority classes of traffic. The authors derive the distribution of the number of concurrent transmissions of lower priority messages in the system at the steady state, via a birth-death process analysis, the percentage of destination node population which cannot receive the message error free due to interference, and the average forwarding distance and the number of nodes which receive a high-priority message in the presence of low-priority traffic. Numerical and simulation results confirm the accuracy of the proposed analysis.

The next paper “A Novel Adaptive Distributed Cooperative Relaying MAC Protocol for Vehicular Networks” by Zhou, Sharif, Hempel, Mahasukhon, Wang, and Ma presents a novel adaptive distributed cooperative (ADC) MAC protocol, which exploits spatial diversities to maximize the system throughput and the service range of vehicular networks. The proposed ADC-MAC protocol is accomplished through adaptively selecting the most suitable helper and transmission mode for transmit/receive pairs among direct transmission, cooperative relay transmission, and two-hop relay transmission, in accordance with the channel quality and the positioning of relay nodes. Both the Markov Chain modeling based theoretical analysis and ns-2 simulation results show that the ADC-MAC protocol outperforms existing schemes for providing robust real-time vehicular communications.

In the paper “A Region-Based Clustering Mechanism for Channel Access in Vehicular Ad Hoc Networks”, Lai, Lin, Liao, and Chen propose a Region-based Clustering Mechanism (RCM) that can be directly applied in existing MAC protocols to reduce the contention period, so that timely and reliable data delivery for mobile vehicles can be achieved. Analytical models and simulation experiments are provided to investigate the performances of RCM in terms of the total transmission time and the average contention period. Results demonstrate that the proposed mechanism is indeed an excellent mechanism to improve the performance of MAC protocols for VANETs.

The paper “Urban Infrastructure-to-Vehicle Traffic Data Dissemination Using UEP Rateless Codes” by Stefanovic, Vukobratovic, Chiti, Niccolai, Crnojevic, and Fantacci presents an end-to-end solution for urban V2I traffic data dissemination based on expanding window fountain (EWF) codes which are a class of rateless codes with unequal error protection (UEP) property. Simulation results show that EWF codes provide an efficient solution for the content reconciliation problem, adaptation to the changing link behavior, and timely and reliable delivery of important data.

The last paper in this category, “Link-Layer Scheduling in Vehicle to Infrastructure Networks: An Optimal Control Approach” by Alcaraz, Vales-Alonso, and Garcia-Haro, describes a novel link-layer scheduling mechanism for non-real-time, non-safety data transmission in V2I systems. A dynamical system model for V2I communications is developed and novel algorithmic solutions are provided. The proposed scheduler can be extended to incorporate QoS differentiation among data flows. Simulation results indicate that the proposed strategy is more beneficial than the existing mechanisms when the average packet error ratio changes notably along the covered road segment.

III. CATEGORY III: PHYSICAL-LINK CROSS-LAYER DESIGN TECHNOLOGIES

The third category of 11 papers focuses on the cross-layer design solutions, mainly combining the physical layer and link layer techniques, of vehicular communication networks.

The paper “Scalable Cross-Layer Wireless Access Control using Multi-Carrier Burst Contention” by Roman, Wassell, and Chatzigeorgiou presents a cross-layer Multi-Carrier Burst Contention (MCBC) protocol that spans both time and frequency domains, employing short and unmodulated energy bursts and a randomized and recursive node-elimination mechanism in order to resolve collisions. It can overcome many of the vehicular environment challenges and provide desirable features such as scalability, robustness, prioritized access, and others. Theoretical analysis using an analytical model and measurement results with a multi-core hardware testbed show that the proposed contention scheme has a considerable performance improvement over IEEE 802.11p.

The next paper “Probabilistic Delay Control and Road Side Unit Placement for Vehicular Ad Hoc Networks with Disrupted Connectivity” by Abdrabou and Zhuang presents an analytical framework to statistically estimate the maximum packet delivery delay from a vehicle with a random traffic source to a RSU for a low density VANET, where a data packet is being relayed via V2V communications. The framework aims at determining the minimum number of RSUs required to cover a straight road while satisfying the service requirement in terms of the transmission delay over the multiple hops. Numerical and simulation results validate the accuracy of the proposed framework, showing that a proper number of the RSUs can satisfy a certain delay bound probabilistically.

In the paper “Analysis of Access and Connectivity Probabilities in Vehicular Relay Networks”, Ng, Zhang, Zhang, Yang, and Mao develop an analytical model to fully characterize the access and connectivity probabilities in a VANET considering both one-hop (direct access) and two-hop (via a relay) communications between a vehicle and the infrastructure. Analytical and simulation results reveal the tradeoff between key system parameters, such as the distance between base stations (BSs), vehicle density, transmission ranges of a BS and a vehicle, and their collective impact on access and connectivity probabilities under different communication channel models.

Ye, Yim, Roy, and Zhang, in “Efficiency and Reliability of One-Hop Broadcasting in Vehicular Ad Hoc Networks”, analyze the effectiveness of one-hop broadcasting in VANETs in terms of the efficiency, measured by the average rate at which nodes receive any broadcast packets successfully, and reliability, measured by the average number of nodes that receive a specific transmission successfully. The authors demonstrate theoretical limits to and achievable tradeoffs between efficiency and reliability for a linear network under Rayleigh fading links. Power control and congestion control strategies are then provided to maximize broadcast efficiency. Ns-2 simulations are used to validate analytical results.

The paper “Low Complexity Outage Optimal Distributed Channel Allocation for Vehicle-to-Vehicle Communications” by Bai, Chen, Letaief, and Cao presents a random bipartite graph model for the subchannel allocation problem in V2V

communications based on the outage formulation. The QoS requirements of real-time V2V communications are met by achieving a low outage probability and high outage capacity. It is demonstrated that the proposed method can satisfy QoS requirements while having small signaling overhead with only one-bit channel state information broadcasting for each subchannel.

In the paper “Communication-Aware Position Control for Mobile Nodes in Vehicular Networks”, Roh and Lee study a communication-aware position control problem for mobile nodes in one dimensional linear vehicular networks, aiming at finding the position of each node with controllable mobility considering the network performance. Four algorithms are developed, two based on optimization theoretic approach to find the global optimal position and two based on the game theoretic approach to find the Nash equilibrium position in a distributed way. Numerical results show that the game theoretic approach can provide an efficient solution that is comparable to the global optimal solution.

The paper “Time and Location-Critical Emergency Message Dissemination for Vehicular Ad-Hoc Networks” by Zhuang, Pan, Luo, and Cai presents a time/location-critical (TLC) framework for emergency message dissemination using the so-called scalable modulation and coding (SMC) scheme. In specific, vehicles near the accident site receive guaranteed, detailed messages to take proper reaction immediately, while vehicles further away have a high probability to be informed and make location-aware decisions accordingly. Numerical and simulation results show that the proposed TLC framework with the SMC scheme is able to disseminate emergency messages effectively and efficiently, while simplifying the design of radio transceivers and MAC protocols for VANET.

In the paper “Quality-of-Service Driven Power and Sub-Carrier Allocation Policy for Vehicular Communications Networks”, Zhang, Ma, Yuan, and Chen develop a cross-layer optimization framework for V2I communication networks under delay aware QoS requirements. Aiming to minimize the overall power consumption, the proposed scheme employs orthogonal frequency division multiplexing (OFDM) at the physical layer and power and sub-carrier assignment policy at the data link layer. Theoretical and numerical results reveal that the proposed policy offers a superior performance over the reported resource allocation policies.

The paper “Analytical Models and Performance Evaluation of Drive-thru Internet Systems” by Tan, Lau, Yue, and Hui analyzes the data communication performance of a vehicle in a Drive-thru Internet system, in which users in moving vehicles within the coverage range of a roadside access point (AP) can connect to the AP to obtain Internet connectivity. Practical analytical models are derived, validated by simulations, with tractable solutions for the average and distribution of the number of bytes that a vehicle can download from an AP by the end of its sojourn. The proposed model is able to quantify the impact of road traffic density, vehicle speed, service penetration rate, APs transmission range, and the corresponding bit rate on the amount of downloaded data.

Li, Yang, and Lou, in “CodeOn: Cooperative Popular Content Distribution for Vehicular Networks using Symbol Level Network Coding”, present CodeOn, a novel push-based popu-

lar content distribution (PCD) scheme for vehicular networks, where contents are broadcasted proactively from a few APs to vehicles inside an interested area. CodeOn is designed to primarily achieve high downloading rate and high protocol efficiency, using symbol level network coding (SLNC), which enjoys the benefits of both network coding and symbol-level diversity, and a prioritized relay selection algorithm along with a lightweight transmission coordination MAC protocol. Extensive simulation results indicate that CodeOn significantly outperforms a state-of-the-art PCD scheme based on network coding.

The paper “Goodput Enhancement of VANETs in Noisy CSMA/CA Channels” by Chang, Lee, and Copeland demonstrates a feasible methodology that can increase the system goodput of carrier sensing multiple access/collision avoidance (CSMA/CA) in VANETs, using dynamic optimal fragmentation with rate adaptation algorithm (DORA). The proposed joint physical-MAC algorithm dynamically selects the optimal fragmentation and transmission rate in time varying channels with minimal overhead. Several testbeds are developed to evaluate the performance of DORA in channel estimation accuracy, ad hoc network goodput, and V2V network goodput, showing the applicability of the proposed algorithm to V2V communications.

Acknowledgments

The Guest Editors would like to thank all the authors for their enthusiastic response to submit their papers to this special issue. In particular, we thank all the reviewers for their high-quality and timely expert reviews, without which this special issue cannot come to fruition. Special thanks are due to Martha Steenstrup, JSAC Editor-in-Chief, Laurel Greenidge, JSAC Executive Editor, Gunnar Karlsson, JSAC Board Representative, and other JSAC staff, who have all provided significant support throughout the whole process. It has been a great pleasure to put together this special issue on an area that is timely, stimulating, and holds much promise for practical impact.

Cheng-Xiang Wang, *Lead Guest Editor*
Joint Research Institute for Signal and Image Processing
School of Engineering and Physical Sciences
Heriot-Watt University
Edinburgh EH14 4AS, UK
cheng-xiang.wang@hw.ac.uk

Athanasios V. Vasilakos, *Guest Editor*
Dept. of Computer and Telecommunications Engineering
University of Western Macedonia
Kozani, 50100, Greece
vasilako@ath.forthnet.gr

Ross D. Murch, *Guest Editor*
Department of Electronic and Computer Engineering
Hong Kong University of Science and Technology
Clear Water Bay, Kowloon, Hong Kong
ermurch@ust.hk

Gordon Stüber, *Guest Editor*
School of Electrical and Computer Engineering
Georgia Institute of Technology
Atlanta, Georgia, USA 30332-0250
stuber@ece.gatech.edu

Xuemin (Sherman) Shen, *Guest Editor*
Department of Electrical and Computer Engineering
University of Waterloo
Waterloo, Ontario, Canada N2L 3G1
xshen@bcr.uwaterloo.ca

Wai Chen, *Guest Editor*
Applied Research
Telcordia Technologies, Inc.
Piscataway, New Jersey, USA 07054
waichen@ieee.org

Timo Kosch, *Guest Editor*
BMW Group Research and Technology
Hanauer Strasse 46
D-80992 Munich, Germany
Timo.kosch@bmw.de

Gunnar Karlsson, *J-SAC Board Representative*



Cheng-Xiang Wang (S'01-M'05-SM'08) received the BSc and MEng degrees in Communication and Information Systems from Shandong University, China, in 1997 and 2000, respectively, and the PhD degree in Wireless Communications from Aalborg University, Denmark, in 2004.

He has been with Heriot-Watt University, Edinburgh, UK since 2005, first as a Lecturer and then as a Reader in 2009. He is also an Honorary Fellow of the University of Edinburgh, UK, a Chair Professor of Shandong University, a Guest Professor of Huazhong University of Science and Technology, an Adjunct Professor of Guilin University of Electronic Technology, and a Guest Researcher of Xidian University, China. He was a Research Fellow at the University of Agder, Grimstad, Norway, from 2001-2005, a Visiting Researcher at Siemens AG-Mobile Phones, Munich, Germany, in 2004, and a Research Assistant at Technical University of Hamburg-Harburg, Hamburg, Germany, from 2000-2001. His current research interests include wireless channel modelling and simulation, cognitive radio networks, vehicular communication networks, green communications, cooperative MIMO communications, crosslayer design of wireless networks, and beyond 4G wireless communications. He has published 1 book chapter and more than 130 papers in refereed journals and conference proceedings. He is leading several projects funded by the EPSRC, Mobile VCE, and industries, including the RCUK funded UK-China Science Bridges: R&D on (B)4G Wireless Mobile Communications.

Dr Wang is currently serving as an Editor for *Wireless Communications and Mobile Computing Journal* (John Wiley & Sons), *Security and Communication Networks Journal* (John Wiley & Sons), and *Journal of Computer Systems, Networks, and Communications* (Hindawi). He also served as an Editor for *IEEE Transactions on Wireless Communications* from 2007 to 2009. He is the leading Guest Editor for *IEEE Journal on Selected Areas in Communications*, Special Issue on Vehicular Communications and Networks. He served or is serving as a TPC member, TPC Chair, and General Chair for about 60 international conferences. He received the IEEE Globecom'10 Best Paper Award in 2010. Dr Wang is listed in "Dictionary of International Biography 2008 and 2009", "Whos Who in the World 2008 and 2009", "Great Minds of the 21st Century 2009", and "2009 Man of the Year". He is a Senior Member of the IEEE, a member of the IET, a Fellow of the HEA, and a member of the EPSRC Peer Review College.



Athanasios V. Vasilakos is currently a Professor with the Department of Computer and Telecommunications Engineering, University of Western Macedonia, Kozani, Greece, and a Visiting Professor with the Graduate Program of the Department of Electrical and Computer Engineering, National Technical University of Athens (NTUA), Athens, Greece. He has authored or co-authored over 200 technical papers in major international journals and conferences. He is author/coauthor of five books and 20 book chapters in the areas of communications.

Prof. Vasilakos has served as General Chair, Technical Program Committee Chair, and symposium Chair for many international conferences. He is Chairman of the Intelligent Systems Applications Technical Committee (ISATC) of the IEEE Computational Intelligence Society (CIS). He served or is serving as an Editor or/and Guest Editor for many technical journals, such as the *IEEE TRANSACTIONS ON SYSTEMS, MAN, AND CYBERNETICS-PART B: CYBERNETICS*, the *IEEE TRANSACTIONS ON INFORMATION TECHNOLOGY IN BIOMEDICINE*, the *IEEE Communications Magazine*, and the *ACM Transactions on Autonomous and Adaptive Systems*. He is founding Editor-in-Chief of the *International Journal of Adaptive and Autonomous Communications Systems (IJAACS)*, <http://www.inderscience.com/ijaacs> and the *International Journal of Arts and Technology (IJART)*, <http://www.inderscience.com/ijart>.



Ross D. Murch (S'85-M'87-SM'98-F'09) is a Chair Professor and Department Head of Electronic and Computer Engineering at the Hong Kong University of Science and Technology. His current research interests include Wireless Communication Systems with a focus on Multiple Input Multiple output (MIMO) Wireless Systems, Compact MIMO Antenna design and Cognitive Radio. His wireless research contributions include over 200 publications and 20 patents and these have attracted over 4000 citations. Prof. Murch is also an IEEE Fellow.

Currently Prof. Murch is the Publication Editor for *IEEE Transactions on Wireless Communications* and was an Area Editor for *IEEE Transactions on Wireless Communications* from 2006-2009. He was also the Technical Program Chair for the IEEE Wireless Communications and Networking Conference in 2007, Keynote Chair for IEEE International Conference on Communications in 2010, and also the Advanced Wireless Communications Systems Symposium in IEEE International Communications Conference in 2002. He is also a consultant for industry including Huawei, the Applied Science and Technology Research Institute (ASTRI) and is also the founding and current Director of the Center for Wireless Information Technology at the Hong Kong University of Science and Technology. In July 2005, he was invited to the School of Engineering Science, Simon Fraser University, Canada, as the David Bensted Fellow and in July 2004 he visited Southampton University, UK as an HKTIT fellow. He was also a keynote speaker at IEEE GCC 2007, IEEE WiCOM 2007 and IEEE APWC 2008. Prof. Murch received his PhD in Electrical and Electronic Engineering from the University of Canterbury, New Zealand.



Gordon L. Stüber (S'81-M'82-SM'96-F'99) received the B.A.Sc. and Ph.D. degrees in Electrical Engineering from the University of Waterloo, Ontario, Canada, in 1982 and 1986 respectively. In 1986, he joined the School of Electrical and Computer Engineering, Georgia Institute of Technology, where he holds the Joseph M. Pettit Chair in Communications. Dr. Stüber is author of the textbook *Principles of Mobile Communication*, Kluwer Academic Publishers, 1996, 2/e 2001. He was co-recipient of the Jack Neubauer Memorial Award in

1997 for the best systems paper published in the *IEEE Transactions on Vehicular Technology*. He became an IEEE Fellow in 1999 "for contributions to mobile radio and spread spectrum communications." He received the IEEE Vehicular Technology Society James R. Evans Avant Garde Award in 2003 "for his contributions to theoretical research in wireless communications." In 2007, he received the IEEE Communications Society Wireless Communications Technical Committee Recognition Award (2007) "for outstanding technical contributions in the field and for service to the scientific and engineering communities."

Dr. Stüber served as Technical Program Chair for the 1996 IEEE Vehicular Technology Conference (VTC96), Technical Program Chair for the 1998 IEEE International Conference on Communications (ICC98), General Chair of the Fifth IEEE Workshop on Multimedia, Multiaccess and Teletraffic for Wireless Communications (MMT2000), General Chair of the 2002 IEEE Communication Theory Workshop (CTW02), and General Chair of the Fifth YRP International Symposium on Wireless Personal Multimedia Communications (WPMC2002). He is a past Editor for *Spread Spectrum* with the *IEEE Transactions on Communications* (1993-1998), and a past member of the IEEE Communications Society Awards Committee (1999-2002). He served as an elected Member-at-Large on the IEEE Communications Society Board of Governors (2007-2009), and is currently an elected member of the IEEE Vehicular Technology Society Board of Governors (2001-2003, 2004-2006, 2007-2009, 2010-2012). He received the IEEE Vehicular Technology Society Outstanding Service Award in 2005.



Xuemin (Sherman) Shen (M'97-SM'02-F'09) received the B.Sc. degree from Dalian Maritime University, Dalian, China, in 1982 and the M.Sc. and Ph.D. degrees from Rutgers University, Camden, NJ, in 1987 and 1990, respectively, all in electrical engineering.

He is currently a Professor and the University Research Chair with the Department of Electrical and Computer Engineering, University of Waterloo, Waterloo, ON, Canada. Dr. Shen's research focuses on resource management in interconnected

wireless/wired networks, UWB wireless communications networks, wireless network security, wireless body area networks and vehicular ad hoc and sensor networks. He is a co-author of three books, and has published more than 400 papers and book chapters in wireless communications and networks, control and filtering.

Dr. Shen served as the Technical Program Committee Chair for IEEE VTC10, the Symposia Chair for IEEE ICC10, the Tutorial Chair for IEEE ICC08, the Technical Program Committee Chair for IEEE Globecom07, the General Co-Chair for ChinaCom07 and QShine06, the Founding Chair for IEEE Communications Society Technical Committee on P2P Communications and Networking. He also served as a Founding Area Editor for IEEE Transactions on Wireless Communications; Editor-in-Chief for Peer-to-Peer Networking and Application; Associate Editor for IEEE Transactions on Vehicular Technology; Computer Networks; and ACM/Wireless Networks, etc., and the Guest Editor for IEEE JSAC, IEEE Wireless Communications, IEEE Communications Magazine, and ACM Mobile Networks and Applications, etc. Dr. Shen received the Excellent Graduate Supervision Award in 2006, and the Outstanding Performance Award in 2004 and 2008 from the University of Waterloo, the Premiers Research Excellence Award (PREA) in 2003 from the Province of Ontario, Canada, and the Distinguished Performance Award in 2002 and 2007 from the Faculty of Engineering, University of Waterloo. Dr. Shen is a registered Professional Engineer of Ontario, Canada, an IEEE Fellow, and a Distinguished Lecturer of IEEE Communications Society.



Timo Kosch studied computer science and economics at the Darmstadt University of Technology and the University of British Columbia at Vancouver. He received his PhD in computer science from the Munich University of Technology.

Dr. Kosch is currently a team manager at BMW Group Research and Technology. He is responsible for projects on distributed systems, including research topics like cooperative systems for traffic efficiency and active safety, connected vehicle infrastructures and automotive security. He contributed

to a number of national and international research programs, e.g. as coordinator for the European project COMeSafety, head of system development for the German Car2X field trial and chair of the architecture working group for the Car-to-Car Communication Consortium for which he is now serving as a Steering Committee member. He has published more than twenty scientific and technical articles on vehicle communications and has supported more than a dozen scientific workshops and conferences in different roles, as panelist, keynote speaker, technical program committee member and chair. He is also a series editor of the Automotive Networking Series of the IEEE Communications Magazine.



Wai Chen received his B.S.E.E. degree from Zhejiang University; M.S.E.E., M.Phil., and Ph.D. degrees from Columbia University in the City of New York. Currently, he is a Director and Chief Scientist at Applied Research, Telcordia Technologies Inc. (formerly known as Bellcore). Dr. Chen has been leading a vehicular communications research program in collaboration with a major automaker, since 2000, on automotive networking technologies for vehicle safety and information applications. He was Principal Investigator of several government funded

projects on advanced networking technologies research.

Dr. Chen is the Series Editor for Automotive Networking - Technology, Design, and Applications of the IEEE Communications Magazine (since 2008), and the General Co-Chair for the IEEE Vehicular Networking Conference (IEEE VNC 2010, IEEE VNC 2009). He has also served as a Guest Editor for Special Issue on Inter Vehicular Communication (IVC) for the IEEE Wireless Communications Magazine (2006), the IEEE Distinguished Lecturer (2004-2006), the Co-Chair for Vehicle-to-Vehicle Communications Workshop (IEEE V2VCOM 2005-2008) co-located at IEEE Intelligent Vehicles Symposium, the Co-Chair for the IEEE Workshop on Automotive Networking and Applications (IEEE AutoNet 2006-2008) co-located with IEEE Globecom, and the Vice Chair of Technical Program Committee for Vehicular Communications of the IEEE Vehicular Technology Conference (IEEE VTC Spring 2009).